

Section : Domain Knowledge

Q.1 निम्नलिखित में से कौन-सी, स्पंद हीन अतालता नहीं है?

- Ans ☒ 1. अलिंद विकंपन (Atrial fibrillation)
- ☐ 2. पीईए (PEA)
- ☐ 3. निलय विकंपन (Ventricular fibrillation)
- ☐ 4. अप्रकुंचन (Asystole)

Question Type : MCQ
Question ID : 4410091041548
Option 1 ID : 4410094115253
Option 2 ID : 4410094115250
Option 3 ID : 4410094115252
Option 4 ID : 4410094115251
Status : Answered
Chosen Option : 1

Q.2 निम्नलिखित में से किस स्तर के विसदूषण का उद्देश्य बीजाणुओं सहित सभी प्रकार के सूक्ष्मजीवी जीवन को समाप्त करना है?

- Ans ☐ 1. संदूषण (Contamination)
- ☐ 2. विसंक्रमण (Disinfection)
- ☒ 3. निर्जर्मीकरण (Sterilisation)
- ☐ 4. निर्मलन (Cleaning)

Question Type : MCQ
Question ID : 4410091034148
Option 1 ID : 4410094088205
Option 2 ID : 4410094088206
Option 3 ID : 4410094088207
Option 4 ID : 4410094088204
Status : Answered
Chosen Option : 3

Q.3 सार्वजनिक वादन (public speaking) के भय को _____ के नाम से जाना जाता है।

- Ans ☒ 1. गाइनोफोबिया (Gynophobia)
☒ 2. निक्टोफोबिया (Nyctophobia)
☒ 3. ग्लोसोफोबिया (Glossophobia)
☒ 4. एमेटोफोबिया (Emetophobia)

Question Type : MCQ

Question ID : 4410091033877

Option 1 ID : 4410094087160

Option 2 ID : 4410094087161

Option 3 ID : 4410094087159

Option 4 ID : 4410094087158

Status : Answered

Chosen Option : 3

Q.4 विडाल परीक्षण का प्राथमिक उपयोग क्या है?

- Ans ☒ 1. स्ट्रेप्टोकोकस विरिडान्स (Streptococcus viridans) के कारण होने वाले संक्रमण का निदान करना
☒ 2. निपा संक्रमण (Nipah infection) की गंभीरता का निर्धारण करना
☒ 3. रोगी के समग्र स्वास्थ्य और कल्याण का आकलन करना
☒ 4. टाइफॉइड जीवाणु की उपस्थिति का पता लगाना

Question Type : MCQ

Question ID : 4410091048624

Option 1 ID : 4410094143610

Option 2 ID : 4410094143608

Option 3 ID : 4410094143609

Option 4 ID : 4410094143607

Status : Answered

Chosen Option : 4

Q.5 निम्नलिखित में से किस दुर्लभ जन्मजात अपसामान्यता में, हृदय, वक्ष के बाईं ओर की बजाय दाईं ओर स्थित होता है?

- Ans ☒ 1. हाइपोप्लास्टिक लेफ्ट हार्ट सिंड्रोम (Hypoplastic left heart syndrome)
☒ 2. डेक्सट्रोकार्डिया (Dextrocardia)
☒ 3. लेवोकार्डिया (Laevocardia)
☒ 4. महाधमनियों का स्थानांतरण (Transposition of the great arteries)

Question Type : MCQ

Question ID : 4410091048729

Option 1 ID : 4410094144028

Option 2 ID : 4410094144029

Option 3 ID : 4410094144030

Option 4 ID : 4410094144027

Status : Answered

Chosen Option : 3

Q.6 द्वितीयक सर्वेक्षण के SAMPLE प्रारूप में, 'A' द्वारा क्या दर्शाया जाता है?

- Ans ☒ 1. Alertness of the patient (रोगी की सतर्कता)
☒ 2. Assessment of the patient (रोगी का मूल्यांकन)
☒ 3. Airway management (वायुमार्ग प्रबंधन)
☒ 4. Allergies to medications (औषध प्रयोग के प्रति एलर्जी)

Question Type : MCQ

Question ID : 4410091068514

Option 1 ID : 4410094219562

Option 2 ID : 4410094219561

Option 3 ID : 4410094219563

Option 4 ID : 4410094219560

Status : Answered

Chosen Option : 2

Q.7 आंत्र में गैस को कम करने के लिए निम्नलिखित में से किस प्रकार के एनिमा का उपयोग किया जाता है?

- Ans ☒ 1. कृमिनाशक एनिमा (Anthelmintic enema)
☒ 2. पोषक एनिमा (Nutrient enema)
☒ 3. वातानुलोमक एनिमा (Carminative enema)
☒ 4. तेल धारण एनीमा (Oil retention enema)

Question Type : MCQ

Question ID : 4410091048592

Option 1 ID : 4410094143484

Option 2 ID : 4410094143483

Option 3 ID : 4410094143485

Option 4 ID : 4410094143486

Status : Answered

Chosen Option : 3

Q.8 सत्यवादिता का नैतिक सिद्धांत (ethical principle of veracity) नर्सों से क्या अपेक्षा करता है?

- Ans ☒ 1. रोगियों और उनके परिवारों को सत्य बताना
☒ 2. निर्णय लेने में रोगी की स्वायत्तता का सम्मान करना
☒ 3. रोगियों और उनके परिवारों से किए गए वादे निभाना
☒ 4. रोगियों और उनके परिवारों का भला करना

Question Type : MCQ

Question ID : 4410091037502

Option 1 ID : 4410094100574

Option 2 ID : 4410094100577

Option 3 ID : 4410094100575

Option 4 ID : 4410094100576

Status : Answered

Chosen Option : 2

Q.9 'N95 मास्क' में, 'N95' क्या दर्शाता है?

Ans ☒ 1. यह कम से कम 95% वायुवाहित कणों को फ़िल्टर कर देता है।

☒ 2. इसे 95 विभिन्न प्रकार के वायरस हेतु डिज़ाइन किया गया है।

☒ 3. इसे 95 घंटे में उपयोग करने के लिए रेट किया गया है।

☒ 4. इसमें सामग्री की 95 परतें हैं।

Question Type : MCQ

Question ID : 4410091068143

Option 1 ID : 4410094218084

Option 2 ID : 4410094218085

Option 3 ID : 4410094218083

Option 4 ID : 4410094218086

Status : Answered

Chosen Option : 2

Q.10 एक रोगी पेशी उद्वेष्ट और संभ्रम की शिकायत लेकर आपातकालीन विभाग में आया और उसका ECG लिया गया, जिसमें दीर्घकालिक QT समयांतराल दिखाई दिया। कौन-सा विद्युत्अपघट्य असंतुलन इन लक्षणों के साथ सबसे अधिक संबंधित है?

Ans ☒ 1. हाइपरकेलेमिया (Hyperkalemia)

☒ 2. हाइपोकैल्सीमिया (Hypocalcemia)

☒ 3. हाइपोकेलेमिया (Hypokalemia)

☒ 4. हाइपरकैल्सीमिया (Hypercalcemia)

Question Type : MCQ

Question ID : 4410091029645

Option 1 ID : 4410094070268

Option 2 ID : 4410094070267

Option 3 ID : 4410094070269

Option 4 ID : 4410094070266

Status : Answered

Chosen Option : 1

Q.11 कानूनी तौर पर सूचित सहमति के लिए क्या आवश्यक है?

Ans ☒ 1. आपात स्थिति के दौरान मौखिक समझौता

☒ 2. जोखिम/लाभ के बारे में रोगी की समझ

☒ 3. केवल फिजीशियन की स्वीकृति

☒ 4. पड़ोसी के हस्ताक्षर

Question Type : MCQ

Question ID : 4410091049409

Option 1 ID : 4410094146745

Option 2 ID : 4410094146744

Option 3 ID : 4410094146746

Option 4 ID : 4410094146743

Status : Answered

Chosen Option : 4

Q.12 कोशिकाबाह्य तरल में सबसे प्रचुर मात्रा में पाया जाने वाला विद्युत् अपघट्य (electrolyte) कौन-सा है?

- Ans ☒ 1. कैल्शियम
☒ 2. पोटैशियम
☒ 3. क्लोराइड
☒ 4. सोडियम

Question Type : MCQ

Question ID : 4410091048361

Option 1 ID : 4410094142516

Option 2 ID : 4410094142515

Option 3 ID : 4410094142514

Option 4 ID : 4410094142513

Status : Answered

Chosen Option : 3

Q.13 What is the usual blood pH range for metabolic alkalosis?

- Ans ☒ 1. Below 7.35
☒ 2. 7.0-7.3
☒ 3. Above 7.45
☒ 4. 7.35-7.45

Question Type : MCQ

Question ID : 4410091048765

Option 1 ID : 4410094144167

Option 2 ID : 4410094144170

Option 3 ID : 4410094144169

Option 4 ID : 4410094144168

Status : Answered

Chosen Option : 3

Q.14 The time, maximum age and route of administration of the first dose of Hepatitis B as per National Immunisation Schedule is:

- Ans ☒ 1. at birth, within 5 years through subcutaneous route
☒ 2. at birth, within 15 days through oral route
☒ 3. at birth, within a year through Intradermal route
☒ 4. at birth, within 24 hours through Intramuscular route

Question Type : MCQ

Question ID : 441009389958

Option 1 ID : 4410091525420

Option 2 ID : 4410091525418

Option 3 ID : 4410091525417

Option 4 ID : 4410091525419

Status : Answered

Chosen Option : 3

Q.15 सामान्य लेफ्ट वेंट्रिकुलर इजेक्शन फ्रैक्शन (left ventricular ejection fraction - LVEF) क्या होता है?

- Ans ☒ 1. 71% से 80% के बीच
☒ 2. 81% से 89% के बीच
☒ 3. 90% से 100% के बीच
☒ 4. 55% से 70% के बीच

Question Type : MCQ

Question ID : 4410091027119

Option 1 ID : 4410094060041

Option 2 ID : 4410094060042

Option 3 ID : 4410094060043

Option 4 ID : 4410094060040

Status : Answered

Chosen Option : 2

Q.16 एक नर्स को कम साक्षरता वाले मरीज को सोडियम कम करने के बारे में कैसे शिक्षित करना चाहिए?

- Ans ☒ 1. ऑनलाइन संसाधनों की अनुशंसा करके
☒ 2. पोषण लेबल (nutrition label) पढ़ने का सुझाव देकर
☒ 3. लिखित पैम्फलेट (pamphlets) उपलब्ध कराकर
☒ 4. दृश्य सहायक सामग्री का उपयोग करके

Question Type : MCQ

Question ID : 4410091068669

Option 1 ID : 4410094220179

Option 2 ID : 4410094220178

Option 3 ID : 4410094220177

Option 4 ID : 4410094220176

Status : Answered

Chosen Option : 3

Q.17 प्रसव (labour) के दौरान शिशु के बहिर्घूर्णन (external rotation) को किस नाम से भी जाना जाता है?

- Ans ☒ 1. क्रोनिंग (crowning)
☒ 2. इंगेजमेंट (engagement)
☒ 3. रेस्टिट्यूशन (restitution)
☒ 4. बललॉटमेंट (ballottement)

Question Type : MCQ

Question ID : 4410091047994

Option 1 ID : 4410094140945

Option 2 ID : 4410094140946

Option 3 ID : 4410094140947

Option 4 ID : 4410094140948

Status : Answered

Chosen Option : 2

Q.18 ICD-11 कब लागू हुआ था?

Ans ☒ 1. 2017

☒ 2. 2022

☒ 3. 2010

☒ 4. 2015

Question Type : MCQ

Question ID : 4410091044516

Option 1 ID : 4410094127096

Option 2 ID : 4410094127097

Option 3 ID : 4410094127094

Option 4 ID : 4410094127095

Status : Answered

Chosen Option : 2

Q.19 पोषण शिक्षा के लिए, विशेष रूप से अशिक्षित या अर्ध-शिक्षित आबादी के लिए, निम्नलिखित में से कौन-सी विधि प्रभावी है?

Ans ☒ 1. लिखित पैम्फलेट

☒ 2. तकनीकी व्याख्यान

☒ 3. जटिल ग्राफ और चार्ट

☒ 4. प्रदर्शन और प्रयोगात्मक सत्र

Question Type : MCQ

Question ID : 441009890506

Option 1 ID : 4410093516009

Option 2 ID : 4410093516011

Option 3 ID : 4410093516010

Option 4 ID : 4410093516008

Status : Answered

Chosen Option : 4

Q.20 Which is a common example of an isotonic intravenous solution?

Ans ☒ 1. 5% Dextrose in Water

☒ 2. 0.9% Sodium Chloride

☒ 3. 0.45% Sodium Chloride

☒ 4. 3% Sodium Chloride

Question Type : MCQ

Question ID : 4410091029656

Option 1 ID : 4410094070311

Option 2 ID : 4410094070312

Option 3 ID : 4410094070310

Option 4 ID : 4410094070313

Status : Answered

Chosen Option : 3

Q.21 निम्नलिखित में से कौन-सी, नर्सिंग प्रक्रिया की विशेषता नहीं है?

- Ans ☒ 1. नर्स केंद्रित (Nurse centered)
- ☒ 2. सहयोगात्मक (Collaborative)
- ☒ 3. गतिक (Dynamic) और चक्रिक (cyclical)
- ☒ 4. अंतर्व्यक्ति (Interpersonal)

Question Type : MCQ

Question ID : 441009906117

Option 1 ID : 4410093578280

Option 2 ID : 4410093578282

Option 3 ID : 4410093578283

Option 4 ID : 4410093578281

Status : Answered

Chosen Option : 3

Q.22 प्रसव (labour) का निम्नलिखित में से कौन-सा चरण, शिशु के जन्म के तुरंत बाद शुरू होता है और सामान्यतः 30 मिनट के भीतर समाप्त हो जाता है क्योंकि प्लेसेंटा, गर्भाशय भित्ति से अलग हो जाती है और बाहर निकल जाती है?

- Ans ☒ 1. पहला चरण
- ☒ 2. दूसरा चरण
- ☒ 3. चौथा चरण
- ☒ 4. तीसरा चरण

Question Type : MCQ

Question ID : 4410091038623

Option 1 ID : 4410094104622

Option 2 ID : 4410094104623

Option 3 ID : 4410094104625

Option 4 ID : 4410094104624

Status : Answered

Chosen Option : 3

Q.23 हैरिस फ्लश (Harris flush) को _____ के नाम से भी जाना जाता है।

- Ans ☒ 1. वातानुलोमक एनीमा (carminative enema)
- ☒ 2. स्तंभक एनीमा (astringent enema)
- ☒ 3. रिटर्न-फ्लो एनीमा (return-flow enema)
- ☒ 4. एंथेल्मिथिक एनीमा (anthelminthic enema)

Question Type : MCQ

Question ID : 4410091067567

Option 1 ID : 4410094215773

Option 2 ID : 4410094215774

Option 3 ID : 4410094215776

Option 4 ID : 4410094215775

Status : Answered

Chosen Option : 3

Q.24 What is monitored in infection control surveillance?

- Ans ☒ 1. Death of patients attending hospitals
- ☒ 2. Hospital-acquired infection rates
- ☒ 3. Staff hygiene monitoring
- ☒ 4. Number of patients not improving after treatment

Question Type : MCQ

Question ID : 4410091068867

Option 1 ID : 4410094220961

Option 2 ID : 4410094220960

Option 3 ID : 4410094220959

Option 4 ID : 4410094220962

Status : Answered

Chosen Option : 2

Q.25 A nurse demonstrates professionalism by:

- Ans ☒ 1. ignoring patient feedback
- ☒ 2. providing care based on personal biases
- ☒ 3. avoiding teamwork and collaboration
- ☒ 4. exhibiting empathy and compassion

Question Type : MCQ

Question ID : 4410091047738

Option 1 ID : 4410094139944

Option 2 ID : 4410094139941

Option 3 ID : 4410094139943

Option 4 ID : 4410094139942

Status : Answered

Chosen Option : 2

Q.26 एक नर्स एक मरीज से उसकी सहायता करने के इरादे से नहीं बल्कि उसके निजी मामलों के बारे में जानने की जिज्ञासा से जानकारी मांग रही है। यहां चिकित्सीय संचार में कौन-सी बाधा उत्पन्न हुई है?

- Ans ☒ 1. असहमति (Disagreeing)
- ☒ 2. जांच संबंधी (Probing)
- ☒ 3. चुनौतीपूर्ण (Challenging)
- ☒ 4. खारिज (Rejecting)

Question Type : MCQ

Question ID : 441009383519

Option 1 ID : 4410091499670

Option 2 ID : 4410091499668

Option 3 ID : 4410091499669

Option 4 ID : 4410091499671

Status : Answered

Chosen Option : 2

Q.27 अनुक्रिया शून्य हृद् संरोध से पीड़ित व्यक्ति के प्रबंधन में पहला कदम क्या है?

Ans ☒ 1. एक स्वचालित बाह्य वितंतु विकपनित्र (defibrillator) संलग्न करना।

☒ 2. वक्ष संपीडन शुरू करना।

☒ 3. अनुक्रिया, नाड़ी और श्वसन की जांच करना।

☒ 4. एपिनेफ्रीन (epinephrine) देना।

Question Type : MCQ

Question ID : 4410091049273

Option 1 ID : 4410094146189

Option 2 ID : 4410094146188

Option 3 ID : 4410094146190

Option 4 ID : 4410094146187

Status : Answered

Chosen Option : 4

Q.28 निम्नलिखित में से किसे छोड़कर शेष सभी नर्सिंग प्रक्रिया में मूल्यांकन के प्रमुख पहलू हैं?

Ans ☒ 1. देखभाल योजना में संशोधन की आवश्यकता का आकलन

☒ 2. अंतः क्षेप की प्रभावशीलता का आकलन

☒ 3. परिणामों और लक्ष्य प्राप्ति की तुलना

☒ 4. यह एक अंतिम प्रक्रिया है, न कि एक सतत प्रक्रिया

Question Type : MCQ

Question ID : 4410091037537

Option 1 ID : 4410094100712

Option 2 ID : 4410094100711

Option 3 ID : 4410094100710

Option 4 ID : 4410094100713

Status : Answered

Chosen Option : 4

Q.29 निम्नलिखित में से किसका उपयोग बाधित प्रसव के प्रबंधन के लिए नहीं किया जा सकता है?

Ans ☒ 1. सहायक योनि प्रसव (Assisted vaginal delivery)

☒ 2. हेमलिच युक्ति (Heimlich maneuver)

☒ 3. विनाशकारी प्रक्रियाएँ (Destructive procedures)

☒ 4. सिजेरियन सेक्शन (Caesarean section)

Question Type : MCQ

Question ID : 4410091027587

Option 1 ID : 4410094061880

Option 2 ID : 4410094061881

Option 3 ID : 4410094061882

Option 4 ID : 4410094061879

Status : Answered

Chosen Option : 1

Q.30 What is the key source of community health data?

Ans ☒ 1. Local public health department reports

☐ 2. Social media trends

☐ 3. Hospital profit records

☐ 4. Pharmacy sale records

Question Type : MCQ

Question ID : 4410091068762

Option 1 ID : 4410094220548

Option 2 ID : 4410094220550

Option 3 ID : 4410094220549

Option 4 ID : 4410094220551

Status : Answered

Chosen Option : 1

Q.31 ब्लड प्रेशर कफ के स्फितिशील थैली की चौड़ाई, बाहु (arm) की परिधि की लगभग कितने प्रतिशत होनी चाहिए?

Ans ☐ 1. 70%

☒ 2. 40%

☐ 3. 80%

☐ 4. 20%

Question Type : MCQ

Question ID : 4410091041538

Option 1 ID : 4410094115212

Option 2 ID : 4410094115211

Option 3 ID : 4410094115213

Option 4 ID : 4410094115210

Status : Answered

Chosen Option : 1

Q.32 आपात परिस्थितियों में कौन-सी नेतृत्व शैली प्रभावी होती है?

Ans ☐ 1. परामर्शी (Consultative)

☒ 2. स्वेच्छाचारी (Autocratic)

☐ 3. अहस्तक्षेप (Laissez-faire)

☐ 4. निष्क्रिय-आक्रामी (Passive-aggressive)

Question Type : MCQ

Question ID : 4410091073638

Option 1 ID : 4410094232026

Option 2 ID : 4410094232023

Option 3 ID : 4410094232024

Option 4 ID : 4410094232025

Status : Answered

Chosen Option : 2

Q.33 निम्नलिखित में से किस एक को छोड़कर शेष सभी, अतिसार (diarrhoea) के उपचार में बिस्मथ का उपयोग करने के प्राथमिक कारण हैं?

- Ans
- ☒ 1. शोथरोधी (anti-inflammatory)
 - ☒ 2. प्रतिस्रावी (antisecretory)
 - ☒ 3. प्रतिजीवाणु (antibacterial)
 - ☒ 4. वेदनाहर (analgesics)

Question Type : MCQ

Question ID : 4410091048469

Option 1 ID : 4410094142961

Option 2 ID : 4410094142960

Option 3 ID : 4410094142963

Option 4 ID : 4410094142962

Status : Answered

Chosen Option : 2

Q.34 निम्नलिखित में से कौन-सा, अस्पताल से उपार्जित संक्रमण विकसित होने का सामान्य जोखिम कारक है?

- Ans
- ☒ 1. अस्पताल में कम समय तक रहना
 - ☒ 2. रोगी द्वारा बार-बार हाथ धोना
 - ☒ 3. अंतः स्थायी चिकित्सा उपकरण
 - ☒ 4. इष्टतम पोषणज स्थिति

Question Type : MCQ

Question ID : 4410091068146

Option 1 ID : 4410094218097

Option 2 ID : 4410094218096

Option 3 ID : 4410094218095

Option 4 ID : 4410094218098

Status : Answered

Chosen Option : 3

Q.35 A degenerative disease of the bone characterised by reduced mass, deterioration of matrix, and diminished architectural strength is called:

- Ans
- ☒ 1. osteopenia
 - ☒ 2. radiculopathy
 - ☒ 3. osteoporosis
 - ☒ 4. arthritis

Question Type : MCQ

Question ID : 441009397195

Option 1 ID : 4410091554229

Option 2 ID : 4410091554231

Option 3 ID : 4410091554230

Option 4 ID : 4410091554228

Status : Answered

Chosen Option : 3

Q.36 सगर्भता के दौरान उल्पीय कोश या गर्भोदक थैली का प्राथमिक कार्य क्या है?

Ans ☒ 1. गर्भ को सहारा देना और उसकी रक्षा करना

☒ 2. गर्भ की हृदयगति दर को नियमित करना

☒ 3. गर्भाशय संकुचनों को उद्दीपित करना

☒ 4. गर्भ को पोषक तत्व प्रदान करना

Question Type : MCQ

Question ID : 4410091047939

Option 1 ID : 4410094140734

Option 2 ID : 4410094140736

Option 3 ID : 4410094140735

Option 4 ID : 4410094140733

Status : Answered

Chosen Option : 1

Q.37 सौम्य निर्जलीकरण (Mild dehydration) से पता चलता है कि बच्चों में तरल (fluid) की कितनी कमी है?

Ans ☒ 1. 10-12%

☒ 2. 6-7%

☒ 3. 15-20%

☒ 4. 3-5%

Question Type : MCQ

Question ID : 441009906801

Option 1 ID : 4410093581014

Option 2 ID : 4410093581013

Option 3 ID : 4410093581015

Option 4 ID : 4410093581012

Status : Answered

Chosen Option : 1

Q.38 'ओटावा चार्टर फॉर हेल्थ प्रमोशन (Ottawa Charter for Health Promotion)' निम्नलिखित में से किन प्रमुख कार्य क्षेत्रों पर बल देता है?

Ans ☒ 1. स्वस्थ सार्वजनिक नीति का निर्माण, सहायक वातावरण का निर्माण और सामुदायिक कार्यवाही को सुदृढ़ बनाना

☒ 2. वैयक्तिक चिकित्सीय परामर्श, भेषजिक नुस्खे, शारीरिक पुनर्वासन और नैदानिक परीक्षण

☒ 3. आनुवंशिक अभियांत्रिकी, अंग प्रतिरोपण, बुनियादी जीवनरक्षी प्रणाली, और उन्नत हृदय या परिहृद जीवनरक्षी प्रणाली

☒ 4. रोग अवेक्षण, औषधि विकास, नई औषधि खोज, नैदानिक औषधि परीक्षण और शल्य चिकित्सा हस्तक्षेप

Question Type : MCQ

Question ID : 4410091041398

Option 1 ID : 4410094114709

Option 2 ID : 4410094114706

Option 3 ID : 4410094114707

Option 4 ID : 4410094114708

Status : Answered

Chosen Option : 4

Q.39 प्रकुंचन (सिस्टोल) के दौरान रक्त के निष्कासन के लिए हृदय को जिस दाब के विरुद्ध कार्य करना पड़ता है, _____ कहलाता है।

- Ans ☒ 1. स्ट्रोक आयतन (stroke volume)
☒ 2. हृदय निकास (cardiac output)
☒ 3. भारपूर्व (preload)
☒ 4. भारोत्तर (afterload)

Question Type : MCQ

Question ID : 4410091045864

Option 1 ID : 4410094132527

Option 2 ID : 4410094132528

Option 3 ID : 4410094132525

Option 4 ID : 4410094132526

Status : Answered

Chosen Option : 1

Q.40 ICU में भर्ती एक 60 वर्षीय महिला रोगी के धमनी रक्त गैस (ABG) परिणामों से पता चलता है कि उसका pH 7.27, PaCO₂ 67 mmHg और HCO₃ 26 mEq/L है। इस रोगी में कौन-सी अम्ल-क्षार असामान्यता सर्वाधिक संभावित है?

- Ans ☒ 1. रेस्पिरेटरी एल्केलॉसिस (Respiratory alkalosis)
☒ 2. रेस्पिरेटरी एसिडॉसिस (Respiratory acidosis)
☒ 3. मेटाबोलिक एल्केलॉसिस (Metabolic alkalosis)
☒ 4. मेटाबोलिक एसिडॉसिस (Metabolic acidosis)

Question Type : MCQ

Question ID : 4410091041120

Option 1 ID : 4410094113565

Option 2 ID : 4410094113563

Option 3 ID : 4410094113562

Option 4 ID : 4410094113564

Status : Answered

Chosen Option : 2

Q.41 विटज़ेल तकनीक (Witzel technique), _____ हेतु एक शल्य चिकित्सा पद्धति है।

- Ans ☒ 1. ट्रेकियोस्टोमी के लिए द्वार बनाने
☒ 2. फीडिंग जेजुनोस्टोमी (feeding jejunostomy) बनाने
☒ 3. क्रिकॉइडेक्टोमी के लिए द्वार बनाने
☒ 4. क्रेनियोप्लास्टी के लिए द्वार बनाने

Question Type : MCQ

Question ID : 4410091027539

Option 1 ID : 4410094061687

Option 2 ID : 4410094061689

Option 3 ID : 4410094061688

Option 4 ID : 4410094061690

Status : Answered

Chosen Option : 1

Q.42 ABC मॉडल का उपयोग करते हुए परामर्श के व्यवहारिक उपागम में, अक्षर 'A' किसको संदर्भित करता है?

- Ans ☒ 1. Analysis (एनालिसिस)
☒ 2. After effect (आफ्टर इफ़ेक्ट)
☒ 3. Attitude (एट्टीट्यूड)
☒ 4. Antecedent (एंटेसेडेंट)

Question Type : MCQ

Question ID : 441009383856

Option 1 ID : 4410091501058

Option 2 ID : 4410091501060

Option 3 ID : 4410091501061

Option 4 ID : 4410091501059

Status : Answered

Chosen Option : 1

Q.43 विखंडित मनस्कता (schizophrenia) से पीड़ित रोगी की सुरक्षा को बढ़ावा देने के लिए निम्नलिखित में से किस एक को छोड़कर शेष सभी नर्सिंग अंतःक्षेप हैं?

- Ans ☒ 1. रोगी को पर्याप्त व्यक्तिगत स्थान देना
☒ 2. रोगी को शांत, कम उद्दीपन करने वाले वातावरण में ले जाना
☒ 3. रोगी से मांग करना और उसके साथ अधिकारपूर्ण व्यवहार करना
☒ 4. आत्म-क्षति के संकेतों की सटीकता से मॉनिटरिंग करना

Question Type : MCQ

Question ID : 441009383396

Option 1 ID : 4410091499142

Option 2 ID : 4410091499140

Option 3 ID : 4410091499143

Option 4 ID : 4410091499141

Status : Answered

Chosen Option : 3

Q.44 पोषण निर्धारण के दौरान बच्चों में वृद्धिरोध की पहचान करने के लिए निम्नलिखित में से किस नृमापी सूचकांक (anthropometric indices) का प्रयोग किया जाता है?

- Ans ☒ 1. आयु के अनुसार लंबाई
☒ 2. आयु के अनुसार वजन
☒ 3. लंबाई के अनुसार वजन
☒ 4. मध्य भुजा की परिधि

Question Type : MCQ

Question ID : 441009380895

Option 1 ID : 4410091489338

Option 2 ID : 4410091489337

Option 3 ID : 4410091489339

Option 4 ID : 4410091489340

Status : Answered

Chosen Option : 2

Q.45 कालपूर्व प्रसव (premature labour) में टोकोलिटिक औषधियों (tocolytic medications) का मुख्य लक्ष्य क्या है?

- Ans
- ☒ 1. गर्भ फुफ्फुस परिपक्वता को बढ़ाना (To increase foetal lung maturity)
 - ☒ 2. प्रसव को प्रेरित करना (To induce labour)
 - ☒ 3. प्राकगर्भाक्षेपक को रोकना (To prevent preeclampsia)
 - ☒ 4. संकुचन को रोकना और प्रसव में देरी करना (To stop contractions and delay delivery)

Question Type : MCQ

Question ID : 4410091038583

Option 1 ID : 4410094104468

Option 2 ID : 4410094104466

Option 3 ID : 4410094104469

Option 4 ID : 4410094104467

Status : Answered

Chosen Option : 4

Q.46 Which colour-coded bag is typically used for disposing of infectious waste, such as contaminated linen, as per BMW Rules, 2016?

- Ans
- ☒ 1. Blue
 - ☒ 2. Red
 - ☒ 3. Yellow
 - ☒ 4. Green

Question Type : MCQ

Question ID : 4410091027913

Option 1 ID : 4410094063253

Option 2 ID : 4410094063251

Option 3 ID : 4410094063252

Option 4 ID : 4410094063254

Status : Answered

Chosen Option : 2

Q.47 आयरन की कमी का मुख्य नैदानिक लक्षण निम्नलिखित में से कौन-सा है?

- Ans
- ☒ 1. सूखे, फटे हुए होंठ (Dry, cracked lips)
 - ☒ 2. गलगंड और एडेमोरोर (Goitre and oedema)
 - ☒ 3. चम्मच जैसे नाखून (Spoon-shaped nails)
 - ☒ 4. रतौंधी (Night blindness)

Question Type : MCQ

Question ID : 4410091067652

Option 1 ID : 4410094216120

Option 2 ID : 4410094216118

Option 3 ID : 4410094216117

Option 4 ID : 4410094216119

Status : Answered

Chosen Option : 1

Q.48 निम्नलिखित में से कौन-सी पर्युदर्या (पेरिटोनियम) की एक बड़ी वलि (fold) है, जो गर्भाशय और श्रोणि की भित्तियों के पार्श्व भागों से जुड़ी होती है, जो आधार प्रदान करती है और रक्त वाहिकाओं और तंत्रिकाओं को धारण करती है?

- Ans
- ☒ 1. गोल स्नायु (Round ligament)
 - ☒ 2. गर्भाशयत्रिक स्नायु (Uterosacral ligament)
 - ☒ 3. पृथुस्नायु (Broad ligament)
 - ☒ 4. जघन-गर्भाशय ग्रीवा स्नायु (Pubocervical ligament)

Question Type : MCQ

Question ID : 4410091045710

Option 1 ID : 4410094131911

Option 2 ID : 4410094131912

Option 3 ID : 4410094131910

Option 4 ID : 4410094131913

Status : Answered

Chosen Option : 4

Q.49 SMART सिद्धांत का उपयोग करके लक्ष्यों और प्रयोजनों को तैयार करने के संबंध में, 'S' का पूर्ण रूप क्या है?

- Ans
- ☒ 1. specific (स्पेसिफिक)
 - ☒ 2. skill (स्किल)
 - ☒ 3. sort (सॉर्ट)
 - ☒ 4. single (सिंगल)

Question Type : MCQ

Question ID : 441009397707

Option 1 ID : 4410091556271

Option 2 ID : 4410091556270

Option 3 ID : 4410091556273

Option 4 ID : 4410091556272

Status : Answered

Chosen Option : 1

Q.50 निम्नलिखित में से कौन-सा कथन, निष्पादन मूल्यांकन में प्रयुक्त 360-डिग्री फीडबैक पद्धति (360-degree feedback method) का सर्वोत्तम रूप से वर्णन करता है?

- Ans
- ☒ 1. केवल एक निश्चित समय सीमा में पूर्ण किए गए कार्यों की संख्या के आधार पर रेटिंग
 - ☒ 2. संगठनात्मक लक्ष्यों की तुलना में स्व-आकलन
 - ☒ 3. पर्यवेक्षकों, सहकर्मियों, अधीनस्थों और स्वयं कर्मचारी से प्राप्त अनाम फीडबैक का उपयोग करके निष्पादन मूल्यांकन
 - ☒ 4. दैनिक प्रेक्षणों के आधार पर केवल आसन्न पर्यवेक्षक द्वारा मूल्यांकन

Question Type : MCQ

Question ID : 441009925154

Option 1 ID : 4410093654749

Option 2 ID : 4410093654748

Option 3 ID : 4410093654746

Option 4 ID : 4410093654747

Status : Answered

Chosen Option : 3

Q.51 डोरोथिया ओरेम का नर्सिंग सिद्धांत निम्न में से किस एक को छोड़कर शेष सभी मुख्यतः तीनों परस्पर संबंधित भागों पर प्रकाश डालता है?

- Ans ☒ 1. रोगियों की 14 आवश्यकताएं
- ☒ 2. स्व-देखभाल की कमी
- ☒ 3. स्व-देखभाल
- ☒ 4. नर्सिंग प्रणालियाँ

Question Type : MCQ

Question ID : 4410091026913

Option 1 ID : 4410094059227

Option 2 ID : 4410094059226

Option 3 ID : 4410094059225

Option 4 ID : 4410094059228

Status : Answered

Chosen Option : 2

Q.52 प्रत्यायोजन (delegation) एक क्रिटिकल मैनेजमेंट स्किल क्यों है?

- Ans ☒ 1. यह नर्स की स्वायत्तता को कम करता है।
- ☒ 2. यह प्रबंधकीय कार्यभार बढ़ाता है।
- ☒ 3. यह टीम की दक्षता को अनुकूलित करता है।
- ☒ 4. यह अंतःक्षेप में देरी करता है।

Question Type : MCQ

Question ID : 4410091073901

Option 1 ID : 4410094233080

Option 2 ID : 4410094233081

Option 3 ID : 4410094233079

Option 4 ID : 4410094233082

Status : Answered

Chosen Option : 3

Q.53 साक्ष्य-आधारित अभ्यास पिरामिड में निम्नलिखित में से किसे साक्ष्य का उच्चतम स्तर माना जाता है?

- Ans ☒ 1. यादृच्छिक नियंत्रित परीक्षण (Randomised controlled trials)
- ☒ 2. केस अध्ययन (Case studies)
- ☒ 3. विशेषज्ञ की राय (Expert opinion)
- ☒ 4. केस-नियंत्रित अध्ययन (Case-control studies)

Question Type : MCQ

Question ID : 4410091068750

Option 1 ID : 4410094220502

Option 2 ID : 4410094220501

Option 3 ID : 4410094220500

Option 4 ID : 4410094220503

Status : Answered

Chosen Option : 1

Q.54 MUAC माप का उपयोग, बालकों में मुख्यतः किसके आकलन के लिए किया जाता है?

- Ans ☒ 1. तीव्र कुपोषण
- ☒ 2. दीर्घकालिक रोग का जोखिम
- ☒ 3. मस्तिष्क विकास
- ☒ 4. अस्थि घनत्व

Question Type : MCQ

Question ID : 4410091041383

Option 1 ID : 4410094114647

Option 2 ID : 4410094114646

Option 3 ID : 4410094114649

Option 4 ID : 4410094114648

Status : Answered

Chosen Option : 3

Q.55 गर्भाशय के संकुचन का निष्कासी बल उदर की पेशियों के ऐच्छिक संकुचन द्वारा बढ़ाया जाता है, जिसे _____ कहा जाता है।

- Ans ☒ 1. वापस खींचने की शक्ति (power of retraction)
- ☒ 2. प्रवहण प्रयत्न (bearing down efforts)
- ☒ 3. विलोपन (effacement)
- ☒ 4. कोलेजन तंतुओं का खंडन (breaking down of collagen fibrils)

Question Type : MCQ

Question ID : 441009398198

Option 1 ID : 4410091558243

Option 2 ID : 4410091558242

Option 3 ID : 4410091558244

Option 4 ID : 4410091558245

Status : Answered

Chosen Option : 2

Q.56 विश्व स्वास्थ्य संगठन (WHO) सार्वजनिक स्वास्थ्य समस्या के रूप में ट्रैकोमा (trachoma) को समाप्त करने के लिए निम्नलिखित में से किस रणनीति की अनुशंसा करता है?

- Ans ☒ 1. SAFE रणनीति
- ☒ 2. MDT रणनीति
- ☒ 3. DOTS रणनीति
- ☒ 4. RICE रणनीति

Question Type : MCQ

Question ID : 4410091033201

Option 1 ID : 4410094084467

Option 2 ID : 4410094084466

Option 3 ID : 4410094084469

Option 4 ID : 4410094084468

Status : Answered

Chosen Option : 3

Q.57 IMNCI रंग संकेतन पद्धति में, निम्नलिखित में से कौन-सा रंग संकेत यह दर्शाता है कि बच्चे को चिकित्सालय या इनपैशेंट केयर में तत्काल रेफर करने की आवश्यकता है?

- Ans ☒ 1. नीला
☒ 2. पीला
☒ 3. गुलाबी
☒ 4. हरा

Question Type : MCQ

Question ID : 4410091067589

Option 1 ID : 4410094215868

Option 2 ID : 4410094215866

Option 3 ID : 4410094215867

Option 4 ID : 4410094215865

Status : Answered

Chosen Option : 2

Q.58 प्रतिनिध्यात्मक अध्ययन (cross-sectional studies) के संबंध में निम्नलिखित में से कौन-सा कथन सत्य है?

- Ans ☒ 1. अंतः क्षेप की प्रभावता का मूल्यांकन करने के लिए प्रतिभागियों को यादृच्छिक रूप से विभिन्न समूहों में बाँटना
☒ 2. रोगग्रस्त व्यक्तियों के एक्सपोज़र इतिहास की तुलना रोग-मुक्त व्यक्तियों से करना
☒ 3. समय के साथ व्यक्तियों के एक समूह का अनुसरण करके उनके एक्सपोज़र के आधार पर रोग के विकास का आकलन करना
☒ 4. एक ही समय में एक्सपोज़र (exposures) और परिणामों के बीच संबंध की जाँच

Question Type : MCQ

Question ID : 4410091027406

Option 1 ID : 4410094061175

Option 2 ID : 4410094061173

Option 3 ID : 4410094061174

Option 4 ID : 4410094061172

Status : Answered

Chosen Option : 3

Q.59 निम्नलिखित में से कौन-सा, असंतृप्त वसा का एक प्रकार है?

- Ans ☒ 1. ओलीक अम्ल (Oleic acid)
☒ 2. स्टीरिक अम्ल (Stearic acid)
☒ 3. मिरिस्टिक अम्ल (Myristic acid)
☒ 4. लौरिक अम्ल (Lauric acid)

Question Type : MCQ

Question ID : 4410091048323

Option 1 ID : 4410094142363

Option 2 ID : 4410094142362

Option 3 ID : 4410094142364

Option 4 ID : 4410094142361

Status : Answered

Chosen Option : 1

Q.60 वृद्धि और विकास के संबंध में निम्नलिखित में से कौन-सा कथन सत्य है?

- Ans ☒ 1. वृद्धि मात्रात्मक परिवर्तनों को संदर्भित करती है, जबकि विकास गुणात्मक परिवर्तनों को संदर्भित करता है।
- ☒ 2. वृद्धि और विकास दोनों गुणात्मक परिवर्तनों को संदर्भित करते हैं।
- ☒ 3. वृद्धि गुणात्मक परिवर्तनों को संदर्भित करती है, जबकि विकास मात्रात्मक परिवर्तनों को संदर्भित करता है।
- ☒ 4. वृद्धि और विकास दोनों मात्रात्मक परिवर्तनों को संदर्भित करते हैं।

Question Type : MCQ

Question ID : 4410091044594

Option 1 ID : 4410094127399

Option 2 ID : 4410094127401

Option 3 ID : 4410094127398

Option 4 ID : 4410094127400

Status : Answered

Chosen Option : 3

Q.61 निम्नलिखित में से कौन-सा, प्रसव (delivery) के बाद शीघ्र चलनक्षमता का लाभ नहीं है?

- Ans ☒ 1. समग्र कल्याण को बढ़ावा देना
- ☒ 2. पेशी सामर्थ्य में सुधार करना
- ☒ 3. घाती आंत्रावरोध (paralytic ileus) को बढ़ाता देना
- ☒ 4. तेजी से स्वास्थ्य लाभ को बढ़ावा देना और दर्द को कम करना

Question Type : MCQ

Question ID : 4410091027833

Option 1 ID : 4410094062897

Option 2 ID : 4410094062898

Option 3 ID : 4410094062896

Option 4 ID : 4410094062895

Status : Answered

Chosen Option : 3

Q.62 निम्नलिखित में से किस नैदानिक शिक्षण पद्धति में वास्तविक समय अधिगम और नैदानिक तर्क को बढ़ाने के लिए रोगी की स्थिति और देखभाल पर सीधे बेडसाइड पर चर्चा करना शामिल है?

- Ans ☒ 1. सिमुलेशन (Simulation)
- ☒ 2. बेडसाइड क्लिनिक (Bedside Clinic)
- ☒ 3. हेल्थ टॉक (Health Talk)
- ☒ 4. केस स्टडी (Case Study)

Question Type : MCQ

Question ID : 441009925166

Option 1 ID : 4410093654797

Option 2 ID : 4410093654794

Option 3 ID : 4410093654796

Option 4 ID : 4410093654795

Status : Answered

Chosen Option : 3

Q.63 नक्तांधता (Nyctalopia), निम्नलिखित में से किस विटामिन की न्यूनता का एक सामान्य लक्षण है?

Ans ☒ 1. विटामिन B6

☒ 2. विटामिन B1

☒ 3. विटामिन A

☒ 4. विटामिन K

Question Type : MCQ

Question ID : 4410091041428

Option 1 ID : 4410094114828

Option 2 ID : 4410094114826

Option 3 ID : 4410094114827

Option 4 ID : 4410094114829

Status : Answered

Chosen Option : 1

Q.64 गर्भवती महिला के लिए प्रसवपूर्व स्तन देखभाल शिक्षा का निम्नलिखित में से कौन-सा पहलू महत्वपूर्ण है?

Ans ☒ 1. चपटे या उल्टे निपल की जाँच करना तथा आवश्यकता पड़ने पर स्तन मालिश को प्रोत्साहित करना।

☒ 2. निपल को दिन में कई बार साबुन और जल से साफ़ करना।

☒ 3. स्तन वृद्धि को कम करने के लिए टाइट-फिटिंग ब्रा का प्रयोग करना।

☒ 4. समय पूर्व प्रसव को रोकने के लिए निपल को स्पर्श करने या उत्तेजित करने से बचना।

Question Type : MCQ

Question ID : 441009924861

Option 1 ID : 4410093653583

Option 2 ID : 4410093653586

Option 3 ID : 4410093653585

Option 4 ID : 4410093653584

Status : Answered

Chosen Option : 1

Q.65 DEXA स्कैन निम्नलिखित में से किस रोग के निदान के लिए स्वर्ण मानक है?

Ans ☒ 1. सिमंड रोग (Simmond's disease)

☒ 2. अस्थिसुषिरता (Osteoporosis)

☒ 3. बहुसूत काठिन्य (Multiple sclerosis)

☒ 4. कुशिंग संलक्षण (Cushing syndrome)

Question Type : MCQ

Question ID : 4410091033218

Option 1 ID : 4410094084527

Option 2 ID : 4410094084528

Option 3 ID : 4410094084526

Option 4 ID : 4410094084529

Status : Answered

Chosen Option : 4

Q.66 निम्नलिखित में से कौन-सा, देखभाल वितरण (care delivery) के प्रकार्यात्मक नर्सिंग मॉडल का सर्वोत्तम वर्णन करता है?

- Ans ☒ 1. एक नर्स, रोगियों के एक समूह को देखभाल के सभी पहलुओं को प्रदान करने हेतु जिम्मेदार है।
☒ 2. नर्सों की एक टीम, यूनिट के निर्दिष्ट भौगोलिक क्षेत्रों में सहयोग करती है।
☒ 3. कौशल विकास को बढ़ावा देने के लिए नर्सें प्रतिदिन रोगियों की देखभाल का कार्य बदलती रहती हैं।
☒ 4. प्रत्येक स्वास्थ्य-देखभाल प्रदाता, अपनी भूमिका के आधार पर सभी रोगियों के लिए विशिष्ट कार्य करता है।

Question Type : MCQ

Question ID : 441009925012

Option 1 ID : 4410093654183

Option 2 ID : 4410093654184

Option 3 ID : 4410093654185

Option 4 ID : 4410093654182

Status : Answered

Chosen Option : 1

Q.67 पेशेवरों को अपने काम में, बिना किसी अनुचित बाहरी प्रभाव के, अपने पेशेवर ज्ञान और विशेषज्ञता द्वारा निर्देशित, डिसिजन (decisions) लेने और जजमेंट (judgments) करने की जो स्वाधीनता और स्वतंत्रता प्राप्त होती है, उसे _____ के रूप में जाना जाता है।

- Ans ☒ 1. पेशेवर विश्वसनीयता (professional reliability)
☒ 2. पेशेवर निष्ठा (professional fidelity)
☒ 3. पेशेवर स्वायत्तता (professional autonomy)
☒ 4. पेशेवर सत्यवादिता (professional veracity)

Question Type : MCQ

Question ID : 4410091038703

Option 1 ID : 4410094104930

Option 2 ID : 4410094104929

Option 3 ID : 4410094104928

Option 4 ID : 4410094104931

Status : Answered

Chosen Option : 1

Q.68 कोशिकाओं में सबसे प्रचुर मात्रा में पाया जाने वाला कैटायन कौन-सा है, जो कोशिका आयतन विनियमन, तंत्रिका चालन और पेशी संकुचन में महत्वपूर्ण भूमिका निभाता है?

- Ans ☒ 1. पोटेशियम
☒ 2. कैल्शियम
☒ 3. सोडियम
☒ 4. मैग्नीशियम

Question Type : MCQ

Question ID : 4410091035970

Option 1 ID : 4410094094452

Option 2 ID : 4410094094450

Option 3 ID : 4410094094451

Option 4 ID : 4410094094453

Status : Answered

Chosen Option : 1

Q.69 बाल्यकाली हकलाहट का अभिलक्षण निम्नलिखित में से क्या है?

- Ans ☒ 1. एकस्वर वाक्
☒ 2. ध्वनियों की पुनरावृत्ति
☒ 3. भाषा बोध में असमर्थता
☒ 4. अनुनासिकता

Question Type : MCQ

Question ID : 4410091069747

Option 1 ID : 4410094223139

Option 2 ID : 4410094223137

Option 3 ID : 4410094223138

Option 4 ID : 4410094223140

Status : Answered

Chosen Option : 4

Q.70 किस प्रकार का नर्सिंग ऑडिट, रोगी के उपचार के दौरान देखभाल की गुणवत्ता का मूल्यांकन करता है?

- Ans ☒ 1. प्रोस्पेक्टिव ऑडिट (Prospective audit)
☒ 2. कंकरेंट ऑडिट (Concurrent audit)
☒ 3. रेट्रोस्पेक्टिव ऑडिट (Retrospective audit)
☒ 4. टर्मिनल ऑडिट (Terminal audit)

Question Type : MCQ

Question ID : 4410091026805

Option 1 ID : 4410094058795

Option 2 ID : 4410094058796

Option 3 ID : 4410094058797

Option 4 ID : 4410094058798

Status : Answered

Chosen Option : 3

Q.71 स्तनपान कराने वाली माताओं के लिए कितनी अतिरिक्त कैलोरी अनुशंसित की जाती है?

- Ans ☒ 1. 500 kcal/दिन
☒ 2. 200 kcal/दिन
☒ 3. 300 kcal/दिन
☒ 4. 100 kcal/दिन

Question Type : MCQ

Question ID : 441009890695

Option 1 ID : 4410093516764

Option 2 ID : 4410093516767

Option 3 ID : 4410093516766

Option 4 ID : 4410093516765

Status : Answered

Chosen Option : 2

Q.72 निम्नलिखित में से कौन-सा PPE प्रकार नेत्रों के परितः एक सील बनाता है, जो द्रव को नेत्र क्षेत्र में प्रवेश करने से रोकता है?

Ans ☒ 1. मास्क

☒ 2. चश्मा

☒ 3. दस्ताने

☒ 4. गाउन

Question Type : MCQ

Question ID : 4410091027906

Option 1 ID : 4410094063229

Option 2 ID : 4410094063228

Option 3 ID : 4410094063230

Option 4 ID : 4410094063227

Status : Answered

Chosen Option : 2

Q.73 'ट्रिपल-नेगेटिव (triple-negative)' स्तन कैंसर शब्द का तात्पर्य निम्नलिखित में से क्या है?

Ans ☒ 1. ऐसा कैंसर जो एस्ट्रोजन, प्रोजेस्टेरोन और HER2 ग्राहियों के लिए नेगेटिव हो

☒ 2. ऐसा कैंसर जो सभी ट्यूमर मार्करों, फिलाडेल्फिया क्रोमोसोम और HLA टाइपिंग के लिए नेगेटिव हो

☒ 3. ऐसा कैंसर जो तीन विभिन्न अंगों में फैल गया हो और जिसे निकालने में कठिनाई हो

☒ 4. ऐसा कैंसर जिसका निदान तीसरे चरण में हुआ हो और जो कीमोथेरेपी के प्रति दुर्गलनीय हो

Question Type : MCQ

Question ID : 4410091048819

Option 1 ID : 4410094144383

Option 2 ID : 4410094144384

Option 3 ID : 4410094144385

Option 4 ID : 4410094144386

Status : Answered

Chosen Option : 4

Q.74 निम्न में से कौन-सा स्वास्थ्य-संबंधी मॉडल, स्वास्थ्य को बढ़ाने के लिए अपने पारस्परिक और भौतिक वातावरण के साथ अंतःक्रिया करने वाले व्यक्तियों की बहुआयामी प्रकृति को दर्शाता है?

Ans ☒ 1. स्वास्थ्य संवर्धन मॉडल (Health Promotion Model)

☒ 2. स्वास्थ्य व्यवहार परिवर्तन मॉडल (Health Behaviour Change Model)

☒ 3. स्वास्थ्य बीमारी मॉडल (Health Illness Model)

☒ 4. स्वास्थ्य विश्वास मॉडल (Health Belief Model)

Question Type : MCQ

Question ID : 441009383461

Option 1 ID : 4410091499414

Option 2 ID : 4410091499413

Option 3 ID : 4410091499415

Option 4 ID : 4410091499412

Status : Answered

Chosen Option : 1

Q.75 हॉलिडे-सेगर फॉर्मूला के अनुसार, 15 kg वजन वाले बच्चे के लिए अनुरक्षणीय तरल की कुल दैनिक आवश्यकता कितनी होती है?

- Ans ☒ 1. 1500 mL
☒ 2. 1250 mL
☒ 3. 1000 mL
☒ 4. 1750 mL

Question Type : MCQ
Question ID : 4410091027500
Option 1 ID : 4410094061542
Option 2 ID : 4410094061541
Option 3 ID : 4410094061540
Option 4 ID : 4410094061543
Status : Answered
Chosen Option : 2

Q.76 What is the primary focus of cognitive behaviour therapy?

- Ans ☒ 1. Dream analysis
☒ 2. Changing maladaptive thoughts
☒ 3. Pharmacotherapy
☒ 4. Unconscious childhood conflicts

Question Type : MCQ
Question ID : 4410091069728
Option 1 ID : 4410094223063
Option 2 ID : 4410094223061
Option 3 ID : 4410094223064
Option 4 ID : 4410094223062
Status : Answered
Chosen Option : 4

Q.77 नमूना पंजीकरण प्रणाली (SRS) रिपोर्ट के अनुसार, वर्ष 2021 में भारत की शिशु मृत्यु दर (प्रति 1,000 जीवित जन्मों पर 1 वर्ष से निम्न आयु में मृत्यु) कितनी थी?

- Ans ☒ 1. 1,000 जीवित जन्मों पर 27 मृत्यु
☒ 2. 1,000 जीवित जन्मों पर 16 मृत्यु
☒ 3. 1,000 जीवित जन्मों पर 19 मृत्यु
☒ 4. 1,000 जीवित जन्मों पर 39 मृत्यु

Question Type : MCQ
Question ID : 441009906159
Option 1 ID : 4410093578444
Option 2 ID : 4410093578446
Option 3 ID : 4410093578445
Option 4 ID : 4410093578447
Status : Answered
Chosen Option : 2

Q.78 निम्नलिखित में से कौन-सा व्यवहार, नर्सिंग में सक्रिय श्रवण को दर्शाता है?

Ans ☒ 1. आँखों का संपर्क बनाए रखना और सिर हिलाना

☒ 2. भावात्मक जुड़ाव को सीमित करना

☒ 3. किसी भी कीमत पर व्यवधानों से बचना

☒ 4. रोगी के वाक्यों को पूरा करना

Question Type : MCQ

Question ID : 4410091049389

Option 1 ID : 4410094146664

Option 2 ID : 4410094146666

Option 3 ID : 4410094146665

Option 4 ID : 4410094146663

Status : Answered

Chosen Option : 1

Q.79 गर्भाशयग्रीवा नलिका के विस्फारण के साथ, गर्भ कलाओं का अधः ध्रुव असमर्थित हो जाता है और गर्भाशयग्रीवा नलिका में उभरने लगता है। चूंकि इसमें लिकर होता है, जो प्रस्तुत भाग के नीचे से होकर गुज़रता है, इसलिए इसे _____ कहते हैं।

Ans ☒ 1. फोरवॉटर (forewater)

☒ 2. जरायु कोष (chorionic sac)

☒ 3. पीतक कोष (yolk sac)

☒ 4. उल्व गुहिका (amniotic cavity)

Question Type : MCQ

Question ID : 441009398128

Option 1 ID : 4410091557964

Option 2 ID : 4410091557962

Option 3 ID : 4410091557965

Option 4 ID : 4410091557963

Status : Answered

Chosen Option : 1

Q.80 गर्भवती महिलाओं के लिए जिक्र क्यो महत्वपूर्ण है?

Ans ☒ 1. थायराइड हार्मोन को नियंत्रित करता है

☒ 2. प्रतिरक्षी कार्यों और घाव भरने में सहायता करता है

☒ 3. खंडोष्ठ (cleft lip) बनने से रोकता है

☒ 4. प्लाज्मा ऑस्मोलैरिटी (plasma osmolarity) को बनाए रखता है

Question Type : MCQ

Question ID : 4410091068480

Option 1 ID : 4410094219429

Option 2 ID : 4410094219427

Option 3 ID : 4410094219428

Option 4 ID : 4410094219430

Status : Answered

Chosen Option : 2

Q.81 भ्रूण असंगति (स्तर II) स्कैन सामान्यतः किस सगर्भता आयु (gestational age) में किया जाता है?

- Ans ☒ 1. 12-14 सप्ताह
☒ 2. 16-18 सप्ताह
☒ 3. 24-28 सप्ताह
☒ 4. 18-22 सप्ताह

Question Type : MCQ

Question ID : 441009924885

Option 1 ID : 4410093653668

Option 2 ID : 4410093653669

Option 3 ID : 4410093653670

Option 4 ID : 4410093653667

Status : Answered

Chosen Option : 1

Q.82 एक व्यक्ति जो सामान्यतः प्रतिबल से निपटने, स्वस्थ संबंध बनाए रखने और सकारात्मक संवेगों का अनुभव करने में सक्षम होता है, वह मानसिक स्वास्थ्य सांतत्यक (continuum) में कहाँ स्थित होता है?

- Ans ☒ 1. सबसे दाएँ छोर पर (इष्टतम मानसिक स्वास्थ्य)
☒ 2. सबसे बाएँ छोर पर (मानसिक व्याधि)
☒ 3. सांतत्यक के मध्य में
☒ 4. छोरों (ends) के बीच उच्चावच

Question Type : MCQ

Question ID : 4410091046589

Option 1 ID : 4410094135411

Option 2 ID : 4410094135410

Option 3 ID : 4410094135409

Option 4 ID : 4410094135412

Status : Answered

Chosen Option : 2

Q.83 आर्द्र ऊष्मा (wet heat) में खाना पकाने की विधि कौन-सी है?

- Ans ☒ 1. तलना (Frying)
☒ 2. उबालना (Boiling)
☒ 3. बेकिंग (Baking)
☒ 4. ग्रिलिंग (Grilling)

Question Type : MCQ

Question ID : 4410091048356

Option 1 ID : 4410094142494

Option 2 ID : 4410094142495

Option 3 ID : 4410094142496

Option 4 ID : 4410094142493

Status : Answered

Chosen Option : 4

Q.84 शारीरिक रूप से अक्षम व्यक्ति को प्रभावी देखभाल प्रदान करने का सबसे मूल सिद्धांत, निम्नलिखित में से कौन-सा है?

- Ans ☒ 1. केवल उनकी चिकित्सीय अवस्था और शारीरिक असामान्यता पर ध्यान केंद्रित करना
- ☒ 2. स्वतंत्रता और स्वायत्तता को यथासंभव अधिकतम सीमा तक प्रोत्साहित करना
- ☒ 3. किसी भी क्षत से बचाने के लिए उनकी समूह, सामाजिक या सामुदायिक अन्तः क्रियाओं को सीमित करना
- ☒ 4. उनकी क्षमता सुनिश्चित करने और उनकी निर्भरता में वृद्धि करने के लिए उनके सभी कार्यों का निष्पादन करना

Question Type : MCQ

Question ID : 4410091041468

Option 1 ID : 4410094114982

Option 2 ID : 4410094114983

Option 3 ID : 4410094114984

Option 4 ID : 4410094114985

Status : Answered

Chosen Option : 4

Q.85 निम्नलिखित में से कौन-सी एक सूक्ष्म पेशीय कौशल उपलब्धि है?

- Ans ☒ 1. आड़ी-तिरछी रेखाएं खींचना (Scribbling)
- ☒ 2. दौड़ना (Running)
- ☒ 3. टहलना (Walking)
- ☒ 4. कूदना (Jumping)

Question Type : MCQ

Question ID : 4410091038037

Option 1 ID : 4410094102693

Option 2 ID : 4410094102694

Option 3 ID : 4410094102691

Option 4 ID : 4410094102692

Status : Answered

Chosen Option : 3

Q.86 जब रोगी उत्तान स्थिति में हो, तब कौन-सी डिवाइस कूल्हों के बाहरी घूर्णन को रोकती है?

- Ans ☒ 1. ट्रॉकेन्टर रोल (Trochanter roll)
- ☒ 2. रिस्ट्रेंट (Restraint)
- ☒ 3. ट्रेपीज़ बार (Trapeze bar)
- ☒ 4. एंकल फुट ऑर्थोटिक डिवाइस (Ankle foot orthotic device)

Question Type : MCQ

Question ID : 441009373234

Option 1 ID : 4410091458516

Option 2 ID : 4410091458518

Option 3 ID : 4410091458515

Option 4 ID : 4410091458517

Status : Answered

Chosen Option : 4

Q.87 निम्नलिखित में से कौन-सा, यथार्थ और उपयुक्त नर्सिंग दस्तावेज़ीकरण को सर्वोत्तम रूप से दर्शाता है?

- Ans ☒ 1. "रोगी ने कहा, 'जब मैं खड़ा होता हूँ तो मुझे चक्कर आते हैं। (Patient stated, 'I feel dizzy when I stand up)'"
- ☒ 2. "डॉक्टर समय पर नहीं आए, इसलिए उपचार में देरी हुई। (Doctor didn't come on time, so treatment was delayed)"
- ☒ 3. "रोगी ठीक लग रहा है; आज कोई शिकायत नहीं है। (Patient seems fine; no complaints today)"
- ☒ 4. "यूनिट व्यस्त होने के कारण दवा देर से दी गई। (Medication was given late because the unit was busy)"

Question Type : MCQ

Question ID : 441009906013

Option 1 ID : 4410093577867

Option 2 ID : 4410093577866

Option 3 ID : 4410093577864

Option 4 ID : 4410093577865

Status : Answered

Chosen Option : 3

Q.88 एक अस्पताल के वार्ड में, एक संक्रमित व्यक्ति की लार की एक बूँद डोर नॉब (doorknob) पर गिरती है। नर्स डोर नॉब को स्पर्श कर लेती है, और फिर वह संक्रमित हो जाती है। इस परिदृश्य में, डोर नॉब किस प्रकार कार्य करता है?

- Ans ☒ 1. एक रोगवाहक (a vector)
- ☒ 2. प्रवेश द्वार (a portal of entry)
- ☒ 3. एक फोमाइट (a fomite)
- ☒ 4. एक रिजर्वायर (a reservoir)

Question Type : MCQ

Question ID : 4410091034140

Option 1 ID : 4410094088175

Option 2 ID : 4410094088172

Option 3 ID : 4410094088174

Option 4 ID : 4410094088173

Status : Answered

Chosen Option : 1

Q.89 निम्नलिखित में से कौन-सी औषधि, प्रीक्लेम्पसिया और एक्लेम्पसिया (preeclampsia and eclampsia) से ग्रसित महिलाओं में दौरे के उपचार और रोकथाम के लिए उपयोग की जाती है?

- Ans ☒ 1. मैग्नीशियम सल्फेट (Magnesium sulphate)
- ☒ 2. कैल्सियम ग्लूकोनेट (Calcium gluconate)
- ☒ 3. सोडियम बाइकार्बोनेट (Sodium bicarbonate)
- ☒ 4. पोटैशियम ब्रोमाइड (Potassium bromide)

Question Type : MCQ

Question ID : 4410091027724

Option 1 ID : 4410094062443

Option 2 ID : 4410094062444

Option 3 ID : 4410094062445

Option 4 ID : 4410094062446

Status : Answered

Chosen Option : 4

Q.90 CCR5 antagonist drugs are commonly used in the treatment of:

- Ans ☒ 1. dengue fever
☒ 2. HIV infection
☒ 3. tuberculosis
☒ 4. COVID-19 infection

Question Type : MCQ

Question ID : 4410091029665

Option 1 ID : 4410094070348

Option 2 ID : 4410094070347

Option 3 ID : 4410094070346

Option 4 ID : 4410094070349

Status : Answered

Chosen Option : 2

Q.91 ओपिओइड (opioid) अतिमात्रा के लिए एन्टिडोट निम्नलिखित में से कौन-सा है?

- Ans ☒ 1. एट्रोपिन (Atropine)
☒ 2. बुप्रोपियन (Bupripion)
☒ 3. नैलोक्सोन (Naloxone)
☒ 4. डायजेपाम (Diazepam)

Question Type : MCQ

Question ID : 441009892341

Option 1 ID : 4410093523434

Option 2 ID : 4410093523433

Option 3 ID : 4410093523432

Option 4 ID : 4410093523435

Status : Answered

Chosen Option : 1

Q.92 प्रसव के दौरान बैंडल वलय (Bandl's ring) की उपस्थिति सामान्यतः क्या दर्शाती है?

- Ans ☒ 1. झिल्लियों का समय पूर्व विदार
☒ 2. समय पूर्व प्रसव
☒ 3. अवरुद्ध प्रसव के कारण गर्भाशय का विदार
☒ 4. प्रसव के दूसरे चरण के दौरान सामान्य गर्भाशय संकुचन

Question Type : MCQ

Question ID : 441009924690

Option 1 ID : 4410093652902

Option 2 ID : 4410094302936

Option 3 ID : 4410093652900

Option 4 ID : 4410093652901

Status : Answered

Chosen Option : 1

Q.93 '100% विलोपित' गर्भाशय ग्रीवा का अर्थ निम्नलिखित में से क्या है?

- Ans ☒ 1. गर्भाशय ग्रीवा कागज़ के टुकड़े के समान पूर्णतः पतली हो गई है।
☒ 2. गर्भाशय ग्रीवा कोमल होने लगी है, लेकिन पतली नहीं हुई है।
☒ 3. गर्भाशय ग्रीवा 7 से 10 cm तक फैली हुई है।
☒ 4. गर्भाशय ग्रीवा पूर्णतः बंद हो गई है।

Question Type : MCQ

Question ID : 4410091067810

Option 1 ID : 4410094216747

Option 2 ID : 4410094216746

Option 3 ID : 4410094216748

Option 4 ID : 4410094216745

Status : Answered

Chosen Option : 4

Q.94 वह व्यक्ति जो किसी रोग से संक्रमित है, लेकिन कोई लक्षण नहीं दर्शाता है, उसे _____ कहलाता है।

- Ans ☒ 1. वाहक (carrier)
☒ 2. रोगवाहक (vector)
☒ 3. आगार (reservoir)
☒ 4. रोगजनक (pathogen)

Question Type : MCQ

Question ID : 4410091049162

Option 1 ID : 4410094145735

Option 2 ID : 4410094145733

Option 3 ID : 4410094145734

Option 4 ID : 4410094145736

Status : Answered

Chosen Option : 3

Q.95 The conjunctivitis is commonly known as:

- Ans ☒ 1. amblyopia
☒ 2. pink eye
☒ 3. esotropia
☒ 4. strabismus

Question Type : MCQ

Question ID : 4410091068763

Option 1 ID : 4410094220552

Option 2 ID : 4410094220555

Option 3 ID : 4410094220553

Option 4 ID : 4410094220554

Status : Answered

Chosen Option : 1

Q.96 संतति निरोध (birth control) विधियों की प्रभाविता या प्रभावशीलता का प्राक्कलन करने में सहायता करने के लिए नैदानिक परीक्षणों और वास्तविक जीवन की स्थितियों में उपयोग की जाने वाली एक सामान्य तकनीक कौन-सी है?

- Ans ☒ 1. मिलर का Q इंडेक्स (Miller's Q index)
☒ 2. पर्ल इंडेक्स (Pearl index)
☒ 3. सुलिवन इंडेक्स (Sullivan index)
☒ 4. चैन का G इंडेक्स (Chen's G index)

Question Type : MCQ
Question ID : 4410091027161
Option 1 ID : 4410094060210
Option 2 ID : 4410094060208
Option 3 ID : 4410094060209
Option 4 ID : 4410094060211
Status : Answered
Chosen Option : 1

Q.97 टूटे हुए पारा थर्मामीटर का निपटान कैसे किया जाना चाहिए?

- Ans ☒ 1. इसे प्लास्टिक की थैली में बांधकर फेंक दें।
☒ 2. इसे सामान्य अपशिष्ट में फेंक दें।
☒ 3. इसे रासायनिक अपशिष्ट कंटेनर में रखें।
☒ 4. निपटान से पहले इसे आटोकलेव करें।

Question Type : MCQ
Question ID : 4410091069517
Option 1 ID : 4410094222225
Option 2 ID : 4410094222224
Option 3 ID : 4410094222223
Option 4 ID : 4410094222226
Status : Answered
Chosen Option : 4

Q.98 निम्नलिखित में से किस एक को छोड़कर शेष सभी HIV औषधियों के वर्ग हैं?

- Ans ☒ 1. ऐंजिओटेंसिन रिसेप्टर नेप्रिलिसिन इनहिबिटर्स (angiotensin receptor neprilysin inhibitors)
☒ 2. नॉन-न्यूक्लियोसाइड रिवर्स ट्रान्सक्रिप्टेज़ इनहिबिटर्स (non-nucleoside reverse transcriptase inhibitors)
☒ 3. न्यूक्लियोसाइड रिवर्स ट्रान्सक्रिप्टेज़ इनहिबिटर्स (nucleoside reverse transcriptase inhibitors)
☒ 4. इंटीग्रेज़ स्ट्रैंड ट्रांसफर इनहिबिटर्स (integrase strand transfer inhibitors)

Question Type : MCQ
Question ID : 4410091068729
Option 1 ID : 4410094220418
Option 2 ID : 4410094220417
Option 3 ID : 4410094220416
Option 4 ID : 4410094220419
Status : Answered
Chosen Option : 4

Q.99 सब्जियाँ बनाते समय पोषक तत्वों को संरक्षित रखने में पाककर्म (cooking) की कौन-सी विधि अत्यंत प्रभावी है?

Ans ☒ 1. डीप फ्राई करना (Deep-frying)

☒ 2. भापन (Steaming)

☒ 3. ग्रिल करना (Grilling)

☒ 4. उबालना (Boiling)

Question Type : MCQ

Question ID : 441009890656

Option 1 ID : 4410093516610

Option 2 ID : 4410093516608

Option 3 ID : 4410093516611

Option 4 ID : 4410093516609

Status : Answered

Chosen Option : 2

Q.10 Which is a common stimulant medication used to treat attention deficit hyperactivity disorder?

Ans ☒ 1. Bupropion

☒ 2. Sertraline

☒ 3. Fluoxetine

☒ 4. Methylphenidate

Question Type : MCQ

Question ID : 4410091044532

Option 1 ID : 4410094127161

Option 2 ID : 4410094127159

Option 3 ID : 4410094127158

Option 4 ID : 4410094127160

Status : Answered

Chosen Option : 2

Section : Domain Knowledge

Q.1 What is the primary purpose of chlorination in water treatment?

- Ans
- ☐ 1. To add essential mineral
 - ☐ 2. To adjust pH levels
 - ☒ 3. To kill pathogens and disinfect water
 - ☐ 4. To remove turbidity

Question Type : MCQ

Question ID : 441009890268

Option 1 ID : 4410093515051

Option 2 ID : 4410093515049

Option 3 ID : 4410093515050

Option 4 ID : 4410093515048

Status : Answered

Chosen Option : 3

Q.2 What is the primary benefit of using Electronic Health Records in nursing practice?

- Ans
- ☐ 1. They increase the complexity of patient care documentation, recording and reporting.
 - ☐ 2. They eliminate the need for nurses to collaborate with other healthcare professionals.
 - ☐ 3. They make it easier for nurses to make medication errors and adverse drug reactions.
 - ☒ 4. They improve access to patient information and support clinical decision-making.

Question Type : MCQ

Question ID : 4410091047789

Option 1 ID : 4410094140141

Option 2 ID : 4410094140144

Option 3 ID : 4410094140143

Option 4 ID : 4410094140142

Status : Answered

Chosen Option : 4

Q.3 What is the ideal way to position the stethoscope over the brachial artery during measuring blood pressure manually?

- Ans
- ☒ 1. Placed firmly over the artery and moved up and down
 - ☒ 2. Moved slightly up and down the arm to locate the pulse
 - ☒ 3. Placed gently over the artery with minimal pressure
 - ☒ 4. Placed on the radial artery instead of the brachial artery

Question Type : MCQ

Question ID : 4410091033989

Option 1 ID : 4410094087593

Option 2 ID : 4410094087594

Option 3 ID : 4410094087595

Option 4 ID : 4410094087596

Status : Answered

Chosen Option : 3

Q.4 Which of the following behaviours suggests a manic episode?

- Ans
- ☒ 1. Hypersomnia
 - ☒ 2. Social withdrawal
 - ☒ 3. Impulsive shopping sprees
 - ☒ 4. Flat affect

Question Type : MCQ

Question ID : 4410091069737

Option 1 ID : 4410094223099

Option 2 ID : 4410094223098

Option 3 ID : 4410094223097

Option 4 ID : 4410094223100

Status : Answered

Chosen Option : 3

Q.5 What is the first step in health education planning?

- Ans
- ☒ 1. Assessing learner needs
 - ☒ 2. Distributing pamphlets
 - ☒ 3. Setting budget limits
 - ☒ 4. Evaluating outcomes

Question Type : MCQ

Question ID : 4410091073927

Option 1 ID : 4410094233183

Option 2 ID : 4410094233184

Option 3 ID : 4410094233185

Option 4 ID : 4410094233186

Status : Answered

Chosen Option : 1

Q.6 Which of the following diseases spread through contaminated water?

- Ans ☒ 1. Cholera
☒ 2. Diabetes
☒ 3. Arthritis
☒ 4. Asthma

Question Type : MCQ

Question ID : 4410091068819

Option 1 ID : 4410094220771

Option 2 ID : 4410094220774

Option 3 ID : 4410094220773

Option 4 ID : 4410094220772

Status : Answered

Chosen Option : 1

Q.7 Which of the following sentences correctly describes medical asepsis?

- Ans ☒ 1. Practices that use sterile items within a sterile field
☒ 2. Practices that reduce the number and spread of microorganisms
☒ 3. Practices that completely eliminate all microorganisms
☒ 4. Practices that involve surgical hand scrubbing and sterile gowns

Question Type : MCQ

Question ID : 4410091027901

Option 1 ID : 4410094063209

Option 2 ID : 4410094063208

Option 3 ID : 4410094063207

Option 4 ID : 4410094063210

Status : Answered

Chosen Option : 3

Q.8 Malaria is an example of which of the following modes of transmission of diseases?

- Ans ☒ 1. Droplet
☒ 2. Fomite-based
☒ 3. Airborne
☒ 4. Vector-borne

Question Type : MCQ

Question ID : 4410091049754

Option 1 ID : 4410094148100

Option 2 ID : 4410094148099

Option 3 ID : 4410094148097

Option 4 ID : 4410094148098

Status : Answered

Chosen Option : 4

Q.9 Which electrolyte is very crucial to replace during dehydration, especially when associated with diarrhoea?

Ans ☒ 1. Potassium

☒ 2. Iron

☒ 3. Vitamin A

☒ 4. Vitamin D

Question Type : MCQ

Question ID : 4410091048780

Option 1 ID : 4410094144228

Option 2 ID : 4410094144229

Option 3 ID : 4410094144227

Option 4 ID : 4410094144230

Status : Answered

Chosen Option : 1

Q.10 All of the following are the core components of evidence-based practice, EXCEPT:

Ans ☒ 1. traditional practices

☒ 2. best external evidence

☒ 3. patient values and expectations

☒ 4. professional expertise

Question Type : MCQ

Question ID : 4410091067477

Option 1 ID : 4410094215416

Option 2 ID : 4410094215413

Option 3 ID : 4410094215415

Option 4 ID : 4410094215414

Status : Answered

Chosen Option : 1

Q.11 The 'four Ds' of pellagra are:

Ans ☒ 1. Dermatitis, Diarrhoea, Depression, and Death

☒ 2. Dermatitis, Diarrhoea, Dementia, and Death

☒ 3. Dermatitis, Diarrhoea, Dementia, and Dehydration

☒ 4. Dermatitis, Diarrhoea, Delirium, and Disease

Question Type : MCQ

Question ID : 4410091068068

Option 1 ID : 4410094217783

Option 2 ID : 4410094217782

Option 3 ID : 4410094217781

Option 4 ID : 4410094217784

Status : Answered

Chosen Option : 2

Q.12 Which of the following best reflects a standard guideline for monitoring vital signs in hospitalised patients?

- Ans ☒ 1. Frequency of vital sign monitoring should be based on the patient's condition and healthcare provider's orders
- ☒ 2. Blood pressure should be checked only after meals to ensure accuracy
- ☒ 3. Vital signs must be assessed once every 24 hours, regardless of patient condition
- ☒ 4. Vital signs should only be checked when a patient reports feeling unwell

Question Type : MCQ

Question ID : 441009891613

Option 1 ID : 4410093520432

Option 2 ID : 4410093520435

Option 3 ID : 4410093520434

Option 4 ID : 4410093520433

Status : Answered

Chosen Option : 1

Q.13 Why is it important to aspirate (pull back on the plunger) before injecting medication intramuscularly?

- Ans ☒ 1. To prevent infection during the administration of the injection
- ☒ 2. To ensure the needle is in the muscle and not a blood vessel
- ☒ 3. To make the injection less painful and to prevent nerve injury
- ☒ 4. To speed up the absorption of the medication and prevent leakage of the medication

Question Type : MCQ

Question ID : 4410091034034

Option 1 ID : 4410094087766

Option 2 ID : 4410094087767

Option 3 ID : 4410094087768

Option 4 ID : 4410094087765

Status : Answered

Chosen Option : 2

Q.14 Which symptom indicates anaphylaxis?

- Ans ☒ 1. Stridor or wheezing
- ☒ 2. Localised itching
- ☒ 3. Headache
- ☒ 4. Redness in eye

Question Type : MCQ

Question ID : 4410091068932

Option 1 ID : 4410094221223

Option 2 ID : 4410094221225

Option 3 ID : 4410094221226

Option 4 ID : 4410094221224

Status : Answered

Chosen Option : 2

Q.15 Which of the following arrhythmias is characterised by progressive PR interval lengthening until a beat is dropped?

- Ans ☒ 1. Second-degree AV block Type I
☒ 2. First-degree AV block
☒ 3. Third-degree AV block
☒ 4. Second-degree AV block Type II

Question Type : MCQ

Question ID : 4410091049129

Option 1 ID : 4410094145607

Option 2 ID : 4410094145606

Option 3 ID : 4410094145609

Option 4 ID : 4410094145608

Status : Not Answered

Chosen Option : --

Q.16 Which clinical sign is commonly associated with protein-energy malnutrition in children?

- Ans ☒ 1. Night blindness
☒ 2. Skin rashes
☒ 3. Puffy face and dry skin
☒ 4. Bilateral pitting oedema

Question Type : MCQ

Question ID : 4410091069842

Option 1 ID : 4410094223524

Option 2 ID : 4410094223522

Option 3 ID : 4410094223523

Option 4 ID : 4410094223521

Status : Answered

Chosen Option : 3

Q.17 Which of the following is a type of microscope where the source of light is blocked and it causes scattering of light when it knocks a specimen under observation?

- Ans ☒ 1. Dark field microscope
☒ 2. Phase contrast microscope
☒ 3. Bright field microscope
☒ 4. Fluorescent microscope

Question Type : MCQ

Question ID : 441009390125

Option 1 ID : 4410091526082

Option 2 ID : 4410091526081

Option 3 ID : 4410091526083

Option 4 ID : 4410091526084

Status : Answered

Chosen Option : 1

Q.18 What is the main purpose of a foetal fibronectin test?

- Ans ☒ 1. To screen for gestational diabetes
☒ 2. To detect fetal anaemia
☒ 3. To predict the risk of preterm labour
☒ 4. To assess foetal lung maturity

Question Type : MCQ

Question ID : 4410091048027

Option 1 ID : 4410094141079

Option 2 ID : 4410094141077

Option 3 ID : 4410094141078

Option 4 ID : 4410094141080

Status : Answered

Chosen Option : 4

Q.19 Which of the following categories of hospital waste generally includes needles, syringes with fixed needles, and scalpel blades?

- Ans ☒ 1. Sharps waste
☒ 2. Pharmaceutical waste
☒ 3. Cytotoxic waste
☒ 4. Radioactive waste

Question Type : MCQ

Question ID : 4410091068149

Option 1 ID : 4410094218110

Option 2 ID : 4410094218107

Option 3 ID : 4410094218109

Option 4 ID : 4410094218108

Status : Answered

Chosen Option : 1

Q.20 Which of the following physiological events primarily marks the beginning of the second stage of labour?

- Ans ☒ 1. Onset of regular contractions
☒ 2. Delivery of the placenta
☒ 3. Rupture of membranes
☒ 4. Full cervical dilation (10 cm)

Question Type : MCQ

Question ID : 4410091067794

Option 1 ID : 4410094216685

Option 2 ID : 4410094216687

Option 3 ID : 4410094216688

Option 4 ID : 4410094216686

Status : Answered

Chosen Option : 4

Q.21 Which of the following is NOT a risk factor for osteoporosis?

- Ans ☒ 1. Smoking
☒ 2. Prolonged corticosteroid use
☒ 3. Postmenopausal status
☒ 4. High body weight

Question Type : MCQ

Question ID : 441009918918

Option 1 ID : 4410093629681

Option 2 ID : 4410093629682

Option 3 ID : 4410093629683

Option 4 ID : 4410093629680

Status : Answered

Chosen Option : 4

Q.22 What cooking method best preserves water-soluble vitamins?

- Ans ☒ 1. Steaming for 5-7 mins
☒ 2. Deep-frying
☒ 3. Microwaving without water
☒ 4. Boiling for more than 20 minutes

Question Type : MCQ

Question ID : 4410091068510

Option 1 ID : 4410094219545

Option 2 ID : 4410094219544

Option 3 ID : 4410094219547

Option 4 ID : 4410094219546

Status : Answered

Chosen Option : 1

Q.23 Which stage involves making a change permanent and integrating it into the organisation's culture, according to Kurt Lewin's change model?

- Ans ☒ 1. Unfreezing
☒ 2. Refreezing
☒ 3. Restraining
☒ 4. Changing

Question Type : MCQ

Question ID : 4410091038718

Option 1 ID : 4410094104988

Option 2 ID : 4410094104990

Option 3 ID : 4410094104991

Option 4 ID : 4410094104989

Status : Not Answered

Chosen Option : --

Q.24 What is OCD in the context of mental illness?

- Ans
- ☒ 1. Obstructive-compulsive disorder
 - ☒ 2. Obsessive-circumstantial disorder
 - ☒ 3. Obstructive-circumstantial disorder
 - ☒ 4. Obsessive-compulsive disorder

Question Type : MCQ

Question ID : 4410091033927

Option 1 ID : 4410094087360

Option 2 ID : 4410094087358

Option 3 ID : 4410094087361

Option 4 ID : 4410094087359

Status : Answered

Chosen Option : 4

Q.25 What is the typical incubation period of rubella (German measles)?

- Ans
- ☒ 1. 5-7 days
 - ☒ 2. 28-35 days
 - ☒ 3. 1-3 days
 - ☒ 4. 14-21 days

Question Type : MCQ

Question ID : 441009906737

Option 1 ID : 4410093580758

Option 2 ID : 4410093580759

Option 3 ID : 4410093580757

Option 4 ID : 4410093580756

Status : Answered

Chosen Option : 4

Q.26 Which of the following statements related to the steps for setting nursing practice standards is INCORRECT?

- Ans
- ☒ 1. Identify one nursing expert from your team to frame nursing standards
 - ☒ 2. Devise a mechanism for determining the achievement of standards
 - ☒ 3. Decide on the area of nursing practice for which the standards are to be formed
 - ☒ 4. Identify inputs, processes and outcomes of the system

Question Type : MCQ

Question ID : 441009390750

Option 1 ID : 4410091528562

Option 2 ID : 4410091528564

Option 3 ID : 4410091528561

Option 4 ID : 4410091528563

Status : Not Answered

Chosen Option : --

Q.27 Which is a malaria prevention method where insecticides with residual effects are sprayed on the interior surfaces of buildings?

- Ans
- ☐ 1. Insufflated Residual Spraying
 - ☐ 2. Inhalation Residual Spraying
 - ☐ 3. Inoculated Residual Spraying
 - ☒ 4. Indoor Residual Spraying

Question Type : MCQ

Question ID : 4410091027367

Option 1 ID : 4410094061020

Option 2 ID : 4410094061023

Option 3 ID : 4410094061022

Option 4 ID : 4410094061021

Status : Answered

Chosen Option : 4

Q.28 Which gene is most commonly associated with the development of Hirschsprung disease due to its role in the enteric nervous system formation?

- Ans
- ☐ 1. CFTR gene
 - ☒ 2. RET proto-oncogene
 - ☐ 3. BRCA1
 - ☐ 4. TP53 tumor suppressor gene

Question Type : MCQ

Question ID : 441009919075

Option 1 ID : 4410093630269

Option 2 ID : 4410093630267

Option 3 ID : 4410093630268

Option 4 ID : 4410093630270

Status : Not Answered

Chosen Option : --

Q.29 Which of the following nursing theories is classified as a middle-range theory?

- Ans
- ☐ 1. Martha Rogers' Science of Unitary Human Beings
 - ☐ 2. Jean Watson's Theory of Human Caring
 - ☐ 3. Roy's Adaptation Model
 - ☒ 4. Katharine Kolcaba's Comfort Theory

Question Type : MCQ

Question ID : 441009925040

Option 1 ID : 4410093654293

Option 2 ID : 4410093654292

Option 3 ID : 4410093654291

Option 4 ID : 4410093654290

Status : Not Answered

Chosen Option : --

Q.30 What is ambulatory care?

- Ans ☒ 1. Care of the patient admitted to the emergency department of the hospital
- ☒ 2. Care of patients does not require overnight hospitalisation
- ☒ 3. Care of the patient admitted to the intensive care unit of the hospital
- ☒ 4. Care of the patient admitted to the high dependency unit of the hospital

Question Type : MCQ

Question ID : 4410091029556

Option 1 ID : 4410094069910

Option 2 ID : 4410094069911

Option 3 ID : 4410094069912

Option 4 ID : 4410094069913

Status : Answered

Chosen Option : 4

Q.31 Which of the following is considered as complete cervical dilation?

- Ans ☒ 1. 15 cm
- ☒ 2. 7 cm
- ☒ 3. 10 cm
- ☒ 4. 5 cm

Question Type : MCQ

Question ID : 4410091038629

Option 1 ID : 4410094104649

Option 2 ID : 4410094104647

Option 3 ID : 4410094104648

Option 4 ID : 4410094104646

Status : Answered

Chosen Option : 3

Q.32 What does 'P' stand for in the PICOT framework for formulating a clinical question?

- Ans ☒ 1. Preventing factors
- ☒ 2. Patient or problem
- ☒ 3. Prognosis or palliation
- ☒ 4. Promoting factors

Question Type : MCQ

Question ID : 4410091041185

Option 1 ID : 4410094113828

Option 2 ID : 4410094113826

Option 3 ID : 4410094113827

Option 4 ID : 4410094113829

Status : Not Answered

Chosen Option : --

Q.33 Which of the following is a teratogen that can cause neural tube defects if ingested during pregnancy?

- Ans ☒ 1. Vitamin D
☒ 2. Alcohol
☒ 3. Iron
☒ 4. Folic acid

Question Type : MCQ

Question ID : 4410091027561

Option 1 ID : 4410094061777

Option 2 ID : 4410094061775

Option 3 ID : 4410094061778

Option 4 ID : 4410094061776

Status : Answered

Chosen Option : 2

Q.34 Which of the following nursing interventions are best suit for correcting an inverted nipple during the antenatal period?

- Ans ☒ 1. Counsel woman that nipple inversion will self revert to eversion during puerperium
☒ 2. Teach woman to push nipples and roll them between fingers from 32 weeks of gestation
☒ 3. Demonstrate to use a cut syringe to gently pull nipple using the piston from 37 weeks of gestation
☒ 4. Advise on breast hygiene and of use of emollients over the breast

Question Type : MCQ

Question ID : 441009390584

Option 1 ID : 4410091527906

Option 2 ID : 4410091527907

Option 3 ID : 4410091527908

Option 4 ID : 4410091527905

Status : Answered

Chosen Option : 1

Q.35 What is the first aid for managing a corneal foreign body?

- Ans ☒ 1. Apply antibiotic ointment and irrigate with alkali
☒ 2. Attempt to remove it with a sharp instrument
☒ 3. Irrigate the eye with copious amounts of water
☒ 4. Cover the eye with a patch and irrigate with acid

Question Type : MCQ

Question ID : 4410091034089

Option 1 ID : 4410094087976

Option 2 ID : 4410094087973

Option 3 ID : 4410094087974

Option 4 ID : 4410094087975

Status : Answered

Chosen Option : 3

Q.36 Which of these statements related to community health nursing practice is true?

- Ans ☒ 1. A community health nurse needs to maintain personal relationship with everyone in the community.
- ☒ 2. Community health nursing services must be available to all people according to their health needs.
- ☒ 3. A community health nurse should interface with the religious and political beliefs of people.
- ☒ 4. Community health services have to be basic and minimal to meet emergency needs.

Question Type : MCQ

Question ID : 441009383832

Option 1 ID : 4410091500965

Option 2 ID : 4410091500963

Option 3 ID : 4410091500962

Option 4 ID : 4410091500964

Status : Answered

Chosen Option : 2

Q.37 A urine specimen shows the colour to be blue to bluish green. The nurse recognises the possible cause for this colour as:

- Ans ☒ 1. pseudomonas species infection
- ☒ 2. multiple vitamin supplementation
- ☒ 3. diluted urine due to diuretics
- ☒ 4. bladder or prostate surgery

Question Type : MCQ

Question ID : 441009384120

Option 1 ID : 4410091502133

Option 2 ID : 4410091502132

Option 3 ID : 4410091502130

Option 4 ID : 4410091502131

Status : Answered

Chosen Option : 1

Q.38 Which of the following nutrients is most crucial to prevent osteomalacia, particularly after menopause?

- Ans ☒ 1. Calcium
- ☒ 2. Vitamin B12
- ☒ 3. Vitamin C
- ☒ 4. Iron

Question Type : MCQ

Question ID : 4410091067624

Option 1 ID : 4410094216006

Option 2 ID : 4410094216008

Option 3 ID : 4410094216005

Option 4 ID : 4410094216007

Status : Answered

Chosen Option : 1

Q.39 As per BMW rules 2016, disposal of human anatomical waste, animal anatomical waste, soiled waste and biotechnology waste should be done within:

Ans ☒ 1. 48 hours

☒ 2. 36 hours

☒ 3. 12 hours

☒ 4. 24 hours

Question Type : MCQ

Question ID : 441009890246

Option 1 ID : 4410093514960

Option 2 ID : 4410093514962

Option 3 ID : 4410093514961

Option 4 ID : 4410093514963

Status : Answered

Chosen Option : 3

Q.40 Which hormone primarily drives contractions during delivery?

Ans ☒ 1. Oxytocin

☒ 2. Progesterone

☒ 3. Oestrogen

☒ 4. Prolactin

Question Type : MCQ

Question ID : 4410091073500

Option 1 ID : 4410094231455

Option 2 ID : 4410094231456

Option 3 ID : 4410094231457

Option 4 ID : 4410094231458

Status : Answered

Chosen Option : 1

Q.41 In which type of leadership styles, a leader presents his own analysis of problems and proposals for action to members of work group, inviting their criticism and comments?

Ans ☒ 1. Participative

☒ 2. Directive

☒ 3. Transactional

☒ 4. Autocratic

Question Type : MCQ

Question ID : 441009397206

Option 1 ID : 4410091554274

Option 2 ID : 4410091554273

Option 3 ID : 4410091554275

Option 4 ID : 4410091554272

Status : Answered

Chosen Option : 1

Q.42 How is cervical readiness assessed pre-labour?

- Ans
- ☐ 1. Contraction frequency
 - ☐ 2. Fetal weight estimate
 - ☐ 3. Amniotic fluid index
 - ☒ 4. Bishop score

Question Type : MCQ
Question ID : 4410091073460
Option 1 ID : 4410094231298
Option 2 ID : 4410094231296
Option 3 ID : 4410094231297
Option 4 ID : 4410094231295
Status : Answered
Chosen Option : 1

Q.43 What is the place where the microorganism naturally resides, grows and multiplies called?

- Ans
- ☐ 1. Etiologic agent
 - ☐ 2. Portal of exit
 - ☐ 3. Portal of entry
 - ☒ 4. Reservoir

Question Type : MCQ
Question ID : 441009373203
Option 1 ID : 4410091458391
Option 2 ID : 4410091458394
Option 3 ID : 4410091458393
Option 4 ID : 4410091458392
Status : Answered
Chosen Option : 4

Q.44 Which of the following characterises obsessions in obsessive-compulsive disorder?

- Ans
- ☐ 1. Social withdrawal and flat affect
 - ☒ 2. Intrusive unwanted thoughts causing distress
 - ☐ 3. Delusions of persecution
 - ☐ 4. Repetitive physical actions

Question Type : MCQ
Question ID : 4410091069792
Option 1 ID : 4410094223319
Option 2 ID : 4410094223318
Option 3 ID : 4410094223320
Option 4 ID : 4410094223317
Status : Answered
Chosen Option : 2

Q.45 How can a professional nurse demonstrate her accountability?

- Ans ☒ 1. By accepting responsibility for their actions and decisions
- ☒ 2. By ignoring patient feedback on their care
- ☒ 3. By refusing to participate in quality improvement initiatives
- ☒ 4. By passing the blame for errors to other healthcare professionals

Question Type : MCQ

Question ID : 4410091067445

Option 1 ID : 4410094215286

Option 2 ID : 4410094215287

Option 3 ID : 4410094215288

Option 4 ID : 4410094215285

Status : Answered

Chosen Option : 1

Q.46 What indicates a score of 2 or more in Malnutrition Universal Screening Tool (MUST)?

- Ans ☒ 1. Low risk of malnutrition
- ☒ 2. Moderate risk of malnutrition
- ☒ 3. No risk of malnutrition
- ☒ 4. High risk of malnutrition

Question Type : MCQ

Question ID : 441009396779

Option 1 ID : 4410091552557

Option 2 ID : 4410091552558

Option 3 ID : 4410091552556

Option 4 ID : 4410091552559

Status : Not Answered

Chosen Option : --

Q.47 Which of the following vitamins is most susceptible to destruction by heat during cooking?

- Ans ☒ 1. Vitamin D
- ☒ 2. Vitamin A
- ☒ 3. Vitamin C
- ☒ 4. Vitamin B12

Question Type : MCQ

Question ID : 4410091037780

Option 1 ID : 4410094101677

Option 2 ID : 4410094101674

Option 3 ID : 4410094101676

Option 4 ID : 4410094101675

Status : Answered

Chosen Option : 3

Q.48 Which ligament is the primary support against uterus prolapse?

- Ans ☐ 1. Round ligament
☒ 2. Cardinal ligament
☐ 3. Broad ligament
☐ 4. Ovarian ligament

Question Type : MCQ

Question ID : 4410091049194

Option 1 ID : 4410094145863

Option 2 ID : 4410094145864

Option 3 ID : 4410094145865

Option 4 ID : 4410094145866

Status : Not Answered

Chosen Option : --

Q.49 Which of the following services is typically ambulatory?

- Ans ☐ 1. Diabetic foot ulcer
☐ 2. Minor surgical procedures
☐ 3. Dialysis for patients
☒ 4. Vaccination clinics

Question Type : MCQ

Question ID : 4410091068885

Option 1 ID : 4410094221030

Option 2 ID : 4410094221029

Option 3 ID : 4410094221028

Option 4 ID : 4410094221027

Status : Answered

Chosen Option : 4

Q.50 Which of the following signs indicates placental separation during the third stage of labour?

- Ans ☐ 1. Onset of uterine contractions
☐ 2. Cord retracts into the vagina
☒ 3. Sudden gush of blood and lengthening of the umbilical cord
☐ 4. Uterus becomes relaxed and soft

Question Type : MCQ

Question ID : 441009924831

Option 1 ID : 4410093653462

Option 2 ID : 4410093653461

Option 3 ID : 4410093653459

Option 4 ID : 4410093653460

Status : Answered

Chosen Option : 3

Q.51 What is the primary purpose of foetal fibronectin testing in suspected preterm labour?

- Ans ☒ 1. It rules out preeclampsia, eclampsia and HELLP syndrome early.
- ☒ 2. It helps predict the likelihood of preterm delivery.
- ☒ 3. It confirms foetal lung maturity by assessing lecithin levels.
- ☒ 4. It indicates the presence of an infection or septicaemia.

Question Type : MCQ

Question ID : 4410091027773

Option 1 ID : 4410094062638

Option 2 ID : 4410094062636

Option 3 ID : 4410094062637

Option 4 ID : 4410094062635

Status : Answered

Chosen Option : 3

Q.52 What type of waste is typically disposed of in a yellow bag or container as per the BMW Rules, 2016?

- Ans ☒ 1. Pharmaceutical waste
- ☒ 2. Infectious waste
- ☒ 3. Sharps and needles
- ☒ 4. General waste

Question Type : MCQ

Question ID : 4410091049729

Option 1 ID : 4410094148000

Option 2 ID : 4410094147999

Option 3 ID : 4410094147998

Option 4 ID : 4410094147997

Status : Answered

Chosen Option : 2

Q.53 Which of the following bones is also known as the tailbone, formed by the fusion of four vertebral bones, located at the base of the spine?

- Ans ☒ 1. Axis
- ☒ 2. Atlas
- ☒ 3. Coccyx
- ☒ 4. Sacrum

Question Type : MCQ

Question ID : 4410091037673

Option 1 ID : 4410094101249

Option 2 ID : 4410094101248

Option 3 ID : 4410094101247

Option 4 ID : 4410094101246

Status : Answered

Chosen Option : 3

Q.54 Which of the following diagnostic features is considered the hallmark of hypothyroidism?

- Ans ☒ 1. Decreased TSH and Decreased Free T4
☒ 2. Elevated TSH and elevated Free T4
☒ 3. Decreased TSH and elevated Free T4
☒ 4. Elevated TSH and Low Free T4

Question Type : MCQ

Question ID : 4410091033844

Option 1 ID : 4410094087033

Option 2 ID : 4410094087032

Option 3 ID : 4410094087030

Option 4 ID : 4410094087031

Status : Answered

Chosen Option : 4

Q.55 What is the recommended iodine intake for pregnant and lactating women, as per WHO?

- Ans ☒ 1. 120 mcg/day
☒ 2. 150 mcg/day
☒ 3. 250 mcg/day
☒ 4. 90 mcg/day

Question Type : MCQ

Question ID : 441009890477

Option 1 ID : 4410093515893

Option 2 ID : 4410093515895

Option 3 ID : 4410093515892

Option 4 ID : 4410093515894

Status : Answered

Chosen Option : 3

Q.56 What is the term used for blood in the urine that is visible to the naked eye?

- Ans ☒ 1. Haemoglobinuria
☒ 2. Haematochezia
☒ 3. Gross haematuria
☒ 4. Microscopic haematuria

Question Type : MCQ

Question ID : 4410091033856

Option 1 ID : 4410094087076

Option 2 ID : 4410094087077

Option 3 ID : 4410094087075

Option 4 ID : 4410094087074

Status : Not Answered

Chosen Option : --

Q.57 Which of the following is a Nucleoside Reverse Transcriptase Inhibitor drug?

- Ans ☒ 1. Atazanavir
☒ 2. Zidovudine
☒ 3. Rilpivirine
☒ 4. Efavirenz

Question Type : MCQ

Question ID : 4410091041171

Option 1 ID : 4410094113763

Option 2 ID : 4410094113764

Option 3 ID : 4410094113765

Option 4 ID : 4410094113762

Status : Answered

Chosen Option : 2

Q.58 Which of the following is a hypertonic IV fluid and used cautiously to treat hyponatremia or cerebral oedema?

- Ans ☒ 1. 0.45% normal saline
☒ 2. 5% dextrose in water
☒ 3. 3% sodium chloride
☒ 4. 0.9% normal saline

Question Type : MCQ

Question ID : 4410091048601

Option 1 ID : 4410094143520

Option 2 ID : 4410094143522

Option 3 ID : 4410094143521

Option 4 ID : 4410094143519

Status : Not Answered

Chosen Option : --

Q.59 Which of the following nerves is stimulated when performing the Chvostek's sign test?

- Ans ☒ 1. Facial nerve
☒ 2. Vagus nerve
☒ 3. Glossopharyngeal nerve
☒ 4. Trigeminal nerve

Question Type : MCQ

Question ID : 4410091067696

Option 1 ID : 4410094216294

Option 2 ID : 4410094216295

Option 3 ID : 4410094216296

Option 4 ID : 4410094216293

Status : Answered

Chosen Option : 1

Q.60 Which of the following conditions is also known as wet lung?

- Ans ☒ 1. Pulmonary tuberculosis
☒ 2. Acute pneumonia
☒ 3. Pulmonary edema
☒ 4. Pulmonary embolism

Question Type : MCQ

Question ID : 4410091048810

Option 1 ID : 4410094144349

Option 2 ID : 4410094144348

Option 3 ID : 4410094144350

Option 4 ID : 4410094144347

Status : Answered

Chosen Option : 3

Q.61 What is the application of the science of nutrition to the human being in health and disease known as?

- Ans ☒ 1. Ergonomics
☒ 2. Myology
☒ 3. Dietetics
☒ 4. Stereognosis

Question Type : MCQ

Question ID : 4410091048330

Option 1 ID : 4410094142392

Option 2 ID : 4410094142390

Option 3 ID : 4410094142391

Option 4 ID : 4410094142389

Status : Answered

Chosen Option : 3

Q.62 What is the major limitation of the Food Frequency Questionnaire?

- Ans ☒ 1. It relies heavily on the respondent's memory.
☒ 2. It cannot be used to estimate nutrient intake.
☒ 3. It is too expensive for large studies.
☒ 4. It is very time-consuming to administer.

Question Type : MCQ

Question ID : 4410091067707

Option 1 ID : 4410094216337

Option 2 ID : 4410094216340

Option 3 ID : 4410094216338

Option 4 ID : 4410094216339

Status : Not Answered

Chosen Option : --

Q.63 Macrovascular complications of diabetes mellitus include which of the following?

Ans ☒ 1. Peripheral arterial disease

☒ 2. Diabetic nephropathy

☒ 3. Diabetic retinopathy

☒ 4. Diabetic neuropathy

Question Type : MCQ

Question ID : 441009890756

Option 1 ID : 4410093517008

Option 2 ID : 4410093517009

Option 3 ID : 4410093517011

Option 4 ID : 4410093517010

Status : Answered

Chosen Option : 4

Q.64 Which of the following hormones is also known as vasopressin?

Ans ☒ 1. 5-hydroxy tryptamine

☒ 2. Antidiuretic hormone

☒ 3. Prolactin inhibiting hormone

☒ 4. Adrenocorticotrophic hormone

Question Type : MCQ

Question ID : 4410091049132

Option 1 ID : 4410094145618

Option 2 ID : 4410094145619

Option 3 ID : 4410094145621

Option 4 ID : 4410094145620

Status : Not Answered

Chosen Option : --

Q.65 What pulse rate defines tachycardia in adults?

Ans ☒ 1. < 90 bpm

☒ 2. 80-90 bpm

☒ 3. > 100 bpm

☒ 4. > 60 bpm

Question Type : MCQ

Question ID : 4410091049262

Option 1 ID : 4410094146145

Option 2 ID : 4410094146146

Option 3 ID : 4410094146144

Option 4 ID : 4410094146143

Status : Answered

Chosen Option : 1

Q.66 Which hormone is secreted by adipose tissue and placenta that regulates the body fat metabolism during pregnancy?

- Ans ☒ 1. Leptin
☒ 2. Progesterone
☒ 3. Glucagon
☒ 4. Estrogen

Question Type : MCQ

Question ID : 441009398264

Option 1 ID : 4410091558503

Option 2 ID : 4410091558504

Option 3 ID : 4410091558502

Option 4 ID : 4410091558505

Status : Not Answered

Chosen Option : --

Q.67 What is the goal of teach-back method?

- Ans ☒ 1. Use latin terminolgy
☒ 2. Use audio visuals
☒ 3. Speak louder
☒ 4. Relate concept with daily experiences

Question Type : MCQ

Question ID : 4410091068814

Option 1 ID : 4410094220752

Option 2 ID : 4410094220754

Option 3 ID : 4410094220753

Option 4 ID : 4410094220751

Status : Answered

Chosen Option : 3

Q.68 Which of the following types of diphtheria is characterised by hoarseness and croupy cough, loss of voice, obstruction to breathing, and respiratory failure?

- Ans ☒ 1. Cutaneous
☒ 2. Laryngotracheal
☒ 3. Nasal
☒ 4. Pharyngotonsillitis

Question Type : MCQ

Question ID : 441009396945

Option 1 ID : 4410091553219

Option 2 ID : 4410091553217

Option 3 ID : 4410091553218

Option 4 ID : 4410091553216

Status : Answered

Chosen Option : 2

Q.69 What does the 'P' stand for in the PASS method for using a fire extinguisher?

- Ans ☒ 1. Pull
☐ 2. Push
☐ 3. Point
☐ 4. Press

Question Type : MCQ

Question ID : 4410091068491

Option 1 ID : 4410094219468

Option 2 ID : 4410094219469

Option 3 ID : 4410094219471

Option 4 ID : 4410094219470

Status : Answered

Chosen Option : 1

Q.70 Which of the following reflexes is characterised by the baby throwing their arms and legs outward in response to a sudden stimulus or feeling of being dropped?

- Ans ☐ 1. Rooting reflex
☐ 2. Palmar grasp reflex
☒ 3. Moro reflex
☐ 4. Babinski reflex

Question Type : MCQ

Question ID : 4410091038494

Option 1 ID : 4410094104118

Option 2 ID : 4410094104121

Option 3 ID : 4410094104120

Option 4 ID : 4410094104119

Status : Answered

Chosen Option : 2

Q.71 What is the most common cause of bleeding in cervical eversion?

- Ans ☐ 1. Endometrial hyperplasia
☒ 2. Fragile exposed columnar epithelium
☐ 3. Uterine fibroids
☐ 4. Malignancy of the cervix

Question Type : MCQ

Question ID : 4410091073410

Option 1 ID : 4410094231096

Option 2 ID : 4410094231095

Option 3 ID : 4410094231098

Option 4 ID : 4410094231097

Status : Answered

Chosen Option : 1

Q.72 Which of the following options represents the correct vertebral bone formula?

- Ans ☒ 1. C7-T7-L7-S1-Co1
☒ 2. C5-T12-L5-S1-Co1
☒ 3. C5-T7-L5-S5-Co4
☒ 4. C7-T12-L5-S1-Co1

Question Type : MCQ

Question ID : 4410091066955

Option 1 ID : 4410094213329

Option 2 ID : 4410094213327

Option 3 ID : 4410094213328

Option 4 ID : 4410094213326

Status : Answered

Chosen Option : 4

Q.73 Which tool is commonly used for developmental screening in infants?

- Ans ☒ 1. Urine test
☒ 2. Denever developmental screening test
☒ 3. Eye test
☒ 4. Stool test

Question Type : MCQ

Question ID : 4410091069812

Option 1 ID : 4410094223400

Option 2 ID : 4410094223397

Option 3 ID : 4410094223399

Option 4 ID : 4410094223398

Status : Answered

Chosen Option : 2

Q.74 Which of the following DOES NOT fall into extra pyramidal symptoms associated with typical antipsychotic drugs?

- Ans ☒ 1. Erectile dysfunction
☒ 2. Dystonia
☒ 3. Dyskinesia
☒ 4. Akathisia

Question Type : MCQ

Question ID : 441009890825

Option 1 ID : 4410093517280

Option 2 ID : 4410093517282

Option 3 ID : 4410093517283

Option 4 ID : 4410093517281

Status : Not Answered

Chosen Option : --

Q.75 Stuttering is also known as:

- Ans ☒ 1. cluttering
☒ 2. stammering
☒ 3. perseveration
☒ 4. verbigeration

Question Type : MCQ

Question ID : 4410091033901

Option 1 ID : 4410094087254

Option 2 ID : 4410094087257

Option 3 ID : 4410094087255

Option 4 ID : 4410094087256

Status : Answered

Chosen Option : 4

Q.76 What does the 'S' in the acronym 'SAMPLE' stand for in a first aid assessment?

- Ans ☒ 1. Safety of the victim
☒ 2. Safety of the respondent
☒ 3. Saturation oxygen
☒ 4. Signs and symptoms

Question Type : MCQ

Question ID : 4410091049156

Option 1 ID : 4410094145712

Option 2 ID : 4410094145709

Option 3 ID : 4410094145711

Option 4 ID : 4410094145710

Status : Answered

Chosen Option : 1

Q.77 When providing first aid to a person who is bleeding heavily from a wound, what is the first step one should take?

- Ans ☒ 1. Wash the wound with soap and water
☒ 2. Apply a tourniquet to the limb above the wound
☒ 3. Keep the person lying down and elevate the feet
☒ 4. Apply direct pressure to the wound

Question Type : MCQ

Question ID : 441009891749

Option 1 ID : 4410093521024

Option 2 ID : 4410093521027

Option 3 ID : 4410093521026

Option 4 ID : 4410093521025

Status : Answered

Chosen Option : 4

Q.78 Which of the following nursing theorists proposed the 'Twenty-One Nursing Problems' theory?

- Ans ☒ 1. Virginia Henderson
☒ 2. Faye Abdellah
☒ 3. Florence Nightingale
☒ 4. Hildegard Peplau

Question Type : MCQ

Question ID : 4410091049170

Option 1 ID : 4410094145766

Option 2 ID : 4410094145767

Option 3 ID : 4410094145765

Option 4 ID : 4410094145768

Status : Not Answered

Chosen Option : --

Q.79 What is the earliest sign of dehydration?

- Ans ☒ 1. Thirst
☒ 2. Sunken fontanelle
☒ 3. Oliguria
☒ 4. Tachycardia

Question Type : MCQ

Question ID : 4410091068889

Option 1 ID : 4410094221043

Option 2 ID : 4410094221044

Option 3 ID : 4410094221045

Option 4 ID : 4410094221046

Status : Answered

Chosen Option : 4

Q.80 Which of the following is useful in monitoring the occurrence of new cases in a given population over a period of time?

- Ans ☒ 1. Mortality rate
☒ 2. Prevalence rate
☒ 3. Attack rate
☒ 4. Incidence rate

Question Type : MCQ

Question ID : 441009396961

Option 1 ID : 4410091553283

Option 2 ID : 4410091553280

Option 3 ID : 4410091553282

Option 4 ID : 4410091553281

Status : Answered

Chosen Option : 3

Q.81 All of the following are the key principles of health education, EXCEPT:

- Ans ☒ 1. centralisation and prejudice
☒ 2. credibility and comprehension
☒ 3. motivation and reinforcement
☒ 4. interest and participation

Question Type : MCQ

Question ID : 4410091027002

Option 1 ID : 4410094059578

Option 2 ID : 4410094059576

Option 3 ID : 4410094059579

Option 4 ID : 4410094059577

Status : Answered

Chosen Option : 1

Q.82 What is the primary objective of a Child Guidance Clinic?

- Ans ☒ 1. To support mental, emotional and behavioural development in children
☒ 2. To provide vaccination services
☒ 3. To offer nutritional supplements
☒ 4. To diagnose and treat physical disabilities

Question Type : MCQ

Question ID : 4410091069823

Option 1 ID : 4410094223441

Option 2 ID : 4410094223442

Option 3 ID : 4410094223444

Option 4 ID : 4410094223443

Status : Answered

Chosen Option : 1

Q.83 Rose spots are considered a classic sign of which of the following diseases?

- Ans ☒ 1. Typhoid fever
☒ 2. Diphtheria
☒ 3. Dengue fever
☒ 4. Cholera

Question Type : MCQ

Question ID : 4410091067583

Option 1 ID : 4410094215836

Option 2 ID : 4410094215835

Option 3 ID : 4410094215833

Option 4 ID : 4410094215834

Status : Answered

Chosen Option : 2

Q.84 What is the main role of nursing informatics?

- Ans ☒ 1. Decreasing the need for patient education and family counseling
- ☒ 2. Supporting evidence-based practice and quality improvement
- ☒ 3. Reducing the need for clinical research and clinical trials
- ☒ 4. Eliminating the need for continuing education for nursing staffs

Question Type : MCQ

Question ID : 4410091067466

Option 1 ID : 4410094215372

Option 2 ID : 4410094215371

Option 3 ID : 4410094215369

Option 4 ID : 4410094215370

Status : Answered

Chosen Option : 2

Q.85 What is the ratio rule to transfuse plasma, platelets and red blood cells if there is severe haemorrhage and chronic hemodynamic instability?

- Ans ☒ 1. 1 : 2 : 3
- ☒ 2. 1 : 1 : 1
- ☒ 3. 1 : 1 : 2
- ☒ 4. 2 : 3 : 4

Question Type : MCQ

Question ID : 441009373225

Option 1 ID : 4410091458481

Option 2 ID : 4410091458479

Option 3 ID : 4410091458480

Option 4 ID : 4410091458482

Status : Not Answered

Chosen Option : --

Q.86 Which of the following is a key feature of the manic phase in bipolar disorder?

- Ans ☒ 1. Elevated mood, increased energy, and racing thoughts
- ☒ 2. Feelings of sadness, helplessness, and hopelessness
- ☒ 3. Slowed movements and speech, and introversion
- ☒ 4. Lethargy, anhedonia, apathy, and lack of motivation

Question Type : MCQ

Question ID : 4410091044528

Option 1 ID : 4410094127140

Option 2 ID : 4410094127139

Option 3 ID : 4410094127141

Option 4 ID : 4410094127138

Status : Answered

Chosen Option : 1

Q.87 Which of the following immunisations should an antenatal that woman receive twice during her pregnancy at an interval of one month apart?

Ans ☒ 1. Tetanus and diphtheria

☒ 2. Hepatitis B and Tetanus

☒ 3. Pentavalent vaccine

☒ 4. Tetanus toxoid

Question Type : MCQ

Question ID : 441009390599

Option 1 ID : 4410091527962

Option 2 ID : 4410091527963

Option 3 ID : 4410091527964

Option 4 ID : 4410091527961

Status : Answered

Chosen Option : 1

Q.88 Which of the following vitamin deficiencies primarily leads to megaloblastic anaemia and neurological problems, such as nerve damage?

Ans ☒ 1. Vitamin B6

☒ 2. Vitamin B3

☒ 3. Vitamin B12

☒ 4. Vitamin B1

Question Type : MCQ

Question ID : 4410091027379

Option 1 ID : 4410094061067

Option 2 ID : 4410094061064

Option 3 ID : 4410094061065

Option 4 ID : 4410094061066

Status : Answered

Chosen Option : 3

Q.89 What is the marginal placental separation of placenta known as?

Ans ☒ 1. Chadwick's mechanism

☒ 2. Duncan's mechanism

☒ 3. Oslander's mechanism

☒ 4. Schultze's mechanism

Question Type : MCQ

Question ID : 4410091048007

Option 1 ID : 4410094141000

Option 2 ID : 4410094140998

Option 3 ID : 4410094140999

Option 4 ID : 4410094140997

Status : Not Answered

Chosen Option : --

Q.90 Which of the following types of biomedical waste is discarded in a yellow colour-coded bag?

- Ans ☒ 1. Waste plastics, syringes without needles, and catheters
☒ 2. Sharps, syringes with needles and surgical blades
☒ 3. Infectious waste and human anatomical waste
☒ 4. Broken ampoules, vials and broken glass

Question Type : MCQ

Question ID : 4410091068137

Option 1 ID : 4410094218059

Option 2 ID : 4410094218060

Option 3 ID : 4410094218061

Option 4 ID : 4410094218062

Status : Answered

Chosen Option : 3

Q.91 What is the causative organism of diphtheria?

- Ans ☒ 1. Bacteria
☒ 2. Virus
☒ 3. Parasite
☒ 4. Fungus

Question Type : MCQ

Question ID : 4410091048492

Option 1 ID : 4410094143053

Option 2 ID : 4410094143052

Option 3 ID : 4410094143055

Option 4 ID : 4410094143054

Status : Answered

Chosen Option : 2

Q.92 What is BPAD in the context of mental disorders?

- Ans ☒ 1. Binomial Associative Disorder
☒ 2. Bipolar Affective Disorder
☒ 3. Bipolar Aggressive Disorder
☒ 4. Binomial Ambivalence Disorder

Question Type : MCQ

Question ID : 4410091033896

Option 1 ID : 4410094087235

Option 2 ID : 4410094087236

Option 3 ID : 4410094087237

Option 4 ID : 4410094087234

Status : Answered

Chosen Option : 2

Q.93 What is the daily requirement of iodine for adults?

- Ans ☒ 1. 200-250 micrograms
☒ 2. 300-350 micrograms
☒ 3. 400-450 micrograms
☒ 4. 100-150 micrograms

Question Type : MCQ
Question ID : 441009396702
Option 1 ID : 4410091552249
Option 2 ID : 4410091552250
Option 3 ID : 4410091552251
Option 4 ID : 4410091552248
Status : Answered
Chosen Option : 4

Q.94 Which forceps are designed for holding delicate tissue without causing excessive trauma?

- Ans ☒ 1. Allis forceps
☒ 2. Russian forceps
☒ 3. Debakey forceps
☒ 4. Kelly forceps

Question Type : MCQ
Question ID : 4410091049746
Option 1 ID : 4410094148068
Option 2 ID : 4410094148066
Option 3 ID : 4410094148067
Option 4 ID : 4410094148065
Status : Answered
Chosen Option : 3

Q.95 The best source of heme iron, which is easily absorbed by the body, is _____.

- Ans ☒ 1. oranges
☒ 2. spinach
☒ 3. lentils
☒ 4. chicken

Question Type : MCQ
Question ID : 4410091048306
Option 1 ID : 4410094142296
Option 2 ID : 4410094142293
Option 3 ID : 4410094142294
Option 4 ID : 4410094142295
Status : Answered
Chosen Option : 2

Q.96 The Soave procedure is a surgical treatment for which of the following conditions?

- Ans ☒ 1. Developmental dysplasia of the hip
☒ 2. Hirschsprung's disease
☒ 3. Tricuspid atresia
☒ 4. Horseshoe kidney disease

Question Type : MCQ

Question ID : 4410091027574

Option 1 ID : 4410094061828

Option 2 ID : 4410094061829

Option 3 ID : 4410094061827

Option 4 ID : 4410094061830

Status : Answered

Chosen Option : 1

Q.97 The 'spatula test' is a clinical assessment used to help diagnose which of the following diseases?

- Ans ☒ 1. Tuberculosis
☒ 2. Leprosy
☒ 3. Nipah
☒ 4. Tetanus

Question Type : MCQ

Question ID : 4410091048513

Option 1 ID : 4410094143152

Option 2 ID : 4410094143154

Option 3 ID : 4410094143155

Option 4 ID : 4410094143153

Status : Answered

Chosen Option : 4

Q.98 Why are diuretics commonly used in treating pulmonary oedema?

- Ans ☒ 1. It can remove excess fluid from the body.
☒ 2. It can directly affect gas exchange in the lungs.
☒ 3. It can increase the force of heart contractions.
☒ 4. It can decrease the permeability of the alveolar membrane.

Question Type : MCQ

Question ID : 4410091033178

Option 1 ID : 4410094084375

Option 2 ID : 4410094084376

Option 3 ID : 4410094084374

Option 4 ID : 4410094084377

Status : Answered

Chosen Option : 1

Q.99 Which of the following sentences best defines a mental illness?

- Ans ☒ 1. A condition that only affects the mood, memory and emotions of the patients, associated with abnormality in mood, memory and emotions
- ☒ 2. Any psychological issue that can be resolved with the willpower of the patient or that resolves spontaneously
- ☒ 3. A temporary state of sadness or stress, which resolves within one or two weeks
- ☒ 4. A condition characterised by significant disturbance in an individual's cognition, emotional regulation, or behaviour

Question Type : MCQ

Question ID : 4410091044573

Option 1 ID : 4410094127321

Option 2 ID : 4410094127319

Option 3 ID : 4410094127320

Option 4 ID : 4410094127318

Status : Answered

Chosen Option : 4

Q.10 'Reassess the client' comes under which phase of the nursing process?
0

- Ans ☒ 1. Planning
- ☒ 2. Assessing
- ☒ 3. Diagnosing
- ☒ 4. Implementing

Question Type : MCQ

Question ID : 441009390000

Option 1 ID : 4410091525595

Option 2 ID : 4410091525593

Option 3 ID : 4410091525594

Option 4 ID : 4410091525596

Status : Answered

Chosen Option : 2