

Section : Domain Knowledge

Q.1 Which of these is the primary purpose of a patient's record?

- Ans ☒ 1. Planning and supporting patient care
- ☐ 2. Self tracking patient's progress of illness
- ☐ 3. Giving confidential information to others
- ☐ 4. Obtaining financial gains for the hospital

Question Type : MCQ

Question ID : 441009383578

Option 1 ID : 4410091499912

Option 2 ID : 4410091499915

Option 3 ID : 4410091499913

Option 4 ID : 4410091499914

Status : Answered

Chosen Option : 1

Q.2 सुरक्षित खाद्य हैंडलिंग से संबंधित कार्य-पद्धतियों के संदर्भ में निम्नलिखित में से कौन-सा कथन गलत है?

- Ans ☐ 1. टाइफॉइड ज्वर, तपेदिक और पेचिश से पीड़ित इतिवृत्त वाले व्यक्ति को नियोजित नहीं किया जाना चाहिए।
- ☐ 2. खाद्य हैंडलर को व्यक्तिगत स्वच्छता, भोजन और बर्तनों के हैंडलिंग तथा कृन्तक नियंत्रण पर शिक्षा आवश्यक है।
- ☒ 3. क्षत, मध्यकर्णशोथ या त्वचा संक्रमण से पीड़ित व्यक्ति को भोजन या बर्तनों को हैंडल करने की अनुमति होती है।
- ☐ 4. खाद्य हैंडलर को नियोजन के समय पूर्ण चिकित्सा परीक्षण करवाना होगा।

Question Type : MCQ

Question ID : 441009380931

Option 1 ID : 4410091489482

Option 2 ID : 4410091489483

Option 3 ID : 4410091489484

Option 4 ID : 4410091489481

Status : Not Answered

Chosen Option : --

Q.3 Which of the following statements related to cervical eversion is INCORRECT?

- Ans ☒ 1. Spontaneous regression occurs usually by 20-24 weeks of pregnancy.
- ☒ 2. It is marked by hyperplasia of the endocervical mucosa.
- ☒ 3. Downward growth of columnar epithelium beyond the external os occurs by replacing squamous epithelium.
- ☒ 4. It occurs during early pregnancy due to hyperestrinism.

Question Type : MCQ

Question ID : 441009390489

Option 1 ID : 4410091527535

Option 2 ID : 4410091527534

Option 3 ID : 4410091527536

Option 4 ID : 4410091527533

Status : Answered

Chosen Option : 3

Q.4 Which of the following points should be considered while planning the staffing of a hospital?

- Ans ☒ 1. Assignments of patients and duties need to be changed frequently
- ☒ 2. Asymmetrical distribution of tasks for all personnel in the same capacity
- ☒ 3. Take account of the busy and less busy days and hours of minimum work and maximum work
- ☒ 4. Equal work distribution irrespective of qualification and experience of personnel

Question Type : MCQ

Question ID : 441009390775

Option 1 ID : 4410091528661

Option 2 ID : 4410091528659

Option 3 ID : 4410091528658

Option 4 ID : 4410091528660

Status : Answered

Chosen Option : 1

Q.5 According to Keyes's mental health continuum that categorises mental health into four quadrants, the upper left quadrant is occupied by those with:

- Ans ☒ 1. poor mental health with mental illness
- ☒ 2. optimal mental health without mental illness
- ☒ 3. optimal mental health with mental illness
- ☒ 4. poor mental health without mental illness

Question Type : MCQ

Question ID : 441009383376

Option 1 ID : 4410091499062

Option 2 ID : 4410091499060

Option 3 ID : 4410091499061

Option 4 ID : 4410091499063

Status : Answered

Chosen Option : 3

Q.6 Where did the placental separation begin from the uterine wall as per the Schultze mechanism?

- Ans
- ☒ 1. Area closest to the cervix
 - ☒ 2. Centre of the placenta
 - ☒ 3. Periphery or edges of the placenta
 - ☒ 4. Area closest to the fundus of the uterus

Question Type : MCQ

Question ID : 4410091067819

Option 1 ID : 4410094216779

Option 2 ID : 4410094216778

Option 3 ID : 4410094216777

Option 4 ID : 4410094216780

Status : Answered

Chosen Option : 2

Q.7 अभिलेखन और दस्तावेजीकरण के संदर्भ में, संक्षिप्त रूप SOAP का पूर्ण रूप क्या है?

- Ans
- ☒ 1. Symptom (सिम्प्टम), Objective (ऑब्जेक्टिव), Assessment (असेसमेंट), Plan (प्लान)
 - ☒ 2. Standard (स्टैंडर्ड), Observation (ऑब्जर्वेशन), Analysis (एनालिसिस), Procedure (प्रोसीजर)
 - ☒ 3. Security (सिक्योरिटी), Organisation (ऑर्गेनाइजेशन), Accuracy (एक्यूरेसी), Privacy (प्राइवेसी)
 - ☒ 4. Subjective (सब्जेक्टिव), Objective (ऑब्जेक्टिव), Assessment (असेसमेंट), Plan (प्लान)

Question Type : MCQ

Question ID : 4410091037522

Option 1 ID : 4410094100651

Option 2 ID : 4410094100650

Option 3 ID : 4410094100652

Option 4 ID : 4410094100653

Status : Answered

Chosen Option : 4

Q.8 निम्नलिखित में से किस एक को छोड़कर शेष सभी पोषक तत्व परिरक्षण के उपाय हैं?

- Ans
- ☒ 1. पकाने का समय और तापमान न्यूनतम करना
 - ☒ 2. भाप या प्रेशर कुकिंग
 - ☒ 3. अधिकतम जल का उपयोग करना और अत्यधिक छीलना
 - ☒ 4. सब्जियों को बड़े टुकड़ों में काटना

Question Type : MCQ

Question ID : 4410091037394

Option 1 ID : 4410094100146

Option 2 ID : 4410094100149

Option 3 ID : 4410094100147

Option 4 ID : 4410094100148

Status : Answered

Chosen Option : 3

Q.9 Columnar cells in the stomach secrete:

- Ans ☒ 1. Mucin
☒ 2. Gastrin
☒ 3. Hydrogen Ion
☒ 4. Pepsinogen

Question Type : MCQ

Question ID : 441009890068

Option 1 ID : 4410093514242

Option 2 ID : 4410093514244

Option 3 ID : 4410093514245

Option 4 ID : 4410093514243

Status : Answered

Chosen Option : 4

Q.10 आहार मूल्यांकन टूल के संदर्भ में FFQ का पूर्ण रूप क्या है?

- Ans ☒ 1. Food frequency questionnaire (फूड फ्रीक्वेंसी क्वेश्चनेयर)
☒ 2. Food floating Quetelet's index (फूड फ्लोटिंग क्वेलेट्स इंडेक्स)
☒ 3. Food first-priority questionnaire (फूड फ्रस्ट-प्रायोरिटी क्वेश्चनेयर)
☒ 4. Food forming Quetelet's index (फूड फॉर्मिंग क्वेलेट्स इंडेक्स)

Question Type : MCQ

Question ID : 4410091037803

Option 1 ID : 4410094101767

Option 2 ID : 4410094101766

Option 3 ID : 4410094101768

Option 4 ID : 4410094101769

Status : Not Answered

Chosen Option : --

Q.11 Who introduced the Johari Window model?

- Ans ☒ 1. Joseph Luft and Harry Ingham
☒ 2. Carl Jung and Sigmund Freud
☒ 3. Abraham Maslow and Frederick Herzberg
☒ 4. BF Skinner and Ivan Pavlov

Question Type : MCQ

Question ID : 4410091027021

Option 1 ID : 4410094059649

Option 2 ID : 4410094059648

Option 3 ID : 4410094059650

Option 4 ID : 4410094059651

Status : Not Answered

Chosen Option : --

Q.12 Human anatomical waste is segregated in which colour-coded category of biomedical waste management?

- Ans ☐ 1. Red
☐ 2. Green
☐ 3. White
☒ 4. Yellow

Question Type : MCQ

Question ID : 441009890238

Option 1 ID : 4410093514929

Option 2 ID : 4410093514930

Option 3 ID : 4410093514931

Option 4 ID : 4410093514928

Status : Answered

Chosen Option : 4

Q.13 When does the external rotation of a newborn usually occur in the birth process?

- Ans ☐ 1. After the entire baby is born
☒ 2. After the head is born but before the delivery of the shoulders
☐ 3. After internal rotation of the baby's head but before crowning
☐ 4. Before engagement of the foetal's head

Question Type : MCQ

Question ID : 4410091067818

Option 1 ID : 4410094216776

Option 2 ID : 4410094216775

Option 3 ID : 4410094216774

Option 4 ID : 4410094216773

Status : Answered

Chosen Option : 3

Q.14 Which diet is prescribed for patients suffering from diarrhoea?

- Ans ☐ 1. Tube feeding
☐ 2. Mechanical diet
☐ 3. High residue diet
☒ 4. Bland diet

Question Type : MCQ

Question ID : 441009396791

Option 1 ID : 4410091552603

Option 2 ID : 4410091552600

Option 3 ID : 4410091552601

Option 4 ID : 4410091552602

Status : Answered

Chosen Option : 1

Q.15 Which of the following tools is commonly used to assess the severity of asthma in clinical settings?

Ans ☒ 1. Peak Expiratory Flow Rate (PEFR)

☒ 2. Braden Scale

☒ 3. Apgar Score

☒ 4. Glasgow Coma Scale

Question Type : MCQ

Question ID : 441009918901

Option 1 ID : 4410093629612

Option 2 ID : 4410093629615

Option 3 ID : 4410093629613

Option 4 ID : 4410093629614

Status : Answered

Chosen Option : 1

Q.16 Which of the following structures lies superior to the trachea?

Ans ☒ 1. Thyroid gland

☒ 2. Oesophagus

☒ 3. Arch of aorta

☒ 4. Larynx

Question Type : MCQ

Question ID : 441009380423

Option 1 ID : 4410091487499

Option 2 ID : 4410091487497

Option 3 ID : 4410091487500

Option 4 ID : 4410091487498

Status : Answered

Chosen Option : 4

Q.17 As per DSM-V Proposal of mental disorder, category A is defined as:

Ans ☒ 1. reflects an underlying psychobiological dysfunction

☒ 2. a behavioural or psychological syndrome or pattern that occurs in an individual

☒ 3. the consequences of which are clinically significant distress (e.g., a painful symptom) or disability

☒ 4. not solely a result of social deviance or conflicts with society

Question Type : MCQ

Question ID : 441009890910

Option 1 ID : 4410093517621

Option 2 ID : 4410093517623

Option 3 ID : 4410093517620

Option 4 ID : 4410093517622

Status : Answered

Chosen Option : 2

Q.18 किसी रोगी को कंबल के माध्यम से (blanket lift) स्ट्रेचर पर स्थानांतरित करने के लिए निम्नलिखित में से मुख्यतः किस सिद्धांत का पालन किया जाता है?

- Ans ☒ 1. बेहतर पकड़ के लिए रोगी को सूखे कंबल का उपयोग करके बेड पर खींचें।
☒ 2. रोगी के वजन को सहारा देने के लिए हमेशा पीठ के बल उठाएं।
☒ 3. रोगी को एक तरफ पलट (roll) दें और स्ट्रेचर को उनके नीचे खिसका दें।
☒ 4. कंबल के किनारों का उपयोग करके रोगी को बराबर से उठाने के लिए कई देखभालकर्ताओं का उपयोग करें।

Question Type : MCQ

Question ID : 441009892368

Option 1 ID : 4410093523547

Option 2 ID : 4410093523546

Option 3 ID : 4410093523545

Option 4 ID : 4410093523544

Status : Not Answered

Chosen Option : --

Q.19 What is the indication of aversion therapy?

- Ans ☒ 1. Phobias
☒ 2. Schizophrenia
☒ 3. Alcohol abuse
☒ 4. Obsessions

Question Type : MCQ

Question ID : 441009396830

Option 1 ID : 4410091552760

Option 2 ID : 4410091552762

Option 3 ID : 4410091552763

Option 4 ID : 4410091552761

Status : Answered

Chosen Option : 3

Q.20 Which structure promotes flexion of the baby during labour?

- Ans ☒ 1. Umbilical cord
☒ 2. Pelvic floor muscles
☒ 3. Cervical os
☒ 4. Placenta

Question Type : MCQ

Question ID : 4410091073519

Option 1 ID : 4410094231533

Option 2 ID : 4410094231531

Option 3 ID : 4410094231532

Option 4 ID : 4410094231534

Status : Answered

Chosen Option : 2

Q.21 Which of the following parameters helps the midwife to determine the progress in the first stage of labour?

- Ans
- ☒ 1. Rupture of membranes and pelvic adequacy
 - ☒ 2. Cervical effacement and cervical dilatation
 - ☒ 3. Progressive descent and crowning of head
 - ☒ 4. Expulsive uterine contractions and bearing down efforts

Question Type : MCQ

Question ID : 441009390541

Option 1 ID : 4410091527734

Option 2 ID : 4410091527735

Option 3 ID : 4410091527736

Option 4 ID : 4410091527733

Status : Answered

Chosen Option : 2

Q.22 What does 'I' stand for in the SOAPIE progress notes format used for documentation?

- Ans
- ☒ 1. Implementation
 - ☒ 2. Institution
 - ☒ 3. Intervention
 - ☒ 4. Inspection

Question Type : MCQ

Question ID : 441009389986

Option 1 ID : 4410091525540

Option 2 ID : 4410091525539

Option 3 ID : 4410091525538

Option 4 ID : 4410091525537

Status : Answered

Chosen Option : 4

Q.23 एक छोटा बच्चा (toddler) अपनी नाक में चॉक का एक छोटा सा टुकड़ा डाल लेता है जो अंदर ही फंस जाता है।
ऐसी स्थिति में प्रथमोपचार उपाय क्या होना चाहिए?

- Ans
- ☒ 1. उपचार के लिए बच्चे को निकटतम स्वास्थ्य सेवा केंद्र में ले जाएं
 - ☒ 2. चॉक के टुकड़े को विघटित करने के लिए नाक को गर्म पानी से धोएं
 - ☒ 3. चॉक के टुकड़े को छेड़ने के लिए उंगलियों को नाक के बाहर से उपयोग करें
 - ☒ 4. नाक में दूधपिक डालें और चॉक के टुकड़े को बाहर निकालने की कोशिश करें

Question Type : MCQ

Question ID : 441009383479

Option 1 ID : 4410091499486

Option 2 ID : 4410091499487

Option 3 ID : 4410091499485

Option 4 ID : 4410091499484

Status : Answered

Chosen Option : 1

Q.24 How does illness influence personal hygiene?

- Ans ☒ 1. It promotes frequent hygiene practices.
- ☒ 2. It has no impact on hygiene practices.
- ☒ 3. It may impair the ability to perform self-care.
- ☒ 4. It increases the motivation to maintain hygiene.

Question Type : MCQ

Question ID : 441009390025

Option 1 ID : 4410091525691

Option 2 ID : 4410091525690

Option 3 ID : 4410091525692

Option 4 ID : 4410091525689

Status : Answered

Chosen Option : 4

Q.25 All of the following are common types of medication delivered via inhalation, EXCEPT?

- Ans ☒ 1. Inhaled anaesthetics
- ☒ 2. Corticosteroids
- ☒ 3. Insulin and glucagon
- ☒ 4. Bronchodilators

Question Type : MCQ

Question ID : 4410091034062

Option 1 ID : 4410094087872

Option 2 ID : 4410094087870

Option 3 ID : 4410094087871

Option 4 ID : 4410094087869

Status : Answered

Chosen Option : 3

Q.26 Fatty acids linked to sugar molecules are called:

- Ans ☒ 1. glycerolipids
- ☒ 2. saccharolipids
- ☒ 3. sphingolipids
- ☒ 4. sterol lipids

Question Type : MCQ

Question ID : 441009396658

Option 1 ID : 4410091552072

Option 2 ID : 4410091552074

Option 3 ID : 4410091552073

Option 4 ID : 4410091552075

Status : Answered

Chosen Option : 1

Q.27 Which of these vitamins is sourced both from sunlight and food?

Ans ☒ 1. Vitamin D

☐ 2. Vitamin B

☐ 3. Vitamin C

☐ 4. Vitamin A

Question Type : MCQ

Question ID : 441009380900

Option 1 ID : 4410091489360

Option 2 ID : 4410091489358

Option 3 ID : 4410091489359

Option 4 ID : 4410091489357

Status : Answered

Chosen Option : 1

Q.28 An infant whose weight falls between the 10th and 90th percentile on intrauterine growth curves comes under the classification of:

Ans ☐ 1. Intrauterine growth restriction

☐ 2. Large for gestational age infant

☐ 3. Small for gestational age infant

☒ 4. Appropriate for gestational age infant

Question Type : MCQ

Question ID : 441009398067

Option 1 ID : 4410091557719

Option 2 ID : 4410091557721

Option 3 ID : 4410091557718

Option 4 ID : 4410091557720

Status : Answered

Chosen Option : 1

Q.29 मस्तिष्क के निम्नलिखित विकारों में से कौन-सा विकार, शरीर की तापनियामक अनुक्रिया को प्रभावित करता है?

Ans ☐ 1. अपस्मार (Epilepsy)

☒ 2. हाइपोथैलमी मस्तिष्क क्षति (Hypothalamic brain injury)

☐ 3. जीबी सिंड्रोम (GB syndrome)

☐ 4. मस्तिष्क स्तम्भ ग्लायोमा (Brain stem glioma)

Question Type : MCQ

Question ID : 441009940865

Option 1 ID : 4410093717117

Option 2 ID : 4410093717118

Option 3 ID : 4410093717119

Option 4 ID : 4410093717120

Status : Answered

Chosen Option : 2

Q.30 स्वास्थ्य शिक्षा का निम्नलिखित में से कौन-सा सिद्धांत, प्रत्येक व्यक्ति में अधिगम की मौलिक इच्छा जागृत करने पर बल देता है?

- Ans ☒ 1. सहभागिता (Participation)
☒ 2. अभिबोध (Comprehension)
☒ 3. प्रबलन (Reinforcement)
☒ 4. अभिप्रेरण (Motivation)

Question Type : MCQ
Question ID : 441009390813
Option 1 ID : 4410091528818
Option 2 ID : 4410091528821
Option 3 ID : 4410091528819
Option 4 ID : 4410091528820
Status : Answered
Chosen Option : 1

Q.31 What is the type of abortion wherein the foetus is dead but retained inside the uterus for a variable period?

- Ans ☒ 1. Missed abortion
☒ 2. Incomplete abortion
☒ 3. Complete abortion
☒ 4. Inevitable abortion

Question Type : MCQ
Question ID : 441009390497
Option 1 ID : 4410091527562
Option 2 ID : 4410091527561
Option 3 ID : 4410091527564
Option 4 ID : 4410091527563
Status : Answered
Chosen Option : 1

Q.32 निम्नलिखित में से कौन-सा जीवाणुजनित रोग, संदूषित जल के सेवन से होता है?

- Ans ☒ 1. टाइफॉइड ज्वर (Typhoid fever)
☒ 2. यक्ष्मा (Tuberculosis)
☒ 3. टिटेनस (Tetanus)
☒ 4. ट्रैकोमा (Trachoma)

Question Type : MCQ
Question ID : 441009383904
Option 1 ID : 4410091501270
Option 2 ID : 4410091501271
Option 3 ID : 4410091501272
Option 4 ID : 4410091501273
Status : Answered
Chosen Option : 1

Q.33 A nurse performs four pelvic grips on a antenatal woman in her third trimester to determine the ____.

- Ans ☒ 1. foetal lie and presentation
☐ 2. gestational age
☐ 3. fundal height
☐ 4. foetal heart rate and movements

Question Type : MCQ

Question ID : 441009390609

Option 1 ID : 4410091528001

Option 2 ID : 4410091528003

Option 3 ID : 4410091528002

Option 4 ID : 4410091528004

Status : Answered

Chosen Option : 1

Q.34 स्वास्थ्य को बढ़ावा देने के लिए ओटावा चार्टर में उल्लिखित (outlined) निम्नलिखित में से किसे छोड़कर शेष सभी प्रमुख कार्य क्षेत्र हैं?

- Ans ☒ 1. स्वास्थ्य के लिए सामुदायिक क्रिया को प्रतिबंधित करना (restricting community action for health)
☐ 2. स्वस्थ सार्वजनिक नीति का निर्माण (building healthy public policy)
☐ 3. स्वास्थ्य के लिए सहायक वातावरण बनाना (creating supportive environments for health)
☐ 4. व्यक्तिगत कौशल का विकास और स्वास्थ्य सेवाओं का पुनर्निर्देशन (developing personal skills and reorient health services)

Question Type : MCQ

Question ID : 4410091027175

Option 1 ID : 4410094060266

Option 2 ID : 4410094060264

Option 3 ID : 4410094060265

Option 4 ID : 4410094060267

Status : Answered

Chosen Option : 2

Q.35 The shock caused by a severe allergic reaction is:

- Ans ☐ 1. cardiogenic shock
☐ 2. hypovolemic shock
☒ 3. anaphylactic shock
☐ 4. neurogenic shock

Question Type : MCQ

Question ID : 441009383961

Option 1 ID : 4410091501499

Option 2 ID : 4410091501501

Option 3 ID : 4410091501500

Option 4 ID : 4410091501498

Status : Answered

Chosen Option : 3

Q.36 Which of the following is a technique used to safely move a patient with a suspected spinal injury, ensuring the spine remains aligned throughout the process?

- Ans ☒ 1. Log rolling with a stretcher
- ☐ 2. Chin lift manoeuvre with a stretcher
- ☐ 3. Modified Valsalva with a stretcher
- ☐ 4. Jaw thrust manoeuvre with a stretcher

Question Type : MCQ

Question ID : 4410091034126

Option 1 ID : 4410094088119

Option 2 ID : 4410094088118

Option 3 ID : 4410094088120

Option 4 ID : 4410094088117

Status : Answered

Chosen Option : 2

Q.37 What does DSM stand for in the context of the classification of disorders?

- Ans ☒ 1. Diagnostic and Statistical Manual of Mental Disorders
- ☐ 2. Diagnostic and Segregation Manual of Mental Disorders
- ☐ 3. Delegative and Statistical Manual of Mental Disorders
- ☐ 4. Delegative and Segregation Manual of Mental Disorders

Question Type : MCQ

Question ID : 4410091033889

Option 1 ID : 4410094087208

Option 2 ID : 4410094087206

Option 3 ID : 4410094087209

Option 4 ID : 4410094087207

Status : Answered

Chosen Option : 1

Q.38 Which of the following is an internal factor influencing hospital utilisation within a community?

- Ans ☐ 1. Age of the population
- ☒ 2. Hospital's physical layout and internal organisation
- ☐ 3. Morbidity and mortality ratio of the community
- ☐ 4. Availability of hospital beds in the area

Question Type : MCQ

Question ID : 441009390719

Option 1 ID : 4410091528440

Option 2 ID : 4410091528438

Option 3 ID : 4410091528439

Option 4 ID : 4410091528437

Status : Answered

Chosen Option : 3

Q.39 Hirschsprung disease is associated with a defect in which of the following developmental processes involving the enteric nervous system?

- Ans ☒ 1. Failure of neural crest cell migration and differentiation regulated by the RET gene
- ☐ 2. Telescoping of bowel loops into each other
- ☐ 3. Autoimmune destruction of intestinal neurons
- ☐ 4. Overproduction of intestinal smooth muscle cells

Question Type : MCQ

Question ID : 441009919036

Option 1 ID : 4410093630148

Option 2 ID : 4410094303278

Option 3 ID : 4410093630150

Option 4 ID : 4410093630149

Status : Answered

Chosen Option : 1

Q.40 घर पर किसी वृद्ध व्यक्ति की देखभाल करते समय निम्नलिखित में से किस सिद्धांत का अनुसरण किया जाना चाहिए?

- Ans ☐ 1. वृद्ध व्यक्ति को सर या पिता जी कहकर संबोधित करना तथा उन्हें कभी भी उनके नाम से न बुलाना
- ☒ 2. वृद्ध व्यक्ति, उनके घर एवं परिवेश के संबंध में तथ्य एकत्र करना तथा उनकी देखभाल की योजना बनाना
- ☐ 3. व्यक्ति की देखभाल योजना में परिवर्तन करना ताकि दिन देखभाल अलग-अलग हो
- ☐ 4. आसपास से वृद्धों द्वारा उपयोग की जाने वाली घड़ी, कैलेंडर एवं परिचित वस्तुओं को हटा देना

Question Type : MCQ

Question ID : 441009383927

Option 1 ID : 4410091501362

Option 2 ID : 4410091501363

Option 3 ID : 4410091501365

Option 4 ID : 4410091501364

Status : Answered

Chosen Option : 2

Q.41 A patient complains of pain and tenderness above and below the eyes with headache. On assessment, it is seen that there is fever, stuffy nose, and thick mucus in the nose. Which condition does it indicate?

- Ans ☐ 1. Hay fever
- ☒ 2. Sinusitis
- ☐ 3. Tension headache
- ☐ 4. Migraine

Question Type : MCQ

Question ID : 441009396905

Option 1 ID : 4410091553059

Option 2 ID : 4410091553056

Option 3 ID : 4410091553058

Option 4 ID : 4410091553057

Status : Answered

Chosen Option : 2

Q.42 सगर्भता (pregnancy) के दौरान चयापचयी परिवर्तनों के कारण इंसुलिन में क्या परिवर्तन होते हैं?

- Ans ☒ 1. सगर्भता के दौरान इंसुलिन का साव कम हो जाता है।
- ☒ 2. इंसुलिन का साव सगर्भता से पहले की स्थिति जैसा ही रहता है।
- ☒ 3. सगर्भता के दौरान इंसुलिन का साव बढ़ जाता है।
- ☒ 4. पहले त्रिमास में इंसुलिन का साव बढ़ जाता है और दूसरे तथा तीसरे त्रिमास में इंसुलिन प्रतिरोध बढ़ जाता है।

Question Type : MCQ

Question ID : 441009390620

Option 1 ID : 4410091528046

Option 2 ID : 4410091528047

Option 3 ID : 4410091528045

Option 4 ID : 4410091528048

Status : Not Answered

Chosen Option : --

Q.43 The Gram staining technique differentiates between Gram-positive and Gram-negative bacteria based on:

- Ans ☒ 1. acid fast status
- ☒ 2. cell wall composition
- ☒ 3. cell shape
- ☒ 4. the presence of endospores

Question Type : MCQ

Question ID : 441009380867

Option 1 ID : 4410091489229

Option 2 ID : 4410091489231

Option 3 ID : 4410091489232

Option 4 ID : 4410091489230

Status : Answered

Chosen Option : 1

Q.44 नर्सिंग पेशे की कौन-सी विशेषताएँ, पेशेवर निर्णय लेने और अपने कार्य के बारे में स्वतंत्र निर्णय लेने की स्वतंत्रता देती हैं?

- Ans ☒ 1. स्टेटस (Status)
- ☒ 2. स्वायत्तता (Autonomy)
- ☒ 3. प्रतिष्ठा (Prestige)
- ☒ 4. विनियमन (Regulation)

Question Type : MCQ

Question ID : 441009397199

Option 1 ID : 4410091554246

Option 2 ID : 4410091554245

Option 3 ID : 4410091554247

Option 4 ID : 4410091554244

Status : Answered

Chosen Option : 3

Q.45 उल्बीय (एमनियोटिक) तरल में जल _____ संपूर्ण रूप से प्रतिस्थापित हो जाता है।

- Ans ☒ 1. हर 3 घंटे में
☒ 2. हर 15 घंटे में
☒ 3. प्रतिदिन
☒ 4. प्रत्येक माह

Question Type : MCQ

Question ID : 441009398258

Option 1 ID : 4410091558478

Option 2 ID : 4410091558479

Option 3 ID : 4410091558480

Option 4 ID : 4410091558481

Status : Answered

Chosen Option : 1

Q.46 A patient subjected to an elective surgery is ready to be shifted to operation theatre. Which of these is NOT an immediate preoperative nursing intervention?

- Ans ☒ 1. Prescribed preanaesthetic medication is administered in the preoperative holding area
☒ 2. Patient changes into a hospital gown that is left untied and open in the back
☒ 3. A nurse guides the patient through the post surgical experience and clarifies his questions
☒ 4. The mouth is inspected and dentures or plates are removed

Question Type : MCQ

Question ID : 441009384083

Option 1 ID : 4410091501985

Option 2 ID : 4410091501982

Option 3 ID : 4410091501983

Option 4 ID : 4410091501984

Status : Answered

Chosen Option : 4

Q.47 Which of the following is NOT a typical symptom of somatoform autonomic disorder?

- Ans ☒ 1. Hallucinations
☒ 2. Sweating
☒ 3. Chest pain
☒ 4. Palpitations

Question Type : MCQ

Question ID : 4410091023899

Option 1 ID : 4410094047203

Option 2 ID : 4410094047201

Option 3 ID : 4410094047204

Option 4 ID : 4410094047202

Status : Answered

Chosen Option : 1

Q.48 भोजन विकार, जिसे कम से कम एक महीने तक गैर-पोषक पदार्थों के लगातार सेवन के रूप में परिभाषित किया जाता है, क्या कहलाता है?

- Ans ☒ 1. बुलिमिया नर्वोसा (bulimia nervosa)
☒ 2. एनोरेक्सिया नर्वोसा (anorexia nervosa)
☒ 3. पिका (pica)
☒ 4. रक्ताल्पता (anemia)

Question Type : MCQ

Question ID : 441009396645

Option 1 ID : 4410091552023

Option 2 ID : 4410091552020

Option 3 ID : 4410091552021

Option 4 ID : 4410091552022

Status : Answered

Chosen Option : 3

Q.49 चैडविक चिह्न (Chadwick's sign) सगर्भता का एक प्रसंभाव्य चिह्न है जिसकी पहचान निम्न में से किस शारीरिक क्षेत्र में एक विशिष्ट रंग परिवर्तन द्वारा की जाती है?

- Ans ☒ 1. चूचुक और परिवेश (Nipples and areola)
☒ 2. उदरीय त्वचा (लिनिया नाइग्रा) [Abdominal skin (linea nigra)]
☒ 3. अंगुली नख और अंगुलाग्र (Fingernails and fingertips)
☒ 4. गर्भाशय ग्रीवा, योनि और भगोष्ठ (Cervix, vagina and labia)

Question Type : MCQ

Question ID : 4410091067800

Option 1 ID : 4410094216709

Option 2 ID : 4410094216710

Option 3 ID : 4410094216712

Option 4 ID : 4410094216711

Status : Answered

Chosen Option : 4

Q.50 N95 मास्क में 'N' क्या दर्शाता है?

- Ans ☒ 1. not resistant to oil (तेल के प्रति प्रतिरोधी नहीं)
☒ 2. not resistant to the bacteria (जीवाणु के प्रति प्रतिरोधी नहीं)
☒ 3. not resistant to the virus (विषाणु के प्रति प्रतिरोधी नहीं)
☒ 4. not resistant to water (जल के प्रति प्रतिरोधी नहीं)

Question Type : MCQ

Question ID : 4410091044733

Option 1 ID : 4410094128017

Option 2 ID : 4410094128015

Option 3 ID : 4410094128014

Option 4 ID : 4410094128016

Status : Answered

Chosen Option : 3

Q.51 A patient experiences apprehensive expectations for three months about several events with symptoms of restlessness, fatigue, mind going blank, along with sleep disturbances. Which anxiety disorder is related to these symptoms?

- Ans ☒ 1. Social phobia
☒ 2. Generalised anxiety disorder
☒ 3. Acute stress disorder
☒ 4. Panic anxiety disorder

Question Type : MCQ
Question ID : 441009383332
Option 1 ID : 4410091498876
Option 2 ID : 4410091498879
Option 3 ID : 4410091498878
Option 4 ID : 4410091498877
Status : Answered
Chosen Option : 2

Q.52 Dextrose 5% in water (D5W) is classified as which type of intravenous (IV) fluid?

- Ans ☒ 1. Hypotonic solution
☒ 2. Colloid solution
☒ 3. Hypertonic solution
☒ 4. Isotonic solution

Question Type : MCQ
Question ID : 441009908537
Option 1 ID : 4410093587962
Option 2 ID : 4410093587963
Option 3 ID : 4410093587961
Option 4 ID : 4410093587960
Status : Answered
Chosen Option : 4

Q.53 पॉट रोग (Pott disease) को _____ के नाम से भी जाना जाता है।

- Ans ☒ 1. मलेरिया (Malaria)
☒ 2. टाइफॉइड (Typhoid)
☒ 3. ट्यूबरकुलस स्पॉन्डिलाइटिस (Tuberculous Spondylitis)
☒ 4. ब्रूसेल्लोसिस (Brucellosis)

Question Type : MCQ
Question ID : 441009890221
Option 1 ID : 4410093514861
Option 2 ID : 4410093514863
Option 3 ID : 4410093514860
Option 4 ID : 4410093514862
Status : Answered
Chosen Option : 4

Q.54 Which of the following levels of management is also called senior management?

- Ans ☒ 1. Low-level management
☒ 2. Medium-level management
☒ 3. Top-level management
☒ 4. Very low-level management

Question Type : MCQ

Question ID : 4410091047799

Option 1 ID : 4410094140183

Option 2 ID : 4410094140182

Option 3 ID : 4410094140181

Option 4 ID : 4410094140184

Status : Answered

Chosen Option : 2

Q.55 Which type of audit takes place by using records maintained by the nurses for the care of patients and for their managerial work?

- Ans ☒ 1. Synchronised audit
☒ 2. Prospective audit
☒ 3. Retrospective audit
☒ 4. Concurrent audit

Question Type : MCQ

Question ID : 441009390654

Option 1 ID : 4410091528184

Option 2 ID : 4410091528183

Option 3 ID : 4410091528181

Option 4 ID : 4410091528182

Status : Answered

Chosen Option : 3

Q.56 The surgical procedure that involves blocking or sealing the fallopian tubes to prevent the passage of eggs is:

- Ans ☒ 1. Vasectomy
☒ 2. Oophorectomy
☒ 3. Tubal ligation
☒ 4. Hysterectomy

Question Type : MCQ

Question ID : 4410091041324

Option 1 ID : 4410094114426

Option 2 ID : 4410094114428

Option 3 ID : 4410094114429

Option 4 ID : 4410094114427

Status : Answered

Chosen Option : 2

Q.57 Which generation does the hepatitis B vaccine belong to?

- Ans ☒ 1. Fourth generation
☒ 2. Second generation
☒ 3. First generation
☒ 4. Third generation

Question Type : MCQ

Question ID : 441009380838

Option 1 ID : 4410091489116

Option 2 ID : 4410091489114

Option 3 ID : 4410091489113

Option 4 ID : 4410091489115

Status : Answered

Chosen Option : 3

Q.58 निम्नलिखित में से कौन-सा, रोगजन्य पीलिया (pathological jaundice) का विशिष्ट लक्षण है?

- Ans ☒ 1. कुल सीरम बिलिरुबिन स्तर >15 mg/dl होता है
☒ 2. पीलिया सबसे पहले 24-72 घंटे की आयु के बीच दिखाई देता है
☒ 3. जन्म के 14 दिन बाद पीलिया नैदानिक रूप से असंयोजनीय होता है
☒ 4. नवजात (neonate) में पीलिया की अधिकतम तीव्रता, चौथे या पांचवें दिन देखी जाती है

Question Type : MCQ

Question ID : 441009389989

Option 1 ID : 4410091525550

Option 2 ID : 4410091525549

Option 3 ID : 4410091525552

Option 4 ID : 4410091525551

Status : Answered

Chosen Option : 2

Q.59 Which of the following epidemiological measurements is related to mortality?

- Ans ☒ 1. Disability adjusted life years
☒ 2. Point prevalence
☒ 3. Case fatality rate
☒ 4. Health adjusted life expectancy

Question Type : MCQ

Question ID : 441009383916

Option 1 ID : 4410091501320

Option 2 ID : 4410091501318

Option 3 ID : 4410091501319

Option 4 ID : 4410091501321

Status : Answered

Chosen Option : 3

Q.60 What is the incubation period of measles (Rubeola)?

Ans ☒ 1. 10-20 days

☒ 2. 1-4 days

☒ 3. 22-27 days

☒ 4. 5-8 days

Question Type : MCQ

Question ID : 441009398047

Option 1 ID : 4410091557640

Option 2 ID : 4410091557638

Option 3 ID : 4410091557641

Option 4 ID : 4410091557639

Status : Answered

Chosen Option : 1

Q.61 SMART सिद्धांत का उपयोग करके लक्ष्य और उद्देश्य निर्धारित करने के लिए, "S" का अर्थ _____ होता है।

Ans ☒ 1. Specific (स्पेसिफिक)

☒ 2. Skill (स्किल)

☒ 3. Sort (सॉर्ट)

☒ 4. Single (सिंगल)

Question Type : MCQ

Question ID : 441009397219

Option 1 ID : 4410091554325

Option 2 ID : 4410091554324

Option 3 ID : 4410091554327

Option 4 ID : 4410091554326

Status : Answered

Chosen Option : 1

Q.62 वैध और विश्वसनीय अनुसंधान अध्ययनों से प्राप्त वह सर्वोत्तम अभ्यास जो स्वास्थ्य देखभाल स्थलों, रोगी की वरीयताओं और मूल्यों, तथा नैदानिक निर्णय पर भी विचार करता है, _____ कहलाता है।

Ans ☒ 1. टेलीहेल्थ (Telehealth)

☒ 2. समग्रतात्मक नर्सिंग (Holistic nursing)

☒ 3. साक्ष्य-आधारित अभ्यास (Evidence-based practice)

☒ 4. मानक अभ्यास (Standard practice)

Question Type : MCQ

Question ID : 441009397181

Option 1 ID : 4410091554165

Option 2 ID : 4410091554164

Option 3 ID : 4410091554166

Option 4 ID : 4410091554167

Status : Answered

Chosen Option : 3

Q.63 Which of the following mood stabilisers requires regular serum level monitoring to prevent toxicity?

- Ans
- ☒ 1. Lamotrigine
 - ☒ 2. Carbamazepine
 - ☒ 3. Valproate
 - ☒ 4. Lithium

Question Type : MCQ

Question ID : 4410091024091

Option 1 ID : 4410094047969

Option 2 ID : 4410094047971

Option 3 ID : 4410094047970

Option 4 ID : 4410094047972

Status : Not Answered

Chosen Option : --

Q.64 Which of the following is a primary benefit of using Electronic Health Records (EHR) in patient care?

- Ans
- ☒ 1. Eliminates the need for patient consent in sharing information
 - ☒ 2. Allows unlimited access to patient records for all hospital staff
 - ☒ 3. Reduces the need for nursing documentation
 - ☒ 4. Enhances communication and continuity of care among healthcare providers

Question Type : MCQ

Question ID : 441009906029

Option 1 ID : 4410093577930

Option 2 ID : 4410093577931

Option 3 ID : 4410093577929

Option 4 ID : 4410093577928

Status : Answered

Chosen Option : 4

Q.65 Which neurological disease can be caused by the prolonged consumption of khesari dal over a period of 2-6 months?

- Ans
- ☒ 1. Iodine deficiency
 - ☒ 2. Endemic fluorosis
 - ☒ 3. Lathyrism
 - ☒ 4. Vitamin A deficiency

Question Type : MCQ

Question ID : 441009396940

Option 1 ID : 4410091553199

Option 2 ID : 4410091553196

Option 3 ID : 4410091553197

Option 4 ID : 4410091553198

Status : Answered

Chosen Option : 3

Q.66 टीकाकरण कार्यक्रम (Immunisation programmes) _____ का एक उदाहरण है।

- Ans ☒ 1. प्राथमिक निवारण (Primary prevention)
- ☒ 2. तृतीयक निवारण (Tertiary prevention)
- ☒ 3. जागरूकता कार्यक्रम (Awareness programme)
- ☒ 4. द्वितीयक निवारण (Secondary prevention)

Question Type : MCQ

Question ID : 441009398057

Option 1 ID : 4410091557678

Option 2 ID : 4410091557680

Option 3 ID : 4410091557681

Option 4 ID : 4410091557679

Status : Answered

Chosen Option : 1

Q.67 Which of the following vitamins has a relatively high RDA?

- Ans ☒ 1. Vitamin K
- ☒ 2. Vitamin C
- ☒ 3. Vitamin A
- ☒ 4. Vitamin D

Question Type : MCQ

Question ID : 4410091037788

Option 1 ID : 4410094101709

Option 2 ID : 4410094101707

Option 3 ID : 4410094101706

Option 4 ID : 4410094101708

Status : Answered

Chosen Option : 2

Q.68 A patient should receive an intramuscular injection. At what angle should the nurse insert the needle?

- Ans ☒ 1. 45 degrees
- ☒ 2. 90 degrees
- ☒ 3. 30 degrees
- ☒ 4. 15 degrees

Question Type : MCQ

Question ID : 441009383447

Option 1 ID : 4410091499350

Option 2 ID : 4410091499351

Option 3 ID : 4410091499349

Option 4 ID : 4410091499348

Status : Answered

Chosen Option : 2

Q.69 Which of the following is the route by which drug is administered into the respiratory tract by a nebulizer or positive pressure breathing apparatus?

Ans ☒ 1. Inhalation

☐ 2. Buccal

☐ 3. Oral

☐ 4. Parenteral

Question Type : MCQ

Question ID : 441009373358

Option 1 ID : 4410091459024

Option 2 ID : 4410091459022

Option 3 ID : 4410091459021

Option 4 ID : 4410091459023

Status : Answered

Chosen Option : 1

Q.70 In a patient with Hashimoto's thyroiditis, the diagnostic test is likely to reveal:

Ans ☒ 1. positive for thyroid peroxidase antibodies

☐ 2. low levels of TSH

☐ 3. high levels for T4

☐ 4. negative for thyroid peroxidase antibodies

Question Type : MCQ

Question ID : 441009383990

Option 1 ID : 4410091501616

Option 2 ID : 4410091501614

Option 3 ID : 4410091501615

Option 4 ID : 4410091501617

Status : Answered

Chosen Option : 1

Q.71 According to National Immunization Schedule, the third dose of the Pentavalent vaccine (Pentavalent 3) can be given at:

Ans ☐ 1. 10 weeks

☐ 2. 6 weeks

☐ 3. 9 months

☒ 4. 14 weeks

Question Type : MCQ

Question ID : 441009398084

Option 1 ID : 4410091557787

Option 2 ID : 4410091557786

Option 3 ID : 4410091557789

Option 4 ID : 4410091557788

Status : Answered

Chosen Option : 4

Q.72 Which cation level affects the overall concentration of the extracellular fluid?

- Ans ☒ 1. Magnesium
☒ 2. Potassium
☒ 3. Sodium
☒ 4. Calcium

Question Type : MCQ

Question ID : 441009383941

Option 1 ID : 4410091501421

Option 2 ID : 4410091501418

Option 3 ID : 4410091501420

Option 4 ID : 4410091501419

Status : Answered

Chosen Option : 2

Q.73 Formulating family health and nursing care plan comes under which phase of the Nursing Process?

- Ans ☒ 1. Action phase
☒ 2. Assessment phase
☒ 3. Evaluation phase
☒ 4. Planning phase

Question Type : MCQ

Question ID : 441009396969

Option 1 ID : 4410091553314

Option 2 ID : 4410091553312

Option 3 ID : 4410091553315

Option 4 ID : 4410091553313

Status : Answered

Chosen Option : 2

Q.74 All of the following are the primary vitamin K-dependent clotting factors produced by the liver, EXCEPT:

- Ans ☒ 1. Factor VII
☒ 2. Factor X
☒ 3. Factors II
☒ 4. Factor XI

Question Type : MCQ

Question ID : 4410091027094

Option 1 ID : 4410094059941

Option 2 ID : 4410094059942

Option 3 ID : 4410094059940

Option 4 ID : 4410094059943

Status : Not Answered

Chosen Option : --

Q.75 A 13-year-old boy with asthma is hospitalised. Which of these nursing interventions is aimed at reducing the respiratory distress for the child?

- Ans
- ☒ 1. Give rest periods of 30 min after an hour of activity.
 - ☒ 2. Discourage parent presence during treatment.
 - ☒ 3. Encourage intake of oral fluids, 300 ml per hour.
 - ☒ 4. Provide sitting position supported with pillows.

Question Type : MCQ

Question ID : 441009390036

Option 1 ID : 4410091525730

Option 2 ID : 4410091525732

Option 3 ID : 4410091525729

Option 4 ID : 4410091525731

Status : Answered

Chosen Option : 3

Q.76 ICU के डिजाइन के संबंध में निम्नलिखित में से कौन-सा कथन, गलत है?

- Ans
- ☒ 1. ICU को आपातकालीन कक्ष और ऑपरेशन कक्ष से दूर होना चाहिए।
 - ☒ 2. ICU दिव्यांग रोगियों, कर्मचारियों और उपकरणों के लिए अभिगम्य होना चाहिए।
 - ☒ 3. ICU में उचित संवातन और ताप नियंत्रण होना चाहिए।
 - ☒ 4. ICU में सुरक्षा सुविधाएं होनी चाहिए, जैसे अग्निरोधी सामग्री, आपातकालीन निकास और सुरक्षित भंडारण।

Question Type : MCQ

Question ID : 441009384042

Option 1 ID : 4410091501822

Option 2 ID : 4410091501823

Option 3 ID : 4410091501825

Option 4 ID : 4410091501824

Status : Answered

Chosen Option : 1

Q.77 Use of technical jargons or language jargons during the communication process is an example of which category of barrier in communication?

- Ans
- ☒ 1. Social
 - ☒ 2. Semantic
 - ☒ 3. Physiological
 - ☒ 4. Cultural

Question Type : MCQ

Question ID : 441009772123

Option 1 ID : 4410093042488

Option 2 ID : 4410093042486

Option 3 ID : 4410093042485

Option 4 ID : 4410093042487

Status : Answered

Chosen Option : 1

Q.78 The primary aims of nursing practice include all of the following, EXCEPT:

- Ans ☒ 1. caring for the terminally ill
- ☒ 2. functioning independently to diagnose and prescribe without collaboration
- ☒ 3. promoting health and wellness
- ☒ 4. restoring health

Question Type : MCQ

Question ID : 441009383545

Option 1 ID : 4410091499777

Option 2 ID : 4410091499778

Option 3 ID : 4410091499776

Option 4 ID : 4410091499779

Status : Answered

Chosen Option : 2

Q.79 Which of the following is inappropriate advice by a nurse caring for a patient with total hip replacement?

- Ans ☒ 1. Keep the legs always adducted soon after surgery
- ☒ 2. Report in case the patient is unable to move the operated extremity
- ☒ 3. Perform gluteal isometrics to strengthen the joint muscles
- ☒ 4. Avoid crossing of legs to avoid dislocation

Question Type : MCQ

Question ID : 441009941624

Option 1 ID : 4410093720150

Option 2 ID : 4410093720151

Option 3 ID : 4410093720148

Option 4 ID : 4410093720149

Status : Answered

Chosen Option : 2

Q.80 Which of the following foods should be specifically increased while planning a balanced diet for adolescent girls?

- Ans ☒ 1. Iron and calcium
- ☒ 2. Simple carbohydrates
- ☒ 3. Saturated fat
- ☒ 4. Transfat

Question Type : MCQ

Question ID : 441009380876

Option 1 ID : 4410091489266

Option 2 ID : 4410091489267

Option 3 ID : 4410091489268

Option 4 ID : 4410091489265

Status : Answered

Chosen Option : 1

Q.81 मास्लो के आवश्यकता पदानुक्रम मॉडल के अनुसार, _____ "सम्मान की आवश्यकताओं (Esteem Needs)" का एक उदाहरण है।

- Ans
- ☒ 1. रिश्ते
 - ☒ 2. निद्रा
 - ☒ 3. सेक्स
 - ☒ 4. उपलब्धि

Question Type : MCQ
Question ID : 441009397726
Option 1 ID : 4410091556349
Option 2 ID : 4410091556346
Option 3 ID : 4410091556347
Option 4 ID : 4410091556348
Status : Answered
Chosen Option : 4

Q.82 The first requisite for any planned effort to develop health care services in the community is to:

- Ans
- ☒ 1. design health care services to meet community needs
 - ☒ 2. sensitise and educate of the community members on services available
 - ☒ 3. assess the health status and health problems of the community
 - ☒ 4. recruit manpower and mobilise finance to deliver health care services

Question Type : MCQ
Question ID : 441009383848
Option 1 ID : 4410091501029
Option 2 ID : 4410091501028
Option 3 ID : 4410091501026
Option 4 ID : 4410091501027
Status : Answered
Chosen Option : 2

Q.83 Which of these nutritional status assessments is designed to estimate usual eating patterns?

- Ans
- ☒ 1. Anthropometric measurements
 - ☒ 2. Functional assessments
 - ☒ 3. Haemoglobin estimation
 - ☒ 4. Food frequency questionnaire

Question Type : MCQ
Question ID : 441009380909
Option 1 ID : 4410091489395
Option 2 ID : 4410091489396
Option 3 ID : 4410091489393
Option 4 ID : 4410091489394
Status : Answered
Chosen Option : 1

Q.84 Which of the following is a characteristic of setting standards of nursing care?

- Ans ☒ 1. Broad
☒ 2. Measurable
☒ 3. Unreliable
☒ 4. Delayed implementation

Question Type : MCQ

Question ID : 441009390764

Option 1 ID : 4410091528614

Option 2 ID : 4410091528617

Option 3 ID : 4410091528616

Option 4 ID : 4410091528615

Status : Answered

Chosen Option : 2

Q.85 Which of the following peak growth hormone (GH) levels after a stimulation (provocative) test is typically considered diagnostic of GH deficiency in children?

- Ans ☒ 1. 12 µg/L
☒ 2. >20 µg/L
☒ 3. >15 µg/L
☒ 4. <10 µg/L

Question Type : MCQ

Question ID : 441009919021

Option 1 ID : 4410093630094

Option 2 ID : 4410093630095

Option 3 ID : 4410093630093

Option 4 ID : 4410093630092

Status : Not Answered

Chosen Option : --

Q.86 What is normal amniotic fluid volume at term?

- Ans ☒ 1. 500 - 1000 ml
☒ 2. 200 - 400 ml
☒ 3. > 2000 ml
☒ 4. 1200 - 1500 ml

Question Type : MCQ

Question ID : 4410091073541

Option 1 ID : 4410094231619

Option 2 ID : 4410094231620

Option 3 ID : 4410094231621

Option 4 ID : 4410094231622

Status : Answered

Chosen Option : 1

Q.87 What is the usual route of administration of the tetanus toxoid injection?

- Ans ☒ 1. Intradermal
- ☒ 2. Intramuscular
- ☒ 3. Intravenous
- ☒ 4. Subcutaneous

Question Type : MCQ
Question ID : 4410091041567
Option 1 ID : 4410094115327
Option 2 ID : 4410094115328
Option 3 ID : 4410094115326
Option 4 ID : 4410094115329
Status : Answered
Chosen Option : 2

Q.88 Which of the following is the most appropriate action of a nurse while transfusing blood to a patient?

- Ans ☒ 1. Dilute the blood components with Dextrose saline in case of transfusion of packed RBC
- ☒ 2. Increase the transfusion rate initially for 15 minutes and then decrease it
- ☒ 3. Change the administration set after every use of a unit
- ☒ 4. Allow the infusion to run over a period of 6-8 hrs

Question Type : MCQ
Question ID : 441009940586
Option 1 ID : 4410093716004
Option 2 ID : 4410093716006
Option 3 ID : 4410093716005
Option 4 ID : 4410093716007
Status : Answered
Chosen Option : 2

Q.89 A nursing procedure carried out to help in the evacuation of bowel by administration of large amounts of fluid through the rectum is called:

- Ans ☒ 1. Enema
- ☒ 2. Colonoscopy
- ☒ 3. Ostomy
- ☒ 4. NG aspiration

Question Type : MCQ
Question ID : 441009397766
Option 1 ID : 4410091556507
Option 2 ID : 4410091556509
Option 3 ID : 4410091556508
Option 4 ID : 4410091556506
Status : Answered
Chosen Option : 2

Q.90 Which of the following is the causative factor of Keratoconjunctivitis sicca?

- Ans ☒ 1. Use of contact lens
☒ 2. Inadequate tear production
☒ 3. Glaucoma
☒ 4. Bacterial infection

Question Type : MCQ

Question ID : 441009941540

Option 1 ID : 4410093719815

Option 2 ID : 4410093719813

Option 3 ID : 4410093719812

Option 4 ID : 4410093719814

Status : Not Answered

Chosen Option : --

Q.91 The skills that facilitate nurses to develop a helping relationship with the patient are all of the following, EXCEPT:

- Ans ☒ 1. maintaining confidentiality
☒ 2. active listening
☒ 3. being genuine
☒ 4. being sympathetic

Question Type : MCQ

Question ID : 441009383511

Option 1 ID : 4410091499631

Option 2 ID : 4410091499628

Option 3 ID : 4410091499630

Option 4 ID : 4410091499629

Status : Not Answered

Chosen Option : --

Q.92 What is the recommended daily intake of iron for pregnant women?

- Ans ☒ 1. 13 mg
☒ 2. 7 mg
☒ 3. 27 mg
☒ 4. 17 mg

Question Type : MCQ

Question ID : 4410091048318

Option 1 ID : 4410094142342

Option 2 ID : 4410094142341

Option 3 ID : 4410094142344

Option 4 ID : 4410094142343

Status : Answered

Chosen Option : 4

Q.93 Which type of decontamination is primarily focused on reducing the number of microorganisms on living tissue, such as skin?

- Ans
- ☒ 1. Sterilisation
 - ☒ 2. Disinfection
 - ☒ 3. Antisepsis
 - ☒ 4. Fumigation

Question Type : MCQ

Question ID : 4410091041700

Option 1 ID : 4410094115857

Option 2 ID : 4410094115854

Option 3 ID : 4410094115855

Option 4 ID : 4410094115856

Status : Answered

Chosen Option : 3

Q.94 The onset of labour prior to the completion of 37 weeks of gestation is called:

- Ans
- ☒ 1. precipitate labour
 - ☒ 2. pre-term labour
 - ☒ 3. prolonged labour
 - ☒ 4. pre-labour rupture of membranes

Question Type : MCQ

Question ID : 441009390478

Option 1 ID : 4410091527491

Option 2 ID : 4410091527492

Option 3 ID : 4410091527490

Option 4 ID : 4410091527489

Status : Answered

Chosen Option : 2

Q.95 Which of the following nursing theories primarily centres on the idea that the nurse-patient relationship is a therapeutic one, built on trust and mutual understanding?

- Ans
- ☒ 1. Peplau's theory
 - ☒ 2. Henderson's theory
 - ☒ 3. Nightingale's theory
 - ☒ 4. Orem's theory

Question Type : MCQ

Question ID : 4410091037496

Option 1 ID : 4410094100552

Option 2 ID : 4410094100550

Option 3 ID : 4410094100551

Option 4 ID : 4410094100553

Status : Not Answered

Chosen Option : --

Q.96 बच्चों में पोषण संबंधी स्थिति का निर्धारण करने के लिए शाकिर टेप विधि (Shakir tape method) में, लाल रंग का क्षेत्र क्या इंगित करता है?

- Ans ☒ 1. अधिक वजन की स्थिति
☒ 2. मध्यम तीव्र कुपोषण
☒ 3. सामान्य पोषण अवस्था
☒ 4. अति तीव्र कुपोषण

Question Type : MCQ

Question ID : 441009906173

Option 1 ID : 4410093578503

Option 2 ID : 4410093578502

Option 3 ID : 4410093578501

Option 4 ID : 4410093578500

Status : Not Answered

Chosen Option : --

Q.97 तीव्र सरक्त अतिसार (acute bloody diarrhoea), जिसे पेचिश भी कहा जाता है, का सबसे सामान्य कारण _____ है।

- Ans ☒ 1. ई. कोलाई (E. coli)
☒ 2. शिगेला (Shigella)
☒ 3. रोटोवायरस (Rotavirus)
☒ 4. वी. कॉलरा (V. cholerae)

Question Type : MCQ

Question ID : 441009383894

Option 1 ID : 4410091501230

Option 2 ID : 4410091501233

Option 3 ID : 4410091501231

Option 4 ID : 4410091501232

Status : Answered

Chosen Option : 3

Q.98 The diagnostic test used for detecting diabetes insipidus is:

- Ans ☒ 1. water deprivation test
☒ 2. radioactive iodine uptake
☒ 3. thallium stress test
☒ 4. glycated haemoglobin

Question Type : MCQ

Question ID : 441009383978

Option 1 ID : 4410091501569

Option 2 ID : 4410091501567

Option 3 ID : 4410091501568

Option 4 ID : 4410091501566

Status : Not Answered

Chosen Option : --

Q.99 _____, भावनात्मक प्रकृति की समस्याओं के लिए एक प्रकार का उपचार है, जिसमें एक प्रशिक्षित व्यक्ति सोच समझ कर रोगी के साथ एक पेशेवर संबंध स्थापित करता है ताकि विद्यमान लक्षणों को दूर किया जा सके, संशोधित या उनका मंदन किया जा सके, व्यवहार के विक्षुब्ध पैटर्न में मध्यस्थता की जा सके और सकारात्मक व्यक्तित्व विकास को बढ़ावा दिया जा सके।

- Ans ☒ 1. मनश्चिकित्सा (Psychotherapy)
- ☒ 2. भाव-विरेचन चिकित्सा (Abreaction therapy)
- ☒ 3. संज्ञानात्मक चिकित्सा (Cognitive therapy)
- ☒ 4. रिलैक्सेशन थेरेपी (Relaxation therapy)

Question Type : MCQ
Question ID : 441009396880
Option 1 ID : 4410091552956
Option 2 ID : 4410091552957
Option 3 ID : 4410091552959
Option 4 ID : 4410091552958
Status : Not Answered
Chosen Option : --

Q.10 जब आप होल्टर मॉनिटर पहने होते हैं, तो आपको निम्नलिखित में से किससे बचना चाहिए?

- 0
- Ans ☒ 1. निद्रा
- ☒ 2. हल्का व्यायाम करने
- ☒ 3. औषधि लेने
- ☒ 4. डिवाइस के जल में डूबने

Question Type : MCQ
Question ID : 441009906791
Option 1 ID : 4410093580975
Option 2 ID : 4410093580974
Option 3 ID : 4410093580973
Option 4 ID : 4410093580972
Status : Not Answered
Chosen Option : --

Section : Domain Knowledge

Q.1 What is the fear of peanut butter sticking to the roof of the mouth known as?

- Ans ☒ 1. Glossophobia
☒ 2. Arachibutyrophobia
☒ 3. Emetophobia
☒ 4. Agoraphobia

Question Type : MCQ

Question ID : 4410091046260

Option 1 ID : 4410094134102

Option 2 ID : 4410094134103

Option 3 ID : 4410094134101

Option 4 ID : 4410094134104

Status : Answered

Chosen Option : 1

Q.2 Which paediatric age group is most likely to exhibit intense fear of needles due to imagination and fear of bodily harm?

- Ans ☒ 1. Adolescent (12–18 years)
☒ 2. Toddler (1–3 years)
☒ 3. Infant (0–1 year)
☒ 4. Preschooler (3–6 years)

Question Type : MCQ

Question ID : 441009918981

Option 1 ID : 4410093629935

Option 2 ID : 4410093629934

Option 3 ID : 4410093629933

Option 4 ID : 4410093629932

Status : Answered

Chosen Option : 2

Q.3 The first menstrual cycle is called:

- Ans ☒ 1. Menarche
☒ 2. Adrenarche
☒ 3. Premenstrual Syndrome
☒ 4. Thelarche

Question Type : **MCQ**

Question ID : **441009396899**

Option 1 ID : **4410091553033**

Option 2 ID : **4410091553034**

Option 3 ID : **4410091553035**

Option 4 ID : **4410091553032**

Status : **Answered**

Chosen Option : **1**

Q.4 Which of the following minerals is given as a supplement for a patient on diuretic medication to prevent cardiac dysfunction?

- Ans ☒ 1. Zinc
☒ 2. Calcium
☒ 3. Sodium
☒ 4. Potassium

Question Type : **MCQ**

Question ID : **441009380885**

Option 1 ID : **4410091489304**

Option 2 ID : **4410091489303**

Option 3 ID : **4410091489302**

Option 4 ID : **4410091489301**

Status : **Answered**

Chosen Option : **4**

Q.5 Which of the following minerals is vital for normal functioning of the thyroid gland?

- Ans ☒ 1. Calcium
☒ 2. Magnesium
☒ 3. Fluoride
☒ 4. Iodine

Question Type : **MCQ**

Question ID : **441009380880**

Option 1 ID : **4410091489281**

Option 2 ID : **4410091489284**

Option 3 ID : **4410091489283**

Option 4 ID : **4410091489282**

Status : **Answered**

Chosen Option : **4**

Q.6 A nurse, during history collection, identifies that the patient has extreme mood swings of being euphoric, energetic, with grandiose to being depressed with sad mood and lack of interest in life activities. The nurse recognises these features to be part of which disorder?

- Ans ☒ 1. Obsessive-Compulsive Disorder
☒ 2. Bipolar disorder
☒ 3. Depressive Personality Disorder
☒ 4. Schizophrenia

Question Type : MCQ

Question ID : 441009383354

Option 1 ID : 4410091498967

Option 2 ID : 4410091498964

Option 3 ID : 4410091498965

Option 4 ID : 4410091498966

Status : Answered

Chosen Option : 3

Q.7 Which of the following conditions is also known as water intoxication?

- Ans ☒ 1. Dysentery
☒ 2. Diarrhoea
☒ 3. Dehydration
☒ 4. Overhydration

Question Type : MCQ

Question ID : 4410091037415

Option 1 ID : 4410094100232

Option 2 ID : 4410094100233

Option 3 ID : 4410094100231

Option 4 ID : 4410094100230

Status : Answered

Chosen Option : 3

Q.8 Which of the following is an application of nursing informatics in clinical practice?

- Ans ☒ 1. Computer-assisted instruction
☒ 2. Open and distance learning
☒ 3. Computerised literature searching
☒ 4. Electronic medical records

Question Type : MCQ

Question ID : 441009390692

Option 1 ID : 4410091528331

Option 2 ID : 4410091528330

Option 3 ID : 4410091528332

Option 4 ID : 4410091528329

Status : Answered

Chosen Option : 4

Q.9 The intake of nutrients derived from the diet to meet the nutritional needs of all healthy persons is termed as:

- Ans ☒ 1. body mass index
☒ 2. therapeutic diet
☒ 3. recommended dietary allowance
☒ 4. basal metabolic rate

Question Type : **MCQ**

Question ID : **441009380877**

Option 1 ID : **4410091489270**

Option 2 ID : **4410091489271**

Option 3 ID : **4410091489272**

Option 4 ID : **4410091489269**

Status : **Answered**

Chosen Option : **2**

Q.10 An interprofessional care plan that identifies problems, key interventions and expected outcomes within an established timeframe is called:

- Ans ☒ 1. progress notes
☒ 2. charting by exception
☒ 3. critical pathways
☒ 4. case management

Question Type : **MCQ**

Question ID : **441009389990**

Option 1 ID : **4410091525556**

Option 2 ID : **4410091525555**

Option 3 ID : **4410091525554**

Option 4 ID : **4410091525553**

Status : **Answered**

Chosen Option : **4**

Q.11 What is the normal range of serum vitamin B12 concentrations in humans?

- Ans ☒ 1. 130-150pg/ml
☒ 2. 80-120pg/ml
☒ 3. 200-960pg/ml
☒ 4. <80pg/ml

Question Type : **MCQ**

Question ID : **441009396689**

Option 1 ID : **4410091552198**

Option 2 ID : **4410091552197**

Option 3 ID : **4410091552199**

Option 4 ID : **4410091552196**

Status : **Not Answered**

Chosen Option : **--**

Q.12 Which of the following findings on routine urine examination is most suggestive of a urinary tract infection (UTI)?

- Ans ☒ 1. Presence of ketones and glucose
☒ 2. Increased epithelial cells
☒ 3. Presence of pus cells
☒ 4. Positive nitrites and leukocyte esterase

Question Type : MCQ

Question ID : 441009908599

Option 1 ID : 4410093588217

Option 2 ID : 4410093588218

Option 3 ID : 4410094303436

Option 4 ID : 4410093588216

Status : Answered

Chosen Option : 3

Q.13 What is the duration of puerperium?

- Ans ☒ 1. 6 days
☒ 2. 6 weeks
☒ 3. 1 month
☒ 4. 6 months

Question Type : MCQ

Question ID : 441009398270

Option 1 ID : 4410091558526

Option 2 ID : 4410091558527

Option 3 ID : 4410091558528

Option 4 ID : 4410091558529

Status : Answered

Chosen Option : 2

Q.14 Anaphylaxis is classified under which type of hypersensitivity reaction?

- Ans ☒ 1. Type III
☒ 2. Type II
☒ 3. Type I
☒ 4. Type IV

Question Type : MCQ

Question ID : 441009908567

Option 1 ID : 4410093588090

Option 2 ID : 4410093588089

Option 3 ID : 4410093588088

Option 4 ID : 4410093588091

Status : Answered

Chosen Option : 3

Q.15 Which of the following functions is NOT performed by the liver?

Ans ☒ 1. Production of digestive enzymes like amylase

☐ 2. Detoxification of drugs

☐ 3. Synthesis of plasma proteins like albumin

☐ 4. Storage of glycogen

Question Type : MCQ

Question ID : 441009890192

Option 1 ID : 4410093514750

Option 2 ID : 4410093514748

Option 3 ID : 4410093514749

Option 4 ID : 4410093514751

Status : Answered

Chosen Option : 1

Q.16 Cerumen impaction causes a sensation of fullness or pain in the ear known as:

Ans ☐ 1. exostoses

☒ 2. otalgia

☐ 3. otitis externa

☐ 4. otorrhea

Question Type : MCQ

Question ID : 441009384111

Option 1 ID : 4410091502096

Option 2 ID : 4410091502095

Option 3 ID : 4410091502094

Option 4 ID : 4410091502097

Status : Answered

Chosen Option : 2

Q.17 A legal permit that a state statutory council grants to individuals to engage in the practice of nursing profession and to use the title 'nurse' is termed as:

Ans ☐ 1. accreditation

☐ 2. recognition

☐ 3. certification

☒ 4. licensure

Question Type : MCQ

Question ID : 441009383559

Option 1 ID : 4410091499830

Option 2 ID : 4410091499831

Option 3 ID : 4410091499828

Option 4 ID : 4410091499829

Status : Answered

Chosen Option : 3

Q.18 The process of assigning tasks and responsibilities to individuals or teams is known as:

- Ans
- ☒ 1. Decentralisation
 - ☒ 2. Departmentalisation
 - ☒ 3. Delegation
 - ☒ 4. Specialisation

Question Type : MCQ

Question ID : 4410091038735

Option 1 ID : 4410094105060

Option 2 ID : 4410094105059

Option 3 ID : 4410094105058

Option 4 ID : 4410094105061

Status : Answered

Chosen Option : 1

Q.19 Patients with schizophrenia have fixed, false beliefs with no basis in reality during the psychotic phase of illness which is termed as:

- Ans
- ☒ 1. hallucinations
 - ☒ 2. blunt affect
 - ☒ 3. flat affect
 - ☒ 4. delusions

Question Type : MCQ

Question ID : 441009383384

Option 1 ID : 4410091499095

Option 2 ID : 4410091499092

Option 3 ID : 4410091499093

Option 4 ID : 4410091499094

Status : Answered

Chosen Option : 4

Q.20 Which of the following disorders is NOT typically considered a mental illness?

- Ans
- ☒ 1. Depression
 - ☒ 2. Schizophrenia
 - ☒ 3. Repression
 - ☒ 4. Anxiety disorder

Question Type : MCQ

Question ID : 4410091033923

Option 1 ID : 4410094087342

Option 2 ID : 4410094087345

Option 3 ID : 4410094087343

Option 4 ID : 4410094087344

Status : Answered

Chosen Option : 3

Q.21 The increase of which of the following hormones is associated with the appearance of chloasma and linea nigra on the skin during pregnancy?

- Ans ☒ 1. Androgens, cortisol and albumin
☒ 2. Estrogen and progesterone
☒ 3. Relaxin, vaspressin and aldosterone
☒ 4. Melanocyte-stimulating hormone

Question Type : MCQ

Question ID : 4410091067825

Option 1 ID : 4410094216804

Option 2 ID : 4410094216801

Option 3 ID : 4410094216803

Option 4 ID : 4410094216802

Status : Answered

Chosen Option : 3

Q.22 Nova-T is an example of:

- Ans ☒ 1. second-generation IUDs
☒ 2. fourth-generation IUDs
☒ 3. first-generation IUDs
☒ 4. third-generation IUDs

Question Type : MCQ

Question ID : 441009396894

Option 1 ID : 4410091553013

Option 2 ID : 4410091553015

Option 3 ID : 4410091553012

Option 4 ID : 4410091553014

Status : Answered

Chosen Option : 4

Q.23 Which of the following is NOT a characteristic of a professional nurse?

- Ans ☒ 1. Authoritarianism
☒ 2. Accountability
☒ 3. Empathy
☒ 4. Compassion

Question Type : MCQ

Question ID : 441009925002

Option 1 ID : 4410093654142

Option 2 ID : 4410093654143

Option 3 ID : 4410093654144

Option 4 ID : 4410093654145

Status : Answered

Chosen Option : 4

Q.24 Which of the following is a protein digesting enzyme in the small intestine?

- Ans ☒ 1. Maltase
☒ 2. Peptidase
☒ 3. Phosphatase
☒ 4. Sucrase

Question Type : MCQ

Question ID : 441009373170

Option 1 ID : 4410091458259

Option 2 ID : 4410091458262

Option 3 ID : 4410091458261

Option 4 ID : 4410091458260

Status : Answered

Chosen Option : 2

Q.25 What plays an essential role in the control of bleeding?

- Ans ☒ 1. Leukocytes
☒ 2. Monocytes
☒ 3. Thrombocytes
☒ 4. Granulocytes

Question Type : MCQ

Question ID : 441009397192

Option 1 ID : 4410091554216

Option 2 ID : 4410091554217

Option 3 ID : 4410091554218

Option 4 ID : 4410091554219

Status : Answered

Chosen Option : 3

Q.26 A bag or container of which colour should be used to discard the soiled dressing with blood in a hospital?

- Ans ☒ 1. Red
☒ 2. Yellow
☒ 3. Green
☒ 4. Blue

Question Type : MCQ

Question ID : 441009380859

Option 1 ID : 4410091489197

Option 2 ID : 4410091489200

Option 3 ID : 4410091489198

Option 4 ID : 4410091489199

Status : Answered

Chosen Option : 2

Q.27 The sub-centre provides curative services for which of these minor ailments?

- Ans ☒ 1. Malaria
☒ 2. Worm infestation
☒ 3. Cataract
☒ 4. Dengue

Question Type : MCQ
Question ID : 441009383840
Option 1 ID : 4410091500995
Option 2 ID : 4410091500996
Option 3 ID : 4410091500994
Option 4 ID : 4410091500997
Status : Answered
Chosen Option : 2

Q.28 A common cause for circadian rhythm sleep-wake disorders is:

- Ans ☒ 1. working in shifts
☒ 2. obesity
☒ 3. environment
☒ 4. narcolepsy

Question Type : MCQ
Question ID : 441009383404
Option 1 ID : 4410091499172
Option 2 ID : 4410091499173
Option 3 ID : 4410091499175
Option 4 ID : 4410091499174
Status : Answered
Chosen Option : 4

Q.29 According to public health standards, what is the recommended minimum free residual chlorine level in drinking water after 30 minutes of contact time?

- Ans ☒ 1. 0.1mg/L
☒ 2. 0.2 mg/L
☒ 3. 1.0 mg/L
☒ 4. 0.5 mg/L

Question Type : MCQ
Question ID : 441009906752
Option 1 ID : 4410093580819
Option 2 ID : 4410093580817
Option 3 ID : 4410093580818
Option 4 ID : 4410093580816
Status : Not Answered
Chosen Option : --

Q.30 _____ is a procedure in which the infant's blood is removed in small amounts (5-10ml) and replaced with compatible blood for the treatment of hyperbilirubinaemia.

- Ans** ☒ 1. Intrauterine transfusion
☒ 2. Exchange transfusion
☒ 3. Dialysis
☒ 4. Blood transfusion

Question Type : **MCQ**

Question ID : **441009398076**

Option 1 ID : **4410091557755**

Option 2 ID : **4410091557756**

Option 3 ID : **4410091557757**

Option 4 ID : **4410091557754**

Status : **Answered**

Chosen Option : **2**

Q.31 When does the amniotic sac form in pregnancy?

- Ans** ☒ 1. Around 33 days after fertilisation
☒ 2. Around 2 days after fertilisation
☒ 3. Around 12 days after fertilisation
☒ 4. Around 28 days after fertilisation

Question Type : **MCQ**

Question ID : **4410091038598**

Option 1 ID : **4410094104529**

Option 2 ID : **4410094104526**

Option 3 ID : **4410094104527**

Option 4 ID : **4410094104528**

Status : **Answered**

Chosen Option : **3**

Q.32 Which of the following best describes a prelacteal feed?

- Ans** ☒ 1. Formula milk given to an infant after 6 months of age
☒ 2. Complementary foods introduced after exclusive breastfeeding
☒ 3. Colostrum given immediately after birth
☒ 4. Any food or liquid given to a newborn before breastfeeding is initiated

Question Type : **MCQ**

Question ID : **441009918954**

Option 1 ID : **4410093629825**

Option 2 ID : **4410093629827**

Option 3 ID : **4410093629826**

Option 4 ID : **4410093629824**

Status : **Answered**

Chosen Option : **2**

Q.33 Which of the following is an anti-diarrhoeal agent that provides symptomatic relief of diarrhoea, decreases peristalsis and fluid secretion in the gastrointestinal tract?

- Ans ☒ 1. Loperamide
☒ 2. Baclofen
☒ 3. Bisacodyl
☒ 4. Ondansetron

Question Type : **MCQ**

Question ID : **4410091027151**

Option 1 ID : **4410094060168**

Option 2 ID : **4410094060171**

Option 3 ID : **4410094060169**

Option 4 ID : **4410094060170**

Status : **Answered**

Chosen Option : **4**

Q.34 The primary purpose of the 'Evaluation' phase of the nursing process is:

- Ans ☒ 1. to collect subjective and objective data about the patient's health status or health problems faced by the patient
☒ 2. to determine whether patient outcomes have been met and the effectiveness of nursing interventions
☒ 3. to establish priorities and design nursing interventions according to individual needs and family comfort
☒ 4. to identify actual and potential health problems of the patient, experienced or faced by the patient or family

Question Type : **MCQ**

Question ID : **4410091044405**

Option 1 ID : **4410094126673**

Option 2 ID : **4410094126672**

Option 3 ID : **4410094126670**

Option 4 ID : **4410094126671**

Status : **Answered**

Chosen Option : **2**

Q.35 The pre-determined criteria that a family health care nurse can use while prioritising the list of elderly problems includes all of the following, EXCEPT:

- Ans ☒ 1. family motivation to manage the problem of the elderly
☒ 2. availability of family resources to solve problems of the elderly
☒ 3. family awareness of the problem of the elderly
☒ 4. prolong the time for problem resolution of the elderly

Question Type : **MCQ**

Question ID : **441009383931**

Option 1 ID : **4410091501379**

Option 2 ID : **4410091501380**

Option 3 ID : **4410091501378**

Option 4 ID : **4410091501381**

Status : **Answered**

Chosen Option : **4**

Q.36 Overhydration is seen in which of the following conditions?

Ans ☒ 1. Renal failure

☒ 2. Diarrhoea

☒ 3. Vomiting

☒ 4. Epilepsy

Question Type : MCQ

Question ID : 441009396765

Option 1 ID : 4410091552502

Option 2 ID : 4410091552500

Option 3 ID : 4410091552501

Option 4 ID : 4410091552503

Status : Answered

Chosen Option : 1

Q.37 A family health nurse provides health education through posters and videos to alert parents on the risk of diarrheal diseases among children under five years of age in the area. What function is rendered by the nurse here?

Ans ☒ 1. Participate in disease-control activities through general preventive measures

☒ 2. Evaluate nursing services for the under five groups

☒ 3. Interpret data relevant to the health needs of those under five years of age

☒ 4. Provide direct comprehensive nursing care

Question Type : MCQ

Question ID : 441009383923

Option 1 ID : 4410091501348

Option 2 ID : 4410091501347

Option 3 ID : 4410091501346

Option 4 ID : 4410091501349

Status : Answered

Chosen Option : 1

Q.38 All of the following are the components of universal precautions, EXCEPT:

Ans ☒ 1. eating and drinking in patient care areas

☒ 2. disposing of sharps in designated containers

☒ 3. wearing gloves when handling body fluids

☒ 4. hand hygiene

Question Type : MCQ

Question ID : 4410091044753

Option 1 ID : 4410094128105

Option 2 ID : 4410094128104

Option 3 ID : 4410094128103

Option 4 ID : 4410094128102

Status : Answered

Chosen Option : 1

Q.39 What is the ideal route of routine insulin administration in diabetic patients?

- Ans ☒ 1. Intramuscular
☒ 2. Intravenous
☒ 3. Intradermal
☒ 4. Subcutaneous

Question Type : MCQ

Question ID : 4410091049140

Option 1 ID : 4410094145647

Option 2 ID : 4410094145646

Option 3 ID : 4410094145645

Option 4 ID : 4410094145648

Status : Answered

Chosen Option : 4

Q.40 Identify food that is high in sodium.

- Ans ☒ 1. Ragi
☒ 2. Canned foods
☒ 3. Banana
☒ 4. Orange

Question Type : MCQ

Question ID : 441009396744

Option 1 ID : 4410091552419

Option 2 ID : 4410091552418

Option 3 ID : 4410091552416

Option 4 ID : 4410091552417

Status : Answered

Chosen Option : 2

Q.41 A three-year-old child reacts to the stress of hospitalisation in the following manner. He sobs intermittently when the mother is not with him, is less active, withdrawn and becomes apathetic. The nurse recognises that the child's response to hospitalisation is in:

- Ans ☒ 1. Stage 1 - Protest
☒ 2. Stage 2 - Despair
☒ 3. Stage 4 - Regression
☒ 4. Stage 3 - Denial

Question Type : MCQ

Question ID : 441009390003

Option 1 ID : 4410091525605

Option 2 ID : 4410091525606

Option 3 ID : 4410091525608

Option 4 ID : 4410091525607

Status : Answered

Chosen Option : 3

Q.42 Which type of therapy involves identifying maladaptive behaviours and seeking to correct these by applying the principles of learning such as classical and operant conditioning?

- Ans ☒ 1. Hypnosis
☒ 2. Behaviour therapy
☒ 3. Abreaction therapy
☒ 4. Group therapy

Question Type : MCQ

Question ID : 441009396821

Option 1 ID : 4410091552725

Option 2 ID : 4410091552724

Option 3 ID : 4410091552726

Option 4 ID : 4410091552727

Status : Answered

Chosen Option : 2

Q.43 The study of food and how it affects the health and growth of the body is known as:

- Ans ☒ 1. Nutrition
☒ 2. Epidemiology
☒ 3. Ergonomics
☒ 4. Dietetics

Question Type : MCQ

Question ID : 4410091037761

Option 1 ID : 4410094101600

Option 2 ID : 4410094101598

Option 3 ID : 4410094101599

Option 4 ID : 4410094101601

Status : Answered

Chosen Option : 1

Q.44 The normal platelet count range (in $10^9/L$) is:

- Ans ☒ 1. 1,50,000-4,50,000
☒ 2. <1,50,000
☒ 3. >4,50,000
☒ 4. >5,00,000

Question Type : MCQ

Question ID : 441009918857

Option 1 ID : 4410093629436

Option 2 ID : 4410093629437

Option 3 ID : 4410093629438

Option 4 ID : 4410093629439

Status : Answered

Chosen Option : 1

Q.45 What is the traction force required for long curved forceps in primigravidae?

Ans ☒ 1. 20 kg

☐ 2. 10 kg

☐ 3. 30 kg

☐ 4. 40 kg

Question Type : MCQ

Question ID : 441009398276

Option 1 ID : 4410091558551

Option 2 ID : 4410091558550

Option 3 ID : 4410091558552

Option 4 ID : 4410091558553

Status : Not Answered

Chosen Option : --

Q.46 Which of the following feeding techniques will foster the growth and development of a pre-schooler?

Ans ☐ 1. Encourage and reward the child to empty the plate during mealtime.

☐ 2. Give light snacks in between meals.

☒ 3. Involve the child in planning menus.

☐ 4. Emphasis should be on food quantity rather than the quality of food ingested.

Question Type : MCQ

Question ID : 441009390063

Option 1 ID : 4410091525846

Option 2 ID : 4410091525848

Option 3 ID : 4410091525847

Option 4 ID : 4410091525845

Status : Answered

Chosen Option : 1

Q.47 A nursing audit that focuses on the environment in which care is delivered is a:

Ans ☐ 1. Process Audit

☐ 2. Outcome Audit

☒ 3. Structure Audit

☐ 4. Concurrent Audit

Question Type : MCQ

Question ID : 4410091047728

Option 1 ID : 4410094139902

Option 2 ID : 4410094139903

Option 3 ID : 4410094139901

Option 4 ID : 4410094139904

Status : Answered

Chosen Option : 4

Q.48 What is an agent that prevents the growth and reproduction of some bacteria called?

Ans ☒ 1. Bacteriostatic

☐ 2. Moisture

☐ 3. Nutrient

☐ 4. Bactericidal

Question Type : MCQ

Question ID : 441009373207

Option 1 ID : 4410091458407

Option 2 ID : 4410091458410

Option 3 ID : 4410091458409

Option 4 ID : 4410091458408

Status : Answered

Chosen Option : 1

Q.49 Torsades de pointes is associated with which of the following conditions?

Ans ☐ 1. Short QT syndrome

☐ 2. Prolonged PR interval

☐ 3. Short PR interval

☒ 4. Long QT syndrome

Question Type : MCQ

Question ID : 441009891732

Option 1 ID : 4410093520949

Option 2 ID : 4410093520950

Option 3 ID : 4410093520951

Option 4 ID : 4410093520948

Status : Not Answered

Chosen Option : --

Q.50 What is the ideal time for completing the documentation?

Ans ☒ 1. As soon as possible after the care is provided or observation is made

☐ 2. At the end of the shift, before handover, or when an adverse event occurs

☐ 3. Within 24 hours of the care delivery or only when an adverse reaction occurs

☐ 4. Before the care is provided, intervention is given, or the task is completed

Question Type : MCQ

Question ID : 4410091044384

Option 1 ID : 4410094126592

Option 2 ID : 4410094126591

Option 3 ID : 4410094126590

Option 4 ID : 4410094126593

Status : Answered

Chosen Option : 1

Q.51 All of the following increase the heart rate, EXCEPT:

- Ans ☒ 1. Hypercapnia
☒ 2. Hypothermia
☒ 3. Hypoxia
☒ 4. Adrenaline

Question Type : MCQ

Question ID : 441009373193

Option 1 ID : 4410091458352

Option 2 ID : 4410091458354

Option 3 ID : 4410091458351

Option 4 ID : 4410091458353

Status : Answered

Chosen Option : 3

Q.52 Antepartum death occurring beyond the period of viability is termed as:

- Ans ☒ 1. Abortion
☒ 2. IUFD
☒ 3. Placenta previa
☒ 4. Ectopic pregnancy

Question Type : MCQ

Question ID : 4410091003020

Option 1 ID : 4410093963797

Option 2 ID : 4410093963796

Option 3 ID : 4410093963798

Option 4 ID : 4410093963799

Status : Answered

Chosen Option : 2

Q.53 What is the main purpose of creating a "window" in a cast?

- Ans ☒ 1. To monitor the skin for signs of pressure sores or infection
☒ 2. To allow for better air circulation in the closed plaster cast system
☒ 3. To allow for easier removal of the cast and accommodate swelling
☒ 4. To make the cast lighter and prevent adhesion of the cast to the skin

Question Type : MCQ

Question ID : 4410091041600

Option 1 ID : 4410094115455

Option 2 ID : 4410094115454

Option 3 ID : 4410094115457

Option 4 ID : 4410094115456

Status : Not Answered

Chosen Option : --

Q.54 A pedestrian involved in a road traffic accident is suspected to have spinal cord injury. What measures should be taken to transport him to the nearest healthcare facility?

- Ans ☒ 1. Apply splint or bandage over the head and neck region and move them using rolling movements
- ☒ 2. Place hands on each side of the injured person's head to keep the head still
- ☒ 3. With support of three people, keep the injured person still and move them like a log of wood
- ☒ 4. Use tightly folded clothing on either side of the face to stabilise the person's head

Question Type : **MCQ**

Question ID : **441009383490**

Option 1 ID : **4410091499538**

Option 2 ID : **4410091499536**

Option 3 ID : **4410091499539**

Option 4 ID : **4410091499537**

Status : **Answered**

Chosen Option : **3**

Q.55 A group therapy technique, where patients learn by observing and adapting the behaviours of other members, is called:

- Ans ☒ 1. Socialisation
- ☒ 2. Imitation
- ☒ 3. Support to and from group members
- ☒ 4. Sharing experience

Question Type : **MCQ**

Question ID : **441009396849**

Option 1 ID : **4410091552838**

Option 2 ID : **4410091552839**

Option 3 ID : **4410091552837**

Option 4 ID : **4410091552836**

Status : **Answered**

Chosen Option : **3**

Q.56 Which of the following characterises threatened abortion?

- Ans ☒ 1. Complete expulsion of products
- ☒ 2. Vaginal bleeding with closed cervix
- ☒ 3. Sepsis and fever
- ☒ 4. Cervical dilation > 4 cm

Question Type : **MCQ**

Question ID : **4410091073447**

Option 1 ID : **4410094231244**

Option 2 ID : **4410094231243**

Option 3 ID : **4410094231245**

Option 4 ID : **4410094231246**

Status : **Answered**

Chosen Option : **2**

Q.57 The movement of rotation of the head visible externally due to internal rotation of the shoulders is called:

- Ans
- ☒ 1. Crowning
 - ☒ 2. Restitution
 - ☒ 3. Extension
 - ☒ 4. External Rotation

Question Type : MCQ

Question ID : 441009398238

Option 1 ID : 4410091558398

Option 2 ID : 4410091558400

Option 3 ID : 4410091558399

Option 4 ID : 4410091558401

Status : Answered

Chosen Option : 1

Q.58 According to the Integrated Management of Neonatal and Childhood Illness (IMNCI) step of colour coded case management strategy, pink classification indicates that the child needs:

- Ans
- ☒ 1. outpatient care
 - ☒ 2. inpatient care
 - ☒ 3. specific treatment at home
 - ☒ 4. no treatment, and home care only

Question Type : MCQ

Question ID : 441009389964

Option 1 ID : 4410091525444

Option 2 ID : 4410091525441

Option 3 ID : 4410091525442

Option 4 ID : 4410091525443

Status : Answered

Chosen Option : 2

Q.59 How many vertebrae form the thoracic spine?

- Ans
- ☒ 1. 5
 - ☒ 2. 10
 - ☒ 3. 12
 - ☒ 4. 7

Question Type : MCQ

Question ID : 441009380439

Option 1 ID : 4410091487561

Option 2 ID : 4410091487563

Option 3 ID : 4410091487564

Option 4 ID : 4410091487562

Status : Answered

Chosen Option : 3

Q.60 The Diagnostic and Statistical Manual of Mental Disorders (DSM-5) that classifies mental disorders was published by the:

Ans ☒ 1. American Psychiatric Association

☒ 2. Royal College of Psychiatrists

☒ 3. World Health Organization

☒ 4. World Psychiatric Association

Question Type : **MCQ**

Question ID : **441009383341**

Option 1 ID : **4410091498913**

Option 2 ID : **4410091498915**

Option 3 ID : **4410091498912**

Option 4 ID : **4410091498914**

Status : **Answered**

Chosen Option : **1**

Q.61 Which of the following drugs is used to control convulsions and reduce BP in toxemia of pregnancy?

Ans ☒ 1. Oxytocin

☒ 2. Prostaglandins

☒ 3. Magnesium sulphate

☒ 4. Ergot alkaloids

Question Type : **MCQ**

Question ID : **441009390046**

Option 1 ID : **4410091525769**

Option 2 ID : **4410091525772**

Option 3 ID : **4410091525770**

Option 4 ID : **4410091525771**

Status : **Answered**

Chosen Option : **3**

Q.62 After absorbing a blood spill of 25 ml with paper towels, the rate of dilution of sodium hypochlorite to be used for decontamination of the area is:

Ans ☒ 1. 1 : 10

☒ 2. 1 : 25

☒ 3. 1 : 50

☒ 4. 1 : 100

Question Type : **MCQ**

Question ID : **441009380790**

Option 1 ID : **4410091488921**

Option 2 ID : **4410091488922**

Option 3 ID : **4410091488923**

Option 4 ID : **4410091488924**

Status : **Answered**

Chosen Option : **4**

Q.63 _____ is a cooking method wherein tomatoes are placed in boiling water for 2-3 min and then removed from the water so that the skin gets peeled easily.

Ans ☒ 1. Blanching

☒ 2. Poaching

☒ 3. Grilling

☒ 4. Roasting

Question Type : MCQ

Question ID : 441009396728

Option 1 ID : 4410091552354

Option 2 ID : 4410091552353

Option 3 ID : 4410091552355

Option 4 ID : 4410091552352

Status : Not Answered

Chosen Option : --

Q.64 Which concept of nursing management is defined as the art of securing maximum results with minimum effort, so as to secure maximum prosperity and happiness for both managers and nurses, to render the best possible patient care?

Ans ☒ 1. Efficiency or performance oriented view

☒ 2. Decision oriented view

☒ 3. Activities oriented view

☒ 4. Personnel oriented view

Question Type : MCQ

Question ID : 441009397210

Option 1 ID : 4410091554288

Option 2 ID : 4410091554290

Option 3 ID : 4410091554291

Option 4 ID : 4410091554289

Status : Answered

Chosen Option : 1

Q.65 What is the type of leadership style where a paternalistic leader directs the group according to what he or she feels is best and right for them?

Ans ☒ 1. Benevolent autocratic

☒ 2. Democratic

☒ 3. Creative

☒ 4. Laissez-faire

Question Type : MCQ

Question ID : 441009390704

Option 1 ID : 4410091528380

Option 2 ID : 4410091528378

Option 3 ID : 4410091528379

Option 4 ID : 4410091528377

Status : Answered

Chosen Option : 4

Q.66 Which of the following best describes the medical emergency known as status epilepticus?

- Ans ☒ 1. A series of seizures separated by full recovery of consciousness
- ☒ 2. A single seizure lasting less than 2 minutes with full recovery
- ☒ 3. A seizure that occurs only during sleep and resolves spontaneously
- ☒ 4. A seizure lasting more than 5 minutes or recurrent seizures without recovery of consciousness

Question Type : MCQ

Question ID : 441009892357

Option 1 ID : 4410093523502

Option 2 ID : 4410093523501

Option 3 ID : 4410093523503

Option 4 ID : 4410093523500

Status : Answered

Chosen Option : 4

Q.67 Which of the following situations requires immediate reassessment of a patient's vital signs?

- Ans ☒ 1. The patient is awaiting routine morning vital sign check.
- ☒ 2. The patient is asleep and has no complaints.
- ☒ 3. The patient received a new antihypertensive medication for the first time.
- ☒ 4. The patient is stable and ambulating independently.

Question Type : MCQ

Question ID : 441009891639

Option 1 ID : 4410093520538

Option 2 ID : 4410093520539

Option 3 ID : 4410093520536

Option 4 ID : 4410093520537

Status : Answered

Chosen Option : 3

Q.68 A conscious attempt by an individual to change or influence the general beliefs, understanding, values and behaviour of another individual in some desired way is called:

- Ans ☒ 1. Persuasion
- ☒ 2. Counselling
- ☒ 3. Education
- ☒ 4. Motivation

Question Type : MCQ

Question ID : 441009396933

Option 1 ID : 4410091553169

Option 2 ID : 4410091553168

Option 3 ID : 4410091553170

Option 4 ID : 4410091553171

Status : Answered

Chosen Option : 2

Q.69 A nurse has to give tube feeding to a 2-year-old child. What should be the primary nursing action if she aspirates more than half the previous feeding before the scheduled feeding?

- Ans ☒ 1. Discard the aspirate and give the scheduled amount of feed.
- ☒ 2. Withhold the scheduled feeding and inform the pediatrician.
- ☒ 3. Return the aspirate to the stomach and give the full amount of the scheduled feed.
- ☒ 4. Return the aspirate to the stomach and subtract that amount from the total amount of feed to be given.

Question Type : **MCQ**

Question ID : **441009389944**

Option 1 ID : **4410091525362**

Option 2 ID : **4410091525364**

Option 3 ID : **4410091525363**

Option 4 ID : **4410091525361**

Status : **Answered**

Chosen Option : **2**

Q.70 During breastfeeding, all of the following are signs of good attachment of a baby on the mother's breast, EXCEPT that:

- Ans ☒ 1. the upper lip is turned outwards
- ☒ 2. the baby's chin touches the mother's breast
- ☒ 3. the baby's mouth is wide open
- ☒ 4. the majority of areola is inside the baby's mouth

Question Type : **MCQ**

Question ID : **441009390055**

Option 1 ID : **4410091525816**

Option 2 ID : **4410091525815**

Option 3 ID : **4410091525813**

Option 4 ID : **4410091525814**

Status : **Answered**

Chosen Option : **1**

Q.71 Which of the following musculoskeletal conditions refers to a sway back deformity?

- Ans ☒ 1. Spondylosis
- ☒ 2. Kyphosis
- ☒ 3. Scoliosis
- ☒ 4. Lordosis

Question Type : **MCQ**

Question ID : **441009941551**

Option 1 ID : **4410093719859**

Option 2 ID : **4410093719856**

Option 3 ID : **4410093719857**

Option 4 ID : **4410093719858**

Status : **Not Answered**

Chosen Option : **--**

Q.72 Which of the following is a sign of systemic infection?

Ans ☒ 1. Enlargement and tenderness of lymph nodes

☐ 2. Localised redness

☐ 3. Tenderness with palpation

☐ 4. Localised swelling

Question Type : MCQ

Question ID : 441009383954

Option 1 ID : 4410091501470

Option 2 ID : 4410091501471

Option 3 ID : 4410091501473

Option 4 ID : 4410091501472

Status : Answered

Chosen Option : 1

Q.73 Which of the following is the most common cause of central pontine myelinolysis (CPM)?

Ans ☐ 1. Chronic hyperkalemia

☐ 2. Untreated hypercalcemia

☒ 3. Rapid correction of hyponatremia

☐ 4. Slow correction of hypernatremia

Question Type : MCQ

Question ID : 441009906852

Option 1 ID : 4410093581217

Option 2 ID : 4410093581218

Option 3 ID : 4410093581216

Option 4 ID : 4410093581219

Status : Not Answered

Chosen Option : --

Q.74 What is the primary purpose of haemostatic dressings?

Ans ☐ 1. To prevent the activation of the intrinsic clotting pathway

☒ 2. To absorb blood and promote clotting

☐ 3. To prevent the activation of the extrinsic clotting pathway

☐ 4. To promote bleeding and prevent clotting

Question Type : MCQ

Question ID : 4410091034018

Option 1 ID : 4410094087707

Option 2 ID : 4410094087705

Option 3 ID : 4410094087708

Option 4 ID : 4410094087706

Status : Answered

Chosen Option : 2

Q.75 Which of the following conditions occurs when cells from inside the cervical canal grow onto the outside of the cervix?

- Ans ☒ 1. Cervical inversion
☒ 2. Cervical ectropion
☒ 3. Cervical ballotement
☒ 4. Cervical effacement

Question Type : MCQ

Question ID : 4410091067781

Option 1 ID : 4410094216634

Option 2 ID : 4410094216633

Option 3 ID : 4410094216636

Option 4 ID : 4410094216635

Status : Answered

Chosen Option : 1

Q.76 Which arterial blood gas (ABG) finding is most commonly associated with a patient in the later stages of chronic obstructive pulmonary disease (COPD)?

- Ans ☒ 1. pH: 7.48; PaCO₂: 45 mmHg; HCO₃⁻: 34 mEq/L
☒ 2. pH: 7.28; PaCO₂: 35 mmHg; HCO₃⁻: 22 mEq/L
☒ 3. pH: 7.50; PaCO₂: 28 mmHg; HCO₃⁻: 24 mEq/L
☒ 4. pH: 7.35; PaCO₂: 55 mmHg; HCO₃⁻: 30 mEq/L

Question Type : MCQ

Question ID : 441009906782

Option 1 ID : 4410093580938

Option 2 ID : 4410093580939

Option 3 ID : 4410093580937

Option 4 ID : 4410093580936

Status : Answered

Chosen Option : 2

Q.77 A circular groove encircling the uterus formed between the active upper segment and the distended lower segment is called:

- Ans ☒ 1. Constriction ring
☒ 2. Bandl's ring
☒ 3. Arbor vitae uteri
☒ 4. Uterine horns

Question Type : MCQ

Question ID : 441009398113

Option 1 ID : 4410091557903

Option 2 ID : 4410091557902

Option 3 ID : 4410091557905

Option 4 ID : 4410091557904

Status : Answered

Chosen Option : 1

Q.78 Which of the following needle gauges is the most appropriate for administering a subcutaneous injection?

- Ans ☒ 1. 18 to 20 gauge
☒ 2. 21 to 22 gauge
☒ 3. 25 to 27 gauge
☒ 4. 14 to 16 gauge

Question Type : MCQ

Question ID : 441009892294

Option 1 ID : 4410093523221

Option 2 ID : 4410093523222

Option 3 ID : 4410093523220

Option 4 ID : 4410093523223

Status : Answered

Chosen Option : 3

Q.79 Which of the following statements indicates that a patient understands the correct use of a metered-dose inhaler (MDI)?

- Ans ☒ 1. "I will shake the inhaler before each puff."
☒ 2. "I will breathe in quickly and forcefully after pressing the canister."
☒ 3. "I should skip doses if I feel better after one use."
☒ 4. "I will exhale immediately after pressing the inhaler."

Question Type : MCQ

Question ID : 441009892311

Option 1 ID : 4410093523299

Option 2 ID : 4410093523298

Option 3 ID : 4410093523297

Option 4 ID : 4410093523296

Status : Answered

Chosen Option : 2

Q.80 Which of the following lesions is observed in phase 1 of the atherosclerosis process?

- Ans ☒ 1. Fatty streak
☒ 2. Hematoma
☒ 3. Complicated lesion
☒ 4. Atheroma

Question Type : MCQ

Question ID : 441009936042

Option 1 ID : 4410093697915

Option 2 ID : 4410093697917

Option 3 ID : 4410093697916

Option 4 ID : 4410093697914

Status : Answered

Chosen Option : 1

Q.81 In which model of patient care is a registered nurse with managerial qualification assigned to follow patient's care and progress from the diagnostic phase through hospitalisation, rehabilitation and back to home care?

Ans ☒ 1. Progressive patient care

☒ 2. Total patient care

☒ 3. Functional nursing

☒ 4. Case management

Question Type : MCQ

Question ID : 441009383936

Option 1 ID : 4410091501400

Option 2 ID : 4410091501399

Option 3 ID : 4410091501401

Option 4 ID : 4410091501398

Status : Answered

Chosen Option : 2

Q.82 When does an antenatal mother experience mood swings related to enhanced levels of progesterone?

Ans ☒ 1. Second trimester

☒ 2. At the time of conception

☒ 3. First trimester

☒ 4. Third trimester

Question Type : MCQ

Question ID : 441009945565

Option 1 ID : 4410093735786

Option 2 ID : 4410093735789

Option 3 ID : 4410093735787

Option 4 ID : 4410093735788

Status : Answered

Chosen Option : 2

Q.83 In which phase of nurse-patient relationship does the patient and the nurse acknowledge the uniqueness of each other, leading to caring, empathetic relationship and accomplishment of the set tasks?

Ans ☒ 1. Pre-interaction phase

☒ 2. Working phase

☒ 3. Introductory phase

☒ 4. Termination phase

Question Type : MCQ

Question ID : 441009383535

Option 1 ID : 4410091499728

Option 2 ID : 4410091499730

Option 3 ID : 4410091499729

Option 4 ID : 4410091499731

Status : Answered

Chosen Option : 3

Q.84 Which of the following statements is NOT true while caring for linen in hospitals?

- Ans ☒ 1. Be familiar with the nature of fabric before sending it for stain removal
- ☒ 2. Water is the safest solvent for unknown stains
- ☒ 3. Linen which cannot be mended are to be discarded
- ☒ 4. Bleaches strengthen the fabric as they remove stains

Question Type : MCQ

Question ID : 441009772090

Option 1 ID : 4410093042353

Option 2 ID : 4410093042354

Option 3 ID : 4410093042356

Option 4 ID : 4410093042355

Status : Not Answered

Chosen Option : --

Q.85 Which of the following ethical principles discusses doing good and acting in the best interest of the patient, promoting their well-being?

- Ans ☒ 1. Beneficence
- ☒ 2. Autonomy
- ☒ 3. Veracity
- ☒ 4. Fidelity

Question Type : MCQ

Question ID : 4410091026928

Option 1 ID : 4410094059285

Option 2 ID : 4410094059286

Option 3 ID : 4410094059288

Option 4 ID : 4410094059287

Status : Answered

Chosen Option : 1

Q.86 A 16-year-old obese male teen has gynecomastia. The nurse recognises that the best treatment plan for the teenager will be:

- Ans ☒ 1. counselling and assuring that it is a self limiting disorder requiring no treatment
- ☒ 2. breast surgical reduction intervention
- ☒ 3. administering hormonal therapy to restrict breast growth
- ☒ 4. referral for biopsy of glandular breast tissue

Question Type : MCQ

Question ID : 441009390045

Option 1 ID : 4410091525765

Option 2 ID : 4410091525768

Option 3 ID : 4410091525767

Option 4 ID : 4410091525766

Status : Answered

Chosen Option : 1

Q.87 A group of nursing students visit a patient or bring him to the conference room in the ward during a discussion with the teacher. What type of clinical teaching method is used here?

- Ans ☒ 1. Process recording
☒ 2. Brain storming
☒ 3. Case study
☒ 4. Nursing care conference

Question Type : MCQ

Question ID : 441009390838

Option 1 ID : 4410091528920

Option 2 ID : 4410091528921

Option 3 ID : 4410091528918

Option 4 ID : 4410091528919

Status : Answered

Chosen Option : 3

Q.88 The pulsus paradoxus is commonly associated with which of the following conditions?

- Ans ☒ 1. Mitral valve prolapses
☒ 2. Aortic stenosis
☒ 3. Atrial fibrillation
☒ 4. Cardiac tamponade

Question Type : MCQ

Question ID : 4410091049123

Option 1 ID : 4410094145585

Option 2 ID : 4410094145582

Option 3 ID : 4410094145584

Option 4 ID : 4410094145583

Status : Answered

Chosen Option : 4

Q.89 Which bacteria cause typhoid fever?

- Ans ☒ 1. Yersinia pestis
☒ 2. Salmonella Typhi
☒ 3. Clostridium perfringens
☒ 4. Mycobacterium leprae

Question Type : MCQ

Question ID : 441009397187

Option 1 ID : 4410091554196

Option 2 ID : 4410091554197

Option 3 ID : 4410091554198

Option 4 ID : 4410091554199

Status : Answered

Chosen Option : 2

Q.90 Which of these is a post-operative nursing diagnosis?

- Ans ☒ 1. Fear related to perceived threat of the surgical procedure and separation from support system
- ☒ 2. Risk for ineffective airway clearance related to depressed respiratory function, pain and bed rest
- ☒ 3. Anxiety related to expressed concerns due to operating room environment
- ☒ 4. Disturbed sensory perception related to general anaesthesia

Question Type : MCQ

Question ID : 441009384069

Option 1 ID : 4410091501929

Option 2 ID : 4410091501926

Option 3 ID : 4410091501927

Option 4 ID : 4410091501928

Status : Answered

Chosen Option : 2

Q.91 A physiological barrier for health communication and health education is:

- Ans ☒ 1. illiteracy
- ☒ 2. a noisy place
- ☒ 3. language variations
- ☒ 4. hearing impairment

Question Type : MCQ

Question ID : 441009383882

Option 1 ID : 4410091501177

Option 2 ID : 4410091501174

Option 3 ID : 4410091501176

Option 4 ID : 4410091501175

Status : Answered

Chosen Option : 4

Q.92 The process by which the muscular fibres of the cervix are pulled upward and merge with the fibres of the lower uterine segment is called:

- Ans ☒ 1. Effacement
- ☒ 2. Uterine contraction
- ☒ 3. Lower uterine segment
- ☒ 4. Cervical dilatation

Question Type : MCQ

Question ID : 441009398134

Option 1 ID : 4410091557988

Option 2 ID : 4410091557987

Option 3 ID : 4410091557986

Option 4 ID : 4410091557989

Status : Answered

Chosen Option : 3

Q.93 Which of the following is NOT a method of sterilisation?

- Ans ☒ 1. Ethylene Oxide (ETO)
- ☒ 2. Hydrogen peroxide plasma
- ☒ 3. Formaldehyde
- ☒ 4. Steam, dry heat

Question Type : MCQ

Question ID : 441009373372

Option 1 ID : 4410091459079

Option 2 ID : 4410091459078

Option 3 ID : 4410091459080

Option 4 ID : 4410091459077

Status : Answered

Chosen Option : 2

Q.94 What is the main role of iodine in the adult human body?

- Ans ☒ 1. Blood clotting and coagulation
- ☒ 2. Thyroid hormone production
- ☒ 3. Nerve impulse transmission
- ☒ 4. Muscle contraction and relaxation

Question Type : MCQ

Question ID : 4410091048336

Option 1 ID : 4410094142413

Option 2 ID : 4410094142415

Option 3 ID : 4410094142416

Option 4 ID : 4410094142414

Status : Answered

Chosen Option : 2

Q.95 Which of the following models primarily assumes that increased knowledge leads to changed attitudes and, ultimately, to changed behaviour?

- Ans ☒ 1. HPM model
- ☒ 2. KAP model
- ☒ 3. HBM model
- ☒ 4. DAK model

Question Type : MCQ

Question ID : 4410091027345

Option 1 ID : 4410094060937

Option 2 ID : 4410094060939

Option 3 ID : 4410094060936

Option 4 ID : 4410094060938

Status : Answered

Chosen Option : 3

Q.96 What is the RDA for Vitamin B12 for infants aged 0-6 months?

- Ans ☒ 1. 6 mcg
☒ 2. 12 mg
☒ 3. 0.4 mcg
☒ 4. 80 mcg

Question Type : MCQ
Question ID : 4410091037738
Option 1 ID : 4410094101507
Option 2 ID : 4410094101508
Option 3 ID : 4410094101506
Option 4 ID : 4410094101509
Status : Not Answered
Chosen Option : --

Q.97 How does breast feeding aid maternal recovery?

- Ans ☒ 1. Promotes oxytocin release
☒ 2. Delays uterine involution
☒ 3. Increases the risk of infection
☒ 4. Causes anaemia

Question Type : MCQ
Question ID : 4410091073559
Option 1 ID : 4410094231699
Option 2 ID : 4410094231700
Option 3 ID : 4410094231701
Option 4 ID : 4410094231702
Status : Answered
Chosen Option : 1

Q.98 Which of these is the best method to prevent tetanus?

- Ans ☒ 1. Seven day course of Erythromycin estolate
☒ 2. Active immunisation with tetanus toxoid
☒ 3. Passive immunisation with human tetanus hyperimmunoglobulin
☒ 4. Intramuscular injection of short-acting penicillin

Question Type : MCQ
Question ID : 441009383910
Option 1 ID : 4410091501297
Option 2 ID : 4410091501296
Option 3 ID : 4410091501295
Option 4 ID : 4410091501294
Status : Answered
Chosen Option : 2

Q.99 What is the primary role of the National Assessment and Accreditation Council (NAAC) in higher education in India?

- Ans ☒ 1. To provide medical education to rural communities
☒ 2. To conduct nursing licensure exams
☒ 3. To evaluate and accredit higher educational institutions based on quality standards
☒ 4. To regulate pharmaceutical practices across the country

Question Type : MCQ

Question ID : 441009924972

Option 1 ID : 4410093654024

Option 2 ID : 4410093654023

Option 3 ID : 4410093654022

Option 4 ID : 4410093654025

Status : Answered

Chosen Option : 3

Q.10 The basic concepts of nursing informatics include all of the following, EXCEPT:

0

- Ans ☒ 1. knowledge
☒ 2. research
☒ 3. information
☒ 4. data

Question Type : MCQ

Question ID : 441009390684

Option 1 ID : 4410091528299

Option 2 ID : 4410091528298

Option 3 ID : 4410091528300

Option 4 ID : 4410091528297

Status : Answered

Chosen Option : 2